

MISC. ORDER NO. 2017-19

In the County Court of Craighead County, Arkansas

In the matter of awarding bids for the purchase of two (2)  
Dump Trucks with dump beds and hydraulics installed  
And delivered to the Craighead County Road Department.

ORDER

Comes before the County Court of Craighead County, Arkansas, the matter of awarding bids for the purchase of two (2) Dump Trucks with dump beds and hydraulics installed and three (3) year/150,000 mile guaranteed dealer buyback, delivered and to be used by the Craighead County Road Department.

Bids were advertised and publicly opened in accordance with Arkansas Code 14-22-101 through 14-22-115, concerning purchasing and bidding procedures.

It is therefore, considered, ordered, and adjudged that the best bid and overall best value of \$139,450.00 per dump truck, with a three year/150,000 mile guaranteed dealer buyback of \$85,500 per dump truck, with a total award of \$278,900.00 be awarded to Tag Truck Center, 5712 Commerce Square, Jonesboro, AR 72401.

Dated this 12<sup>th</sup> Day of April, 2017

Approved: \_\_\_\_\_

Ed Hill

Craighead County Judge

**FILED**

**APR 12 2017**

**KADE HOLLIDAY**  
COUNTY & PROBATE COURT CLERK

BID TABULATION SHEET									
Bid 2017-11	Purchase two new dump trucks with automatic transmission and 3 year/150,000 guaranteed dealer buyback								
County Road Dept	Craighead County Road Dept								
DATE: April 6, 2017	2800 Moore Rd								
Jonesboro, AR 72401									
BIDDER NAME	ITEM BID	Price per unit	per unit	Total Cost	Net cost per vehicle per year utilizing 3 yr BuyBack Option				
Tag Truck Center	2018 Freightliner 114SD with Ox Body 16ft Stamped, Allison 4500 RDS trans	\$139,450.00	\$85,500.00	\$278,900.00	\$17,983.33				
5712 Commerce Square	Detroit DD13(12.8L) 450 HP Engine, Buyback three year/150,000 miles								
Jonesboro, AR 72401	Service location, Jonesboro, AR. Engine warranty three years/200,000, Truck warranty(all) 12 months/100,000 miles. Trans 5 yr warranty. Delivery 120 days. Gross comb wt 80,000#								
Tony Hickman									
Ph 972-8588 Fax 972-0223									
TriState Truck Center	2018 Mack GU713, Ox Dump Body 16 ft, Stamped, 6 speed, allison trans, (elliptical)	\$158,713.91	\$103,000.00	\$317,427.82	\$18,571.30				
1333 E Parker Road	2018 Mack GU713 Ox Dump Body 16 ft Stamped, M-Drive HD 12 sp, (Elliptical)	\$145,630.61	\$103,000.00	\$291,261.22	\$14,210.20				
Jonesboro, AR 72404	2018 Mack GU713 Ox Dump Body 16 ft Stamped, 12 sp tran, M-Drive (Elliptical)	\$145,365.83	\$103,000.00	\$290,731.66	\$14,121.94				
Ph 870-273-5079 Fax 972-5862	MP8-415M(12.8L) Mack Diesel Engine 427 HP, 415C, Torque 1870								
	Buyback three year/150,000 miles. Service location Jonesboro, AR,								
	Truck warranty-24 months/250,000 miles; Engine-36 months/250,000 miles. Delivery 120 days)Gross comb wt 80,000								
Crows Truck Service	2018 Western Star 4700 SF, 6 speed allison transmission, Ox Dump Body 16' Stamped	\$146,000.00	\$90,500.00	\$292,000.00	\$18,500.00				
5278 Hwy 78	2018 Western Star 4700 SF, on ground, 6 speed allison transmission, Ox Dump Body	\$146,400.00	\$89,500.00	\$292,800.00	\$18,966.67				
Memphis, TN 38118	Detroit DD13(12.8L)450 HP, Buyback three year/150,000 miles								
Pat McHugh	Service location, Memphis, TN, Delivery 90 days								
901-493-6328 Fax 901-366-6859	Truck warranty-5 yr 200,000 mile Engine & after treatment								
	miles. Gross comb wt 80,000#								
Summit Truck Group	2018 International HX520, Eaton auto trans, Ox body Stamped Dump Body 16'.	\$138,293.00	\$0.00	\$276,586.00	\$46,097.67				
1750 E. Brooks Road	2017/2018 International HX520, Allison auto trans, TEBCO Dump Body 16'.	\$148,919.00	\$0.00	\$297,838.00	\$49,639.67				
Memphis, TN 38116	2018 International HX520, Eaton auto trans, Hilbilt Dump Body 16'.	\$140,503.00	\$0.00	\$281,006.00	\$46,834.33				
Joe Bridges	Cummins, 485 HP@1950RPM, Buyback three year/150,000 miles								
Ph 870-559-1274	Eaton auto transmission. Did not offer buyback offer as requested in bid								
	Gen item B & C. Truck warranty -12 months. Delivery 120 days								
	Service location, Memphis, TN. Standard Engine & truck warranty								



FROM:

Craighead County Purchasing Department  
c/o County Judges Office  
511 Union Rm 119  
Jonesboro, AR 72401  
Phone 870-933-4500  
Fax 870-933-4504

**PURCHASE ORDER**  
**CRAIGHEAD COUNTY**  
**ARKANSAS**

**SHOW THIS NO. ON ALL INVOICES,  
DELIVERY SLIPS, CASES, BOXES, ETC**

PURCHASE  
ORDER

**49535**

TO: **TA9 Truck Center**  
**5712 Commerce Square**  
**Jonesboro, AR 72401**

DATE **4-12-17**

Req. By **Ed Hill / Evans**

Req. # **2017-11**

Bid No. **2017-11**

Charge to  
Account No. **2000-200,4005**

Gentlemen: Please furnish the following to Craighead County and be governed by the instructions hereon.

ITEM	QUAN.	BRAND, CATALOG NO. AND DESCRIPTION	UNIT PRICE	TOTAL
	<b>2</b>	<b>Dump Trucks with installed dump beds and Hydraulics and fully operational and delivered to Craighead County Road Dept., 2800 Moore Rd, Jonesboro, AR 72401</b> <b>2018 Freightliner 114SD Trucks with 16' ox body straight dump design. Automatic Transmission,</b> <b>Full Truck Warranty 12 months/100,000 miles labor &amp; parts</b> <b>Three Year/150,000 mile guaranteed dealer buy back at \$85,500 per truck</b> <b>Exterior Color: Ultra Red Pearl/Motrix Elite</b> <b>All according to specs in bid P59 2017-11</b>	<b>139,450.00</b>	<b>278,900.00</b>

**TOTAL**

SHIP TO:

**Craighead County Road Dept.**  
**2800 Moore Rd**  
**Jonesboro, AR 72401**

DEL. PROMISED

DEL. REQUIRED

TERMS:

F.O.B. **DESTINATION**

PRICING:

No purchases over \$100.00 are valid unless covered by this form signed by Purchasing Agent. Submit invoice promptly to County Clerk, Craighead County Court House, P.O. Box 1167, Jonesboro, AR 72401. The above Purchase Order No. must appear on all Invoices, Delivery Slips, Cases, Boxes, Etc. even when shipped direct by your supplier.

I certify that all the above articles or services have been received in good order except as noted.

Dated \_\_\_\_\_ 20\_\_\_\_

Signed \_\_\_\_\_

**CRAIGHEAD COUNTY**

By

*[Signature]*

Purchasing Agent

# TAG TRUCK CENTER

<p align="center"><b>CRAIGHEAD COUNTY</b>  <b>INVITATION TO BID-Not an Order</b>          Craighead County Judge's Office          511 Union St.; Suite 119          Jonesboro, Arkansas 72401</p>				
<b>PURCHASING OFFICE</b> <b>BID NO. 2017-11</b>				
DATE: March 21, 2017				
Sealed bids, subject to the conditions on the reverse hereof, and as may be attached hereto, will be received at this office until 2:00 PM April 5, 2017 and then publicly opened, for furnishing the supplies, materials, and/or services as described below.				
Bids will be opened April 5, 2017. 2:00 P.M.				
<b>F.O.B Jonesboro, Arkansas</b>				
BY: Al Haines <b>PURCHASING DIRECTOR</b>				
Maximum Delivery or completion time after issuance of Purchase Order or work ordered by County 120 days.				
Item #	DESCRIPTION	QUANT	UNIT	UNIT PRICE
1	Furnish two (2) each Dump Trucks with Automatic transmissions and with installed dump beds to Craighead County Road Department, 2800 Moore Road, Jonesboro, AR. 72401 according to attached specifications. Trucks are to have dump beds and hydraulics installed and fully operational when delivered.	2		
2	This bid package contains 6 pages. All 6 pages must be returned to complete bid.			
3	Bid must be signed by authorized company representative.			
4	Bidder should: A. Clearly define and list warranty information on each item in years. B. Include all labor, delivery charges, training, programming, and any other charges FOB Jonesboro, Arkansas 72401, in bid price. C. Include product literature and specifications with bid. D. All relevant information will be considered when determining best bid for Craighead County. E. Specify cash discounts, if available. F. Note bid number on outside of bid envelope. G. Specify approximate ship time in days, if awarded bid. F. List make, model, and manufacturer of equipment being offered. G. Quote same or equal equipment in all aspects. H. Specify nearest service and parts supply location to Jonesboro, AR.			
5	Does bidder meet all dump truck specifications? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> If no, clearly list and define differences on a separate sheet.			
6	Attached equipment list with names and part numbers is for reference.			
7	Bidder should put total bid price on this sheet. Total bid price is \$ 278,900			
8	Bidder shall list purchase price per unit here. \$139,450 Buyback price per unit here. \$ 85,500			
<b>EXECUTION OF BID</b>				
Date 3/31/2017				
We, the undersigned, have read all the requirements set forth in this bid proposal including specifications, instructions, conditions, and pertinent information regarding the articles being bid on, and we agree to furnish articles at the prices stated.				
Arkansas Use Tax Register No. 311386-16-001 148				
Bidder Phil Good Address 5712 COMMERCE SQ				
(Person Authorized to Sign Bids) Title GENERAL MANAGER				
<b>UNSIGNED BIDS WILL BE REJECTED</b>				
<b>BIDS ARE SUBJECT TO REJECTION UNLESS SUBMITTED ON THIS FORM</b>				
<b>NOTICE TO BIDDERS, SEE REVERSE SIDE OR ATTACHMENTS FOR INSTRUCTIONS AND CONDITIONS.</b>				

Craighead County

Bid # 2017-11

2018 Freightliner 114SD Dump Truck

Ox Stampede 16 ft dump bed.

Warranty information:

3 year 200,000 mile engine coverage included.

5 year Allison Transmission coverage included.

3 year towing coverage included.

2 year unlimited mile basic coverage on chassis.

Parts and service location is 5712 Commerce Sq. Jonesboro Ar.

Estimated delivery is 120 days for receipt of PO from Craighead County.

Regards,

A handwritten signature in black ink, appearing to read "Phillip Goodman", written in a cursive style.

Phillip Goodman

CRAIGHEAD COUNTY					
JONESBORO, ARKANSAS					
CONDITIONS OF BIDDING					
<b>Compliance with the following conditions is necessary for consideration of this bid.</b>					
1	<u>Signature</u> -This bid must be signed with the firm name and by an authorized officer, employee or agent.				
2	<u>Sales Tax</u> -Is not to be shown in the bid price, but is to be added by the vendor to the invoice billing to the County. The County is exempt from Arkansas State Sales Tax on road equipment and vehicles. Contractors are to include all costs into the bid price, including applicable taxes.				
3	<u>Freight and other delivery charges</u> -to destination at designated County facility in the County must be included in bid. Charges may not be added after the bid is opened.				
4	<u>Discounts</u> -Show rate, total amount, and latest day any discounts will be allowed after receipt of article and invoice, otherwise County will deduct allowed discount when payment is made.				
5	<u>Firm Price</u> -All prices quoted will remain firm for at least 30 days from date of bid, unless otherwise specified by the County or bidder				
6	<u>Tax Exempt</u> -Craighead County is exempt from State sales tax on self propelled equipment and motor vehicles. Example: Motor graders, excavators, dozers, dump trucks, pickup trucks, etc.				
7	<u>Identical Bids</u> -In the event of two or more identical low bids, the contract may be awarded arbitrarily or for any reason to any of such bidders, or split in any proportion between the said two or more bidders at discretion of the County.				
8	<u>Clean up</u> -Complete cleanup and proper disposal of any and all job related items is considered to be a part of any contract let by Craighead County.				
9	<u>Ambiguity in bid</u> -Any ambiguity in any bid as the result of omission, error, lack of clarity or non-compliance specifications, instructions, and all conditions of bidding shall be construed in the light most favorable to the County				
10	<u>Construction</u> A. When requested, the Contractor is to supply the County with evidence of having and maintaining proper and specifically Workman's Compensation Insurance in accordance with the laws of the State of Arkansas, Public Liability, and Property Damage. All premiums and cost shall be paid by Contractor. In no way will the County be responsible in case of accident. B. A Performance Bond equaling the total amount of any bid exceeding \$20,000 must be provided for erection of any public building, public structure, or public improvement(Pursuant to Arkansas Code 18-44-503.)				
11	The County reserves the right to reject any and all bids, accept in whole or in part, to waive informalities in bids received, to accept bids on materials or equipment with variations from specifications in those cases where efficiency of operation will not be impaired, and unless otherwise specified by bidder, to accept any item in the bid. If unit prices and extensions thereof do not coincide, the County may accept the bid for the lesser amount whether reflected by extension or by the correct multiple of the unit price.				
<b>INSTRUCTIONS TO BIDDERS</b>		(Please read carefully)			
1	Submit bid on bid form attached or reverse side of this sheet.				
2	Address all bids to: Purchasing Director, Craighead County Judge's Office, 511 Union St.; Suite 119, Jonesboro, Arkansas 72401 and make certain to indicate identifying bid number on the outside of bid envelope.				
3	DO NOT include Federal Excise Tax in bid. County will furnish exemption certificate.				
4	State Manufacturer, Brand Name, Model, etc. for each item bid on.				
5	Samples of items, when required must be furnished free, and, if not called for within 30 days from date of bid opening, will be disposed of by the County				
6	Bids received after stated time will not be considered.				
7	Be sure and read all conditions and verify amounts before submitting bids. No changes or additions will be allowed after submission.				
8	Guarantees and warranties should be attached as a part of the bid, as they may be a consideration in awarding contract.				
9	Delivery or contract completion time is to be shown, as this date may, where time is of the essence, determine the contract award.				
10	Additional information may be obtained from the Purchasing Department.				
<b>THE COUNTY RESERVES THE RIGHT TO ACCEPT PART OR ALL OF ANY SPECIFIC BID OR BIDS</b>					
<b>AND TO ACCEPT BID WITH OR WITHOUT TRADE-IN, AND REJECT ANY AND ALL BIDS.</b>					

	<b>General</b>					
A	Trucks (automatic transmissions) and dump beds shall be the latest year model in current production with proven performance by manufacturer and shall meet all federal emissions and all other EPA regulations.(Specify year model)					
B	All bidders shall offer a guaranteed three (3) year dealer buy back program and clearly defining buy back dollar amount, time frame and mileage and other criteria for the buy back program.					
C	Bidder shall bid truck and bed with a three (3) year/150,000 mile dealer buyback program. Dealer should guarantee any outside vendors and /or companies that supply buy back pricing.					
D	Note: Part of specifications may be Freightliner specific. Please bid equal equipment.					
E	Note: Part of specifications may be Godwin EL series specific. Please bid equal equipment.					
	<b>VEHICLE AND DUMP BED SPECIFICATIONS</b>					
F	<b>Dump Bed Specifications</b> (Beds being offered shall be equal to the following specifications)	<b>Meet Specifications</b>				
		Yes	No			
1	R/S Godwin Truck Body Company Model EL 16052311	✓				
2	Elliptical floor, length 192, Pivot 180 degrees, Inside width 86, Side height 52.	✓				
3	Custom single acting hoist, Electric Tarp system-6200.	✓				
4	6" diameter cylinder rod(3) stage cylinder with 2000 PSI	✓				
5	Hoist lifting capacity 56,540 lbs. (28 ton)	✓				
6	140" cylinder stroke	✓				
7	50 degree dump angle	✓				
8	High lift gate (6') opening discharge	✓				
9	16 Cubic yard capacity	✓				
10	Fender bottom rail 10 gauge, Wood Board gusset height 8", Bulkhead 74.	✓				
11	All Hydraulics, All safety features, flaps, lights,	✓				
12	Air shift PTO	✓				
13	Asphalt apron, Deck 1/4" AR450, Sides 3/16" AR450, Rear post material 1/4" high tensile	✓				
14	Air operated tailgate, High lift, Height 56, Material, 3/16" hardox AR450, air operated controls.	✓				
	<b>Vehicle Configuration</b>					
1	114SD CONVENTIONAL CHASSIS	✓				
2	SPECIFY MODEL YEAR	2018				
3	SET FORWARD AXLE - TRUCK	✓				
4	TRAILER TOWING PROVISION AT END OF FRAME FOR TRUCK	✓				
5	FREIGHTLINER LEVEL II WARRANTY	✓				
6	EXPECTED FRONT AXLE(S) LOAD : 18000.0 lbs.	✓				
7	EXPECTED REAR DRIVE AXLE(S) LOAD : 46000.0 lbs.	✓				
8	EXPECTED PUSHER AXLE(S) LOAD : 12350.0 lbs.	✓				
9	EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 76350.0 lbs.	✓				
10	EXPECTED GROSS COMBINATION WEIGHT : 80000.0 lbs.	✓				
11	DD13 12.8L 450 HP @ 1800 RPM, 2080 GOV RPM, 1650 LB/FT @ 1100 RPM	✓				
12	2010 EPA/CARB EMISSION CERTIFICATION	✓				
13	DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE	✓				
14	(3) ALLIANCE MODEL 1231, GROUP 31, 12 VOLT MAINTENANCE FREE 3375 CCA THREADED STUD BATTERIES	✓				
15	POSITIVE AND NEGATIVE POSTS FOR JUMPSTART MOUNTED NEAR/ON BATTERY TRAY/BOX	✓				
16	ZF-SACHS 15-1/2 INCH TWIN XTEND ULTRA SOFT DAMPER CERAMIC CLUTCH		✓		AUTOMATIC	TRANS



17	TORQUE LIMITING CLUTCH BRAKE		✓			
18	ZERK FITTING WITH EXTENSION HOSE AT CLUTCH RELEASE BEARING		✓			
19	BW MODEL BA-921 19.0 CFM SINGLE CYLINDER AIR COMPRESSOR WITH SAFETY VALVE	✓				
20	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM	✓				
21	JACOBS COMPRESSION BRAKE	✓				
22	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH LH B-PILLAR MOUNTED VERTICAL TAILPIPE	✓				
23	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND DASH MOUNTED REGENERATION REQUEST SWITCH	✓				
24	BRIGHT UPPER STACK(S)	✓				
25	13 GALLON DIESEL EXHAUST FLUID TANK	✓				
26	BORG WARNER (KYSOR) REAR AIR ON/OFF ENGINE FAN CLUTCH	✓				
27	DDC SUPPLIED ENGINE MOUNTED FUEL FILTER/FUEL WATER SEPARATOR WITH WATER-IN-FUEL INDICATOR	✓				
28	1500 SQUARE INCH ALUMINUM RADIATOR	✓				
29	DELCO 12V 39MT+ HD/OCP STARTER WITH THERMAL PROTECTION AND INTEGRATED MAGNETIC SWITCH	✓				
30	ALLISON AUTOMATIC 4500 RDS TRANSMISSION	✓				
31	MFS-18-133A 18,000# FL1 SINGLE FRONT AXLE	✓				
32	MERITOR 16.5X6 Q+ CAST SPIDER CAM FRONT BRAKES, DOUBLE ANCHOR, FABRICATED SHOES	✓				
33	MERITOR AUTOMATIC FRONT SLACK ADJUSTERS	✓				
34	TRW THP-60 POWER STEERING WITH RCH45 AUXILIARY GEAR	✓				
35	ROADRANGER SYNTHETIC FE 75W-90 FRONT AXLE LUBE	✓				
36	18,000# TAPERLEAF FRONT SUSPENSION	✓				
37	FRONT SHOCK ABSORBERS	✓				
38	RT-46-160P 46,000# R-SERIES TANDEM REAR AXLE	✓				
39	4.30 REAR AXLE RATIO	✓				
40	MXL 176N MERITOR EXTENDED LUBE MAIN DRIVELINE WITH FULL ROUND YOKES	✓				
41	MXL 17N MERITOR EXTENDED LUBE INTERAXLE DRIVELINE WITH FULL ROUND YOKES	✓				
42	DRIVER CONTROLLED TRACTION DIFFERENTIAL - BOTH TANDEM REAR AXLES	✓				
43	(1) INTERAXLE LOCK VALVE, (1) DRIVER CONTROLLED DIFFERENTIAL LOCK FORWARD-REAR AND REAR-REAR AXLE VALVE	✓				
44	MERITOR 16.5X8.62 Q+ CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES	✓				
45	BRAKE CAMS AND CHAMBERS ON FORWARD SIDE OF DRIVE AXLE(S)	✓				
46	TUFTRAC 46,000# 2-STAGE REAR SPRING SUSPENSION	✓				
47	TUFTRAC STANDARD RIDE HEIGHT	✓				
48	56 INCH AXLE SPACING	✓				
49	FORE/AFT AND TRANSVERSE CONTROL RODS	✓				
50	HENDRICKSON PARALIFT ULTRA HLUC2 COMPOSILITE 13,200# AIR LIFT STEERABLE PUSHER SUSPENSION WITH HENDRICKSON FF1 AXLE	✓				
51	HENDRICKSON FF1 13,200# PUSHER AXLE INTEGRAL WITH HLUS/R-2, HLUC2 SUSPENSIONS	✓				
52	(1) DASH VALVE AND (1) GAUGE FOR SINGLE LIFT AXLE	✓				

53	REVERSE LIFT AXLE WIRING WITH LAST STATE RETENTION WITH IGNITION OFF	✓				
54	AIR PIPING FOR (1) LIFT/NON-LIFT AXLE WITH REGULATOR CHASSIS MOUNTED	✓				
55	MERITOR 15X4 Q+ CAM PUSHER/TAG BRAKES, DOUBLE ANCHOR, FABRICATED SHOES	✓				
56	MERITOR AUTOMATIC PUSHER/TAG SLACK ADJUSTERS	✓				
57	HENDRICKSON HLUC2 13,200# AIR LIFT STEERABLE PUSHER AXLE SUSPENSION	✓				
58	WABCO 4S/4M ABS WITHOUT TRACTION CONTROL	✓				
59	PRIMARY CONNECTOR/RECEPTACLE WIRED FOR SEPARATE STOP/TURN, CENTER PIN POWERED THROUGH IGNITION	✓				
60	SAE J560 7-WAY PRIMARY TRAILER CABLE RECEPTACLE MOUNTED END OF FRAME	✓				
61	5650MM (222 INCH) WHEELBASE	✓			228 W.B.	
62	11/32X3-1/2X10-15/16 INCH STEEL FRAME (8.73MMX277.8MM/0.344X10.94 INCH) 120KSI	✓				
63	1/4 INCH (6MM) C-CHANNEL INNER FRAME REINFORCEMENT	✓				
64	HEAVY DUTY SUSPENSION CROSSMEMBER	✓				
65	16.5 INCH CHROME STEEL STRAIGHT BUMPER	✓				
66	100 GALLON/378 LITER ALUMINUM FUEL TANK - LH	✓				
67	GOODYEAR G296 MSA 385/65R22.5 18 PLY RADIAL FRONT TIRES	✓				
68	GOODYEAR G288 11R22.5 16 PLY RADIAL REAR TIRES	✓				
69	GOODYEAR G338 1AD 295/75R22.5 14 PLY RADIAL PUSHER/TAG TIRES	✓				
70	CONMET PRE-SET BEARING ALUMINUM REAR HUBS	✓				
71	ACCURIDE 29374A 22.5X12.25 10-HUB PILOT 4.75 INSET 10-HAND ALUMINUM DISC FRONT WHEELS	✓				
72	ACCURIDE 29644A 22.5X8.25 10-HUB PILOT ALUMINUM DISC REAR WHEELS		✓		STEEL	
73	ACCURIDE 29644A 22.5X8.25 10-HUB PILOT ALUMINUM DISC PUSHER/TAG WHEELS		✓		STEEL	
74	114 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB	✓				
75	AIR CAB MOUNTS	✓				
76	NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE	✓				
77	CHROMED HOOD MOUNTED AIR INTAKE GRILLE	✓				
78	DUAL 26 INCH RECTANGULAR POLISHED ALUMINUM AIR HORNS ROOF MOUNTED	✓				
79	DUAL HORN SHIELDS	✓				
80	HALOGEN COMPOSITE HEADLAMPS WITH BRIGHT BEZELS	✓				
81	DUAL WEST COAST BRIGHT FINISH HEATED MIRRORS WITH LH AND RH REMOTE	✓				
82	DOOR MOUNTED MIRRORS	✓				
83	LH AND RH 8" BRIGHT FINISH CONVEX MIRRORS MOUNTED UNDER PRIMARY MIRRORS	✓				
84	TINTED DOOR GLASS LH AND RH WITH TINTED OPERATING WING WINDOWS	✓				
85	RH AND LH ELECTRIC POWERED WINDOWS	✓				
86	INTERIOR CONVENIENCE PACKAGE WITH CB PROVISION	✓				
87	2-1/2 LB. FIRE EXTINGUISHER	✓				
88	HEATER, DEFROSTER AND AIR CONDITIONER	✓				

89	CAB INSULATION	✓				
90	SOLID-STATE CIRCUIT PROTECTION AND FUSES	✓				
91	LH AND RH ELECTRIC DOOR LOCKS	✓				
92	(1) 12 VOLT POWER SUPPLY IN DASH	✓				
93	TRIANGULAR REFLECTORS WITHOUT FLARES	✓				
94	BOSTROM TALLADEGA 910 HIGH BACK AIR SUSPENSION DRIVER SEAT WITH AIR LUMBAR	✓				
95	HIGH BACK NON SUSPENSION PASSENGER SEAT	✓				
96	LH AND RH INTEGRAL DOOR PANEL ARMRESTS	✓				
97	CLOTH DRIVER SEAT COVER	✓				
98	CLOTH PASSENGER SEAT COVER	✓				
99	ADJUSTABLE TILT AND TELESOPING STEERING COLUMN	✓				
100	97 DB BACKUP ALARM	✓				
101	ELECTRONIC CRUISE CONTROL WITH SWITCHES ON AUXILIARY GAUGE PANEL (B DASH PANEL)	✓				
102	ODOMETER/TRIP/HOUR/DIAGNOSTIC/VOLTAGE DISPLAY: 1X7 CHARACTER, 26 WARNING LAMPS, DATA LINKED, ICU3	✓				
103	DIAGNOSTIC INTERFACE CONNECTOR, 9 PIN, SAE J1939, LOCATED BELOW DASH	✓				
104	2 INCH ELECTRIC FUEL GAUGE	✓				
105	FUEL FILTER RESTRICTION INDICATOR	✓				
106	DUAL REAR AXLE TEMPERATURE GAUGES FOR TANDEM AXLES	✓				
107	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE	✓				
108	ENGINE OIL TEMPERATURE GAUGE	✓				
109	2 INCH TRANSMISSION OIL TEMPERATURE GAUGE	✓				
110	ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY	✓				
111	ELECTRIC ENGINE OIL PRESSURE GAUGE	✓				
112	AM/FM/WB RADIO WITH FRONT AUXILIARY INPUT	✓				
113	DASH MOUNTED RADIO	✓				
114	ELECTRONIC 3000 RPM TACHOMETER	✓				
115	TRAILER HAND CONTROL BRAKE VALVE	✓				
116	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, WASHER/WIPER AND HAZARD IN HANDLE	✓				
117	PAINT: ONE SOLID COLOR	✓				
118	CAB COLOR (EQUAL TO L5495EB ULTRA RED PEARL METALLIC ELITE BC)	✓				
119	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT	✓				
120	Weight Front 9324 lbs. Weight Rear 9694 lbs. Total Weight 19,018 lbs.					
	<b>Unit cost and buy back proposal</b>					
1	Bidder shall list the purchase price per unit here and on top sheet. \$ <u>139,450.00</u>					
2	Bidder shall list the guaranteed three (3) year/150,000 mile dealer buy back price here per unit and on top sheet. \$ <u>85,500</u>					

CRAIGHEAD COUNTY					
INVITATION TO BID-Not an Order					
Craighead County Judge's Office					
511 Union St.; Suite 119					
Jonesboro, Arkansas 72401					
PURCHASING OFFICE					
BID NO. 2017-11			DATE: March 21, 2017		
Sealed bids, subject to the conditions on the reverse hereof, and as may be attached hereto, will be received at this office until 2:00 PM April 5, 2017 and then publicly opened, for furnishing the supplies, materials, and/or services as described below.					
			Bids will be opened April 5, 2017.		
			2:00 P.M.		
F.O.B. Jonesboro, Arkansas			BY: Al Haines		
Maximum Delivery or completion time after issuance of Purchase			PURCHASING DIRECTOR		
Order or work ordered by County 120 days.					
Item #	DESCRIPTION	QUANT	UNIT	UNIT PRICE	AMOUNT
1	Furnish two (2) each Dump Trucks with Automatic transmissions and with installed dump beds to Craighead County Road Department, 2800 Moore Road, Jonesboro, AR. 72401 according to attached specifications. Trucks are to have dump beds and hydraulics installed and fully operational when delivered.	2			
2	This bid package contains 6 pages. All 6 pages must be returned to complete bid.				
3	Bid must be signed by authorized company representative.				
4	Bidder should:				
	A. Clearly define and list warranty information on each item in years.				
	B. Include all labor, delivery charges, training, programming, and any other charges FOB Jonesboro, Arkansas 72401, in bid price.				
	C. Include product literature and specifications with bid.				
	D. All relevant information will be considered when determining best bid for Craighead County.				
	E. Specify cash discounts, if available.				
	F. Note bid number on outside of bid envelope.				
	G. Specify approximate ship time in days, if awarded bid.				
	F. List make, model, and manufacturer of equipment being offered.				
	G. Quote same or equal equipment in all aspects.				
	H. Specify nearest service and parts supply location to Jonesboro, AR.				
5	Does bidder meet all dump truck specifications? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> If no, clearly list and define differences on a separate sheet.				
6	Attached equipment list with names and part numbers is for reference.				
7	Bidder should put total bid price on this sheet. Total bid price is \$317,427.82				
8	Bidder shall list purchase price per unit here. \$158,713.91 Buyback price per unit here. \$103,000				
EXECUTION OF BID		Date 4-4-17			
We, the undersigned, have read all the requirements set forth in this bid proposal including specifications, instructions, conditions, and pertinent information regarding the articles being bid on, and we agree to furnish articles at the prices stated.					
Arkansas Use Tax Register No. 00116396-SLS					
Bidder Tri state truck center Address 1333 Parker rd, Jonesboro Ar 72404					
(Person Authorized to Sign Bids) Title New and used truck sales - Landon Fennell					
UNSIGNED BIDS WILL BE REJECTED					
BIDS ARE SUBJECT TO REJECTION UNLESS SUBMITTED ON THIS FORM					
NOTICE TO BIDDERS, SEE REVERSE SIDE OR ATTACHMENTS FOR INSTRUCTIONS AND CONDITIONS.					

CRAIGHEAD COUNTY	
JONESBORO, ARKANSAS	
CONDITIONS OF BIDDING	
<b>Compliance with the following conditions is necessary for consideration of this bid.</b>	
1	<u>Signature</u> -This bid must be signed with the firm name and by an authorized officer, employee or agent.
2	<u>Sales Tax</u> -Is not to be shown in the bid price, but is to be added by the vendor to the invoice billing to the County. The County is exempt from Arkansas State Sales Tax on road equipment and vehicles. Contractors are to include all costs into the bid price, including applicable taxes.
3	<u>Freight and other delivery charges</u> -to destination at designated County facility in the County must be included in bid. Charges may not be added after the bid is opened.
4	<u>Discounts</u> -Show rate, total amount, and latest day any discounts will be allowed after receipt of article and invoice, otherwise County will deduct allowed discount when payment is made.
5	<u>Firm Price</u> -All prices quoted will remain firm for at least 30 days from date of bid, unless otherwise specified by the County or bidder
6	<u>Tax Exempt</u> -Craighead County is exempt from State sales tax on self propelled equipment and motor vehicles. Example: Motor graders, excavators, dozers, dump trucks, pickup trucks, etc.
7	<u>Identical Bids</u> -In the event of two or more identical low bids, the contract may be awarded arbitrarily or for any reason to any of such bidders, or split in any proportion between the said two or more bidders at discretion of the County.
8	<u>Clean up</u> -Complete cleanup and proper disposal of any and all job related items is considered to be a part of any contract let by Craighead County.
9	<u>Ambiguity in bid</u> -Any ambiguity in any bid as the result of omission, error, lack of clarity or non-compliance specifications, instructions, and all conditions of bidding shall be construed in the light most favorable to the County
10	<u>Construction</u> A. When requested, the Contractor is to supply the County with evidence of having and maintaining proper and specifically Workman's Compensation Insurance in accordance with the laws of the State of Arkansas, Public Liability, and Property Damage. All premiums and cost shall be paid by Contractor. In no way will the County be responsible in case of accident. B. A Performance Bond equaling the total amount of any bid exceeding \$20,000 must be provided for erection of any public building, public structure, or public improvement(Pursuant to Arkansas Code 18-44-503.)
11	The County reserves the right to reject any and all bids, accept in whole or in part, to waive informalities in bids received, to accept bids on materials or equipment with variations from specifications in those cases where efficiency of operation will not be impaired, and unless otherwise specified by bidder, to accept any item in the bid. If unit prices and extensions thereof do not coincide, the County may accept the bid for the lesser amount whether reflected by extension or by the correct multiple of the unit price.
<b>INSTRUCTIONS TO BIDDERS</b>	
(Please read carefully)	
1	Submit bid on bid form attached or reverse side of this sheet.
2	Address all bids to: Purchasing Director, Craighead County Judge's Office, 511 Union St., Suite 119, Jonesboro, Arkansas 72401 and make certain to indicate identifying bid number on the outside of bid envelope.
3	DO NOT include Federal Excise Tax in bid. County will furnish exemption certificate.
4	Sate Manufacturer, Brand Name, Model, etc. for each item bid on.
5	Samples of items, when required must be furnished free, and, if not called for within 30 days from date of bid opening, will be disposed of by the County
6	Bids received after stated time will not be considered.
7	Be sure and read all conditions and verify amounts before submitting bids. No changes or additions will be allowed after submission.
8	Guarantees and warranties should be attached as a part of the bid, as they may be a consideration in awarding contract.
9	Delivery or contract completion time is to be shown, as this date may, where time is of the essence, determine the contract award.
10	Additional information may be obtained from the Purchasing Department.
<b>THE COUNTY RESERVES THE RIGHT TO ACCEPT PART OR ALL OF ANY SPECIFIC BID OR BIDS</b>	
<b>AND TO ACCEPT BID WITH OR WITHOUT TRADE-IN, AND REJECT ANY AND ALL BIDS.</b>	



	<b>General</b>					
A	Trucks (automatic transmissions) and dump beds shall be the latest year model in current production with proven performance by manufacturer and shall meet all federal emissions and all other EPA regulations.(Specify year model)					
B	All bidders shall offer a guaranteed three (3) year dealer buy back program and clearly defining buy back dollar amount, time frame and mileage and other criteria for the buy back program.					
C	Bidder shall bid truck and bed with a three (3) year/150,000 mile dealer buyback program. Dealer should guarantee any outside vendors and /or companies that supply buy back pricing.					
D	Note: Part of specifications may be Freightliner specific. Please bid equal equipment.					
E	Note: Part of specifications may be Godwin EL series specific. Please bid equal equipment.					
	<b>VEHICLE AND DUMP BED SPECIFICATIONS</b>					
F	<b>Dump Bed Specifications</b> (Beds being offered shall be equal to the following specifications)	Meet Specifications				
		Yes	No			
1	R/S Godwin Truck Body Company Model EL 16052311	/				
2	Elliptical floor, length 192, Pivot 180 degrees, Inside width 86, Side height 52.	/				
3	Custom single acting hoist, Electric Tarp system-6200.	/				
4	6" diameter cylinder rod(3) stage cylinder with 2000 PSI	/				
5	Hoist lifting capacity 56,540 lbs. (28 ton)	/				
6	140" cylinder stroke	/				
7	50 degree dump angle	/				
8	High lift gate (6") opening discharge	/				
9	16 Cubic yard capacity	/				
10	Fender bottom rail 10 gauge, Wood Board gusset height 8", Bulkhead 74.	/				
11	All Hydraulics, All safety features, flaps, lights,	/				
12	Air shift PTO	/				
13	Asphalt apron, Deck 1/4" AR450,Sides 3/16" AR450, Rear post material 1/4" high tensile	/				
14	Air operated tailgate, High lift, Height 56, Material, 3/16" hardox AR450, air operated controls.	/				
	<b>Vehicle Configuration</b>					
1	114SD CONVENTIONAL CHASSIS	/			exceeds	
2	SPECIFY MODEL YEAR	/			2018	
3	SET FORWARD AXLE - TRUCK	/				
4	TRAILER TOWING PROVISION AT END OF FRAME FOR TRUCK	/				
5	FREIGHTLINER LEVEL II WARRANTY	/				
6	EXPECTED FRONT AXLE(S) LOAD : 18000.0 lbs.	/				
7	EXPECTED REAR DRIVE AXLE(S) LOAD : 46000.0 lbs.	/				
8	EXPECTED PUSHER AXLE(S) LOAD : 12350.0 lbs.	/				
9	EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 76350.0 lbs.	/				
10	EXPECTED GROSS COMBINATION WEIGHT : 80000.0 lbs.	/				
11	DD13 12.8L 450 HP @ 1800 RPM, 2080 GOV RPM, 1650 LB/FT @ 1100 RPM	/			MP8-415-1660 LB/FT	
12	2010 EPA/CARB EMISSION CERTIFICATION	/				
13	DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE	/				
14	(3) ALLIANCE MODEL 1231, GROUP 31, 12 VOLT MAINTENANCE FREE 3375 CCA THREADED STUD BATTERIES	/				
15	POSITIVE AND NEGATIVE POSTS FOR JUMPSTART MOUNTED NEAR/ON BATTERY TRAY/BOX	/				
16	ZF-SACHS 15-1/2 INCH TWIN XTEND ULTRA SOFT DAMPER CERAMIC CLUTCH	/				



17	TORQUE LIMITING CLUTCH BRAKE	/				
18	ZERK FITTING WITH EXTENSION HOSE AT CLUTCH RELEASE BEARING	/				
19	BW MODEL BA-921 19.0 CFM SINGLE CYLINDER AIR COMPRESSOR WITH SAFETY VALVE	/				
20	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM	/				
21	JACOBS COMPRESSION BRAKE	/				
22	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH LH B-PILLAR MOUNTED VERTICAL TAILPIPE	/				
23	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND DASH MOUNTED REGENERATION REQUEST SWITCH	/				
24	BRIGHT UPPER STACK(S)	/				
25	13 GALLON DIESEL EXHAUST FLUID TANK	/		8.7		
26	BORG WARNER (KYSOR) REAR AIR ON/OFF ENGINE FAN CLUTCH	/				
27	DDC SUPPLIED ENGINE MOUNTED FUEL FILTER/FUEL WATER SEPARATOR WITH WATER-IN-FUEL INDICATOR	/				
28	1500 SQUARE INCH ALUMINUM RADIATOR	/				
29	DELCO 12V 39MT+ HD/OCP STARTER WITH THERMAL PROTECTION AND INTEGRATED MAGNETIC SWITCH	/				
30	ALLISON AUTOMATIC 4500 RDS TRANSMISSION	/				
31	MFS-18-133A 18,000# FL1 SINGLE FRONT AXLE	/				
32	MERITOR 16.5X6 Q+ CAST SPIDER CAM FRONT BRAKES, DOUBLE ANCHOR, FABRICATED SHOES	/				
33	MERITOR AUTOMATIC FRONT SLACK ADJUSTERS	/				
34	TRW THP-60 POWER STEERING WITH RCH45 AUXILIARY GEAR	/				
35	ROADRANGER SYNTHETIC FE 75W-90 FRONT AXLE LUBE	/				
36	18,000# TAPERLEAF FRONT SUSPENSION	/				
37	FRONT SHOCK ABSORBERS	/				
38	RT-46-160P 46,000# R-SERIES TANDEM REAR AXLE	/				
39	4.30 REAR AXLE RATIO	/		4.19		
40	MXL 176N MERITOR EXTENDED LUBE MAIN DRIVELINE WITH FULL ROUND YOKES	/		exceed		
41	MXL 17N MERITOR EXTENDED LUBE INTERAXLE DRIVELINE WITH FULL ROUND YOKES	/		exceed		
42	DRIVER CONTROLLED TRACTION DIFFERENTIAL - BOTH TANDEM REAR AXLES	/				
43	(1) INTERAXLE LOCK VALVE, (1) DRIVER CONTROLLED DIFFERENTIAL LOCK FORWARD-REAR AND REAR-REAR AXLE VALVE	/				
44	MERITOR 16.5X8.62 Q+ CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES	/		16.5x7		
45	BRAKE CAMS AND CHAMBERS ON FORWARD SIDE OF DRIVE AXLE(S)	/				
46	TUFTRAC 46,000# 2-STAGE REAR SPRING SUSPENSION	/				
47	TUFTRAC STANDARD RIDE HEIGHT	/				
48	56 INCH AXLE SPACING	/				
49	FORE/AFT AND TRANSVERSE CONTROL RODS	/		rears		
50	HENDRICKSON PARALIFT ULTRA HLUC2 COMPOSILITE 13,200# AIR LIFT STEERABLE PUSHER SUSPENSION WITH HENDRICKSON FF1 AXLE	/				
51	HENDRICKSON FF1 13,200# PUSHER AXLE INTEGRAL WITH HLUS/R-2, HLUC2 SUSPENSIONS	/				
52	(1) DASH VALVE AND (1) GAUGE FOR SINGLE LIFT AXLE	/				

53	REVERSE LIFT AXLE WIRING WITH LAST STATE RETENTION WITH IGNITION OFF	/				
54	AIR PIPING FOR (1) LIFT/NON-LIFT AXLE WITH REGULATOR CHASSIS MOUNTED	/				
55	MERITOR 15X4 Q+ CAM PUSHER/TAG BRAKES, DOUBLE ANCHOR, FABRICATED SHOES	/				
56	MERITOR AUTOMATIC PUSHER/TAG SLACK ADJUSTERS	/				
57	HENDRICKSON HLUC2 13,200# AIR LIFT STEERABLE PUSHER AXLE SUSPENSION	/				
58	WABCO 4S/4M ABS WITHOUT TRACTION CONTROL	/		w/traction		
59	PRIMARY CONNECTOR/RECEPTACLE WIRED FOR SEPARATE STOP/TURN, CENTER PIN POWERED THROUGH IGNITION	/				
60	SAE J560 7-WAY PRIMARY TRAILER CABLE RECEPTACLE MOUNTED END OF FRAME	/				
61	5650MM (222 INCH) WHEELBASE	/				
62	11/32X3-1/2X10-15/16 INCH STEEL FRAME (8.73MMX277.8MM/0.344X10.94 INCH) 120KSI	/				
63	1/4 INCH (6MM) C-CHANNEL INNER FRAME REINFORCEMENT	/				
64	HEAVY DUTY SUSPENSION CROSSMEMBER	/				
65	16.5 INCH CHROME STEEL STRAIGHT BUMPER	/				
66	100 GALLON/378 LITER ALUMINUM FUEL TANK - LH	/				
67	GOODYEAR G296 MSA 385/65R22.5 18 PLY RADIAL FRONT TIRES	/		M854		
68	GOODYEAR G288 11R22.5 16 PLY RADIAL REAR TIRES	/		M299		
69	GOODYEAR G338 1AD 295/75R22.5 14 PLY RADIAL PUSHER/TAG TIRES	/				
70	CONMET PRE-SET BEARING ALUMINUM REAR HUBS	/				
71	ACCURIDE 29374A 22.5X12.25 10-HUB PILOT 4.75 INSET 10-HAND ALUMINUM DISC FRONT WHEELS	/				
72	ACCURIDE 29644A 22.5X8.25 10-HUB PILOT ALUMINUM DISC REAR WHEELS	/				
73	ACCURIDE 29644A 22.5X8.25 10-HUB PILOT ALUMINUM DISC PUSHER/TAG WHEELS	/				
74	114 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB	/		120		
75	AIR CAB MOUNTS	/				
76	NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE	/				
77	CHROMED HOOD MOUNTED AIR INTAKE GRILLE	/				
78	DUAL 26 INCH RECTANGULAR POLISHED ALUMINUM AIR HORNS ROOF MOUNTED	/				
79	DUAL HORN SHIELDS	/				
80	HALOGEN COMPOSITE HEADLAMPS WITH BRIGHT BEZELS	/				
81	DUAL WEST COAST BRIGHT FINISH HEATED MIRRORS WITH LH AND RH REMOTE	/				
82	DOOR MOUNTED MIRRORS	/				
83	LH AND RH 8" BRIGHT FINISH CONVEX MIRRORS MOUNTED UNDER PRIMARY MIRRORS	/				
84	TINTED DOOR GLASS LH AND RH WITH TINTED OPERATING WING WINDOWS	/				
85	RH AND LH ELECTRIC POWERED WINDOWS	/				
86	INTERIOR CONVENIENCE PACKAGE WITH CB PROVISION	/				
87	2-1/2 LB. FIRE EXTINGUISHER	/				
88	HEATER, DEFROSTER AND AIR CONDITIONER	/				



89	CAB INSULATION	/				
90	SOLID-STATE CIRCUIT PROTECTION AND FUSES	/				
91	LH AND RH ELECTRIC DOOR LOCKS	/	/			
92	(1) 12 VOLT POWER SUPPLY IN DASH	/	/			
93	TRIANGULAR REFLECTORS WITHOUT FLARES	/				
94	BOSTROM TALLADEGA 910 HIGH BACK AIR SUSPENSION DRIVER SEAT WITH AIR LUMBAR	/				
95	HIGH BACK NON SUSPENSION PASSENGER SEAT	/				
96	LH AND RH INTEGRAL DOOR PANEL ARMRESTS	/				
97	CLOTH DRIVER SEAT COVER	/				
98	CLOTH PASSENGER SEAT COVER	/				
99	ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN	/				
100	97 DB BACKUP ALARM	/				
101	ELECTRONIC CRUISE CONTROL WITH SWITCHES ON AUXILIARY GAUGE PANEL (B DASH PANEL)	/				
102	ODOMETER/TRIP/HOUR/DIAGNOSTIC/VOLTAGE DISPLAY: 1X7 CHARACTER, 26 WARNING LAMPS, DATA LINKED, ICU3	/				
103	DIAGNOSTIC INTERFACE CONNECTOR, 9 PIN, SAE J1939, LOCATED BELOW DASH	/				
104	2 INCH ELECTRIC FUEL GAUGE	/				
105	FUEL FILTER RESTRICTION INDICATOR	/				
106	DUAL REAR AXLE TEMPERATURE GAUGES FOR TANDEM AXLES	/				
107	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE	/				
108	ENGINE OIL TEMPERATURE GAUGE	/				
109	2 INCH TRANSMISSION OIL TEMPERATURE GAUGE	/				
110	ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY	/				
111	ELECTRIC ENGINE OIL PRESSURE GAUGE	/				
112	AM/FM/WB RADIO WITH FRONT AUXILIARY INPUT	/				
113	DASH MOUNTED RADIO	/				
114	ELECTRONIC 3000 RPM TACHOMETER	/				
115	TRAILER HAND CONTROL BRAKE VALVE	/				
116	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, WASHER/WIPER AND HAZARD IN HANDLE	/				
117	PAINT: ONE SOLID COLOR	/				
118	CAB COLOR (EQUAL TO L5495EB ULTRA RED PEARL METALLIC ELITE BC)	/				
119	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT	/				
120	Weight Front 9324 lbs. Weight Rear 9694 lbs. Total Weight 19,018 lbs.	/				
<b>Unit cost and buy back proposal</b>						
1	Bidder shall list the purchase price per unit here and on top sheet. \$	158,713				
2	Bidder shall list the guaranteed three (3) year/150,000 mile dealer buy back price here per unit and on top sheet. \$	103,000				



**CRAIGHEAD COUNTY**  
**INVITATION TO BID-Not an Order**  
 Craighead County Judge's Office  
 511 Union St.; Suite 119  
 Jonesboro, Arkansas 72401

PURCHASING OFFICE

**BID NO. 2017-11**

DATE: March 21, 2017

Sealed bids, subject to the conditions on the reverse hereof, and as may be attached hereto, will be received at this office until 2:00 PM April 5, 2017 and then publicly opened, for furnishing the supplies, materials, and/or services as described below.

Bids will be opened April 5, 2017.  
 2:00 P.M.

F.O.B. Jonesboro, Arkansas

BY: Al Haines

Maximum Delivery or completion time after issuance of Purchase

PURCHASING DIRECTOR

Order or work ordered by County 120 days.

Item #	DESCRIPTION	QUANT	UNIT	UNIT PRICE	AMOUNT
1	Furnish two (2) each Dump Trucks with Automatic transmissions and with installed dump beds to Craighead County Road Department, 2800 Moore Road, Jonesboro, AR. 72401 according to attached specifications. Trucks are to have dump beds and hydraulics installed and fully operational when delivered.	2	2	146,000. <sup>00</sup>	292,000. <sup>00</sup>
2	This bid package contains 6 pages. All 6 pages must be returned to complete bid.				
3	Bid must be signed by authorized company representative.				
4	Bidder should: <ul style="list-style-type: none"> <li>A. Clearly define and list warranty information on each item in years.</li> <li>B. Include all labor, delivery charges, training, programming, and any other charges FOB Jonesboro, Arkansas 72401, in bid price.</li> <li>C. Include product literature and specifications with bid.</li> <li>D. All relevant information will be considered when determining best bid for Craighead County.</li> <li>E. Specify cash discounts, if available.</li> <li>F. Note bid number on outside of bid envelope.</li> <li>G. Specify approximate ship time in days, if awarded bid.</li> <li>F. List make, model, and manufacturer of equipment being offered.</li> <li>G. Quote same or equal equipment in all aspects.</li> <li>H. Specify nearest service and parts supply location to Jonesboro, AR.</li> </ul>				
5	Does bidder meet all dump truck specifications? Yes <u>    </u> No <u>✓</u> If no, clearly list and define differences on a separate sheet.				
6	Attached equipment list with names and part numbers is for reference.				
7	Bidder should put total bid price on this sheet. Total bid price is \$ <u>292,000.<sup>00</sup></u> (146,000 x 2)				
8	Bidder shall list purchase price per unit here. \$ <u>146,000.<sup>00</sup></u> Buyback price per unit here. \$ <u>90,500.<sup>00</sup></u>				

\* Syn 200,000 MILE ENGINE & AFTER-TREATMENT SYSTEM

DELIVERY 120 DAYS FROM DATE OF PURCHASE ORDER

2018 WESTERN STAR 4700 WITH OX STAMPEDE BODY  
 CROWS TRUCK SERVICE  
 5278 HIGHWAY 78  
 MEMPHIS, TN 38118

**EXECUTION OF BID**

Date 4/3/2017

We, the undersigned, have read all the requirements set forth in this bid proposal including specifications, instructions, conditions, and pertinent information regarding the articles being bid on, and we agree to furnish articles at the prices stated.

Arkansas Use Tax Register No. 127448-18-001

Bidder Crows Truck Service Address 5278 Highway 78 Memphis, TN 38118  
 (Person Authorized to Sign Bids) Title Patricia McCall Sales Representative

**UNSIGNED BIDS WILL BE REJECTED**

**BIDS ARE SUBJECT TO REJECTION UNLESS SUBMITTED ON THIS FORM**

**NOTICE TO BIDDERS, SEE REVERSE SIDE OR ATTACHMENTS FOR INSTRUCTIONS AND CONDITIONS.**

\* Price Includes 5 YEAR 200,000 MILE EW4 ENGINE & AFTER-TREATMENT WARRANTY

		<b>CRAIGHEAD COUNTY</b>				
		<b>JONESBORO, ARKANSAS</b>				
		<b>CONDITIONS OF BIDDING</b>				
		<b>Compliance with the following conditions is necessary for consideration of this bid.</b>				
• 1		<u>Signature</u> -This bid must be signed with the firm name and by an authorized officer, employee or agent.				
2		<u>Sales Tax</u> -Is not to be shown in the bid price, but is to be added by the vendor to the invoice billing to the County. The County is exempt from Arkansas State Sales Tax on road equipment and vehicles. Contractors are to include all costs into the bid price, including applicable taxes.				
3		<u>Freight and other delivery charges</u> -to destination at designated County facility in the County must be included in bid. Charges may not be added after the bid is opened.				
4		<u>Discounts</u> -Show rate, total amount, and latest day any discounts will be allowed after receipt of article and invoice, otherwise County will deduct allowed discount when payment is made.				
5		<u>Firm Price</u> -All prices quoted will remain firm for at least 30 days from date of bid, unless otherwise specified by the County or bidder				
6		<u>Tax Exempt</u> -Craighead County is exempt from State sales tax on self propelled equipment and motor vehicles. Example: Motor graders, excavators, dozers, dump trucks, pickup trucks, etc.				
7		<u>Identical Bids</u> -In the event of two or more identical low bids, the contract may be awarded arbitrarily or for any reason to any of such bidders, or split in any proportion between the said two or more bidders at discretion of the County.				
8		<u>Clean up</u> -Complete cleanup and proper disposal of any and all job related items is considered to be a part of any contract let by Craighead County.				
9		<u>Ambiguity in bid</u> -Any ambiguity in any bid as the result of omission, error, lack of clarity or non-compliance specifications, instructions, and all conditions of bidding shall be construed in the light most favorable to the County				
10		<u>Construction</u> A. When requested, the Contractor is to supply the County with evidence of having and maintaining proper and specifically Workman's Compensation Insurance in accordance with the laws of the State of Arkansas, Public Liability, and Property Damage. All premiums and cost shall be paid by Contractor. In no way will the County be responsible in case of accident. B. A Performance Bond equaling the total amount of any bid exceeding \$20,000 must be provided for erection of any public building, public structure, or public improvement(Pursuant to Arkansas Code 18-44-503.)				
11		The County reserves the right to reject any and all bids, accept in whole or in part, to waive informalities in bids received, to accept bids on materials or equipment with variations from specifications in those cases where efficiency of operation will not be impaired, and unless otherwise specified by bidder, to accept any item in the bid. If unit prices and extensions thereof do not coincide, the County may accept the bid for the lesser amount whether reflected by extension or by the correct multiple of the unit price.				
		<b>INSTRUCTIONS TO BIDDERS</b>		(Please read carefully)		
1		Submit bid on bid form attached or reverse side of this sheet.				
2 •		Address all bids to: Purchasing Director, Craighead County Judge's Office, 511 Union St.; Suite 119, Jonesboro, Arkansas 72401 and make certain to indicate identifying bid number on the outside of bid envelope.				
3		DO NOT include Federal Excise Tax in bid. County will furnish exemption certificate.				
4		State Manufacturer, Brand Name, Model, etc. for each item bid on.				
5		Samples of items, when required must be furnished free, and, if not called for within 30 days from date of bid opening, will be disposed of by the County				
6		Bids received after stated time will not be considered.				
7		Be sure and read all conditions and verify amounts before submitting bids. No changes or additions will be allowed after submission.				
8		Guarantees and warranties should be attached as a part of the bid, as they may be a consideration in awarding contract.				
9		Delivery or contract completion time is to be shown, as this date may, where time is of the essence, determine the contract award.				
10		Additional information may be obtained from the Purchasing Department.				
		<b>THE COUNTY RESERVES THE RIGHT TO ACCEPT PART OR ALL OF ANY SPECIFIC BID OR BIDS</b>				
		<b>AND TO ACCEPT BID WITH OR WITHOUT TRADE-IN, AND REJECT ANY AND ALL BIDS.</b>				



	<b>General</b>					
A	Trucks (automatic transmissions) and dump beds shall be the latest year model in current production with proven performance by manufacturer and shall meet all federal emissions and all other EPA regulations.(Specify year model)					
B	All bidders shall offer a guaranteed three (3) year dealer buy back program and clearly defining buy back dollar amount, time frame and mileage and other criteria for the buy back program.					
C	Bidder shall bid truck and bed with a three (3) year/150,000 mile dealer buyback program. Dealer should guarantee any outside vendors and /or companies that supply buy back pricing.					
D	Note: Part of specifications may be Freightliner specific. Please bid equal equipment.					
E	Note: Part of specifications may be Godwin EL series specific. Please bid equal equipment.					
	<b>VEHICLE AND DUMP BED SPECIFICATIONS</b>					
F	<b>Dump Bed Specifications</b> (Beds being offered shall be equal to the following specifications)	Meet Specifications				
		Yes	No			
1	R/S Godwin Truck Body Company Model EL 16052311	✓		EXCEEDS OX STAMPED		
2	Elliptical floor, length 192, Pivot 180 degrees, Inside width 86, Side height 52.	✓				
3	Custom single acting hoist, Electric Tarp system-6200.	✓				
4	6" diameter cylinder rod(3) stage cylinder with 2000 PSI	✓				
5	Hoist lifting capacity 56,540 lbs. (28 ton)	✓		35 TON Capacity Hoist		
6	140" cylinder stroke	✓				
7	50 degree dump angle	✓				
8	High lift gate (6') opening discharge	✓				
9	16 Cubic yard capacity	✓				
10	Fender bottom rail 10 gauge, Wood Board gusset height 8", Bulkhead 74.	✓				
11	All Hydraulics, All safety features, flaps, lights,	✓				
12	Air shift PTO	✓				
13	Asphalt apron, Deck 1/4" AR450, Sides 3/16" AR450, Rear post material 1/4" high tensile	✓				
14	Air operated tailgate, High lift, Height 56, Material, 3/16" hardox AR450, air operated controls.	✓				
	<b>Vehicle Configuration</b>	✓		WESTERN STAR 4700 CONVENTIONAL CAB		
1	114SD CONVENTIONAL CHASSIS					
2	SPECIFY MODEL YEAR	2018✓				
3	SET FORWARD AXLE - TRUCK	✓				
4	TRAILER TOWING PROVISION AT END OF FRAME FOR TRUCK	✓				
5	FREIGHTLINER LEVEL II WARRANTY	✓		WESTERN STAR VOCATIONAL WARRANTY		
6	EXPECTED FRONT AXLE(S) LOAD : 18000.0 lbs.	✓				
7	EXPECTED REAR DRIVE AXLE(S) LOAD : 46000.0 lbs.	✓				
8	EXPECTED PUSHER AXLE(S) LOAD : 12350.0 lbs.	✓		EXCEEDS 13,200# AXLE		
9	EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 76350.0 lbs.	✓		EXCEEDS 72,200 # GVW		
10	EXPECTED GROSS COMBINATION WEIGHT : 80000.0 lbs.	✓				
11	DD13 12.8L 450 HP @ 1800 RPM, 2080 GOV RPM, 1650 LB/FT @ 1100 RPM	✓				
12	2010 EPA/CARB EMISSION CERTIFICATION	✓				
13	DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE	✓				
14	(3) ALLIANCE MODEL 1231, GROUP 31, 12 VOLT MAINTENANCE FREE 3375 CCA THREADED STUD BATTERIES		✓	2190 CCA BATTERIES		
15	POSITIVE AND NEGATIVE POSTS FOR JUMPSTART MOUNTED NEAR/ON BATTERY TRAY/BOX	✓				
16	ZF-SACHS 15-1/2 INCH TWIN XTEND ULTRA SOFT DAMPER CERAMIC CLUTCH			NOT AVAILABLE WITH AUTOMATIC TRANSMISSION		

OPTION: 45 TON HITCH ADD \$1,133.<sup>00</sup> 3

17	TORQUE LIMITING CLUTCH BRAKE	✓	NOT AVAILABLE WITH AUTOMATIC				
18	ZERK FITTING WITH EXTENSION HOSE AT CLUTCH RELEASE BEARING	✓	NOT AVAILABLE WITH AUTOMATIC				
19	BW MODEL BA-921 19.0 CFM SINGLE CYLINDER AIR COMPRESSOR WITH SAFETY VALVE	✓					
20	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM	✓					
21	JACOBS COMPRESSION BRAKE	✓					
22	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH LH B-PILLAR MOUNTED VERTICAL TAILPIPE	✓					
23	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND DASH MOUNTED REGENERATION REQUEST SWITCH	✓					
24	BRIGHT UPPER STACK(S)	✓					
25	13 GALLON DIESEL EXHAUST FLUID TANK	✓					
26	BORG WARNER (KYSOR) REAR AIR ON/OFF ENGINE FAN CLUTCH	✓					
27	DDC SUPPLIED ENGINE MOUNTED FUEL FILTER/FUEL WATER SEPARATOR WITH WATER-IN-FUEL INDICATOR	✓					
28	1500 SQUARE INCH ALUMINUM RADIATOR	✓					
29	DELCO 12V 39MT+ HD/OCP STARTER WITH THERMAL PROTECTION AND INTEGRATED MAGNETIC SWITCH	✓					
30	ALLISON AUTOMATIC 4500 RDS TRANSMISSION	✓					
31	MFS-18-133A 18,000# FL1 SINGLE FRONT AXLE	✓					
32	MERITOR 16.5X6 Q+ CAST SPIDER CAM FRONT BRAKES, DOUBLE ANCHOR, FABRICATED SHOES	✓					
33	MERITOR AUTOMATIC FRONT SLACK ADJUSTERS	✓					
34	TRW THP-60 POWER STEERING WITH RCH45 AUXILIARY GEAR	✓					
35	ROADRANGER SYNTHETIC FE 75W-90 FRONT AXLE LUBE	✓					
36	18,000# TAPERLEAF FRONT SUSPENSION	✓					
37	FRONT SHOCK ABSORBERS	✓					
38	RT-46-160P 46,000# R-SERIES TANDEM REAR AXLE	✓					
39	4.30 REAR AXLE RATIO	✓					
40	MXL 176N MERITOR EXTENDED LUBE MAIN DRIVELINE WITH FULL ROUND YOKES	✓	EXCEEDS MXL18T				
41	MXL 17N MERITOR EXTENDED LUBE INTERAXLE DRIVELINE WITH FULL ROUND YOKES	✓					
42	DRIVER CONTROLLED TRACTION DIFFERENTIAL - BOTH TANDEM REAR AXLES	✓					
43	(1) INTERAXLE LOCK VALVE, (1) DRIVER CONTROLLED DIFFERENTIAL LOCK FORWARD-REAR AND REAR-REAR AXLE VALVE	✓					
44	MERITOR 16.5X8.62 Q+ CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES	✓					
45	BRAKE CAMS AND CHAMBERS ON FORWARD SIDE OF DRIVE AXLE(S)	✓					
46	TUFTRAC 46,000# 2-STAGE REAR SPRING SUSPENSION	✓					
47	TUFTRAC STANDARD RIDE HEIGHT	✓					
48	56 INCH AXLE SPACING	✓					
49	FORE/AFT AND TRANSVERSE CONTROL RODS	✓					
50	HENDRICKSON PARALIFT ULTRA HLUC2 COMPOSILITE 13,200# AIR LIFT STEERABLE PUSHER SUSPENSION WITH HENDRICKSON FF1 AXLE	✓					
51	HENDRICKSON FF1 13,200# PUSHER AXLE INTEGRAL WITH HLUS/R-2, HLUC2 SUSPENSIONS	✓					
52	(1) DASH VALVE AND (1) GAUGE FOR SINGLE LIFT AXLE	✓					



53	REVERSE LIFT AXLE WIRING WITH LAST STATE RETENTION WITH IGNITION OFF	✓				
54	AIR PIPING FOR (1) LIFT/NON-LIFT AXLE WITH REGULATOR CHASSIS MOUNTED	✓				
55	MERITOR 15X4 Q+ CAM PUSHER/TAG BRAKES, DOUBLE ANCHOR, FABRICATED SHOES	✓				
56	MERITOR AUTOMATIC PUSHER/TAG SLACK ADJUSTERS	✓				
57	HENDRICKSON HLUC2 13,200# AIR LIFT STEERABLE PUSHER AXLE SUSPENSION	✓				
58	WABCO 4S/4M ABS WITHOUT TRACTION CONTROL	✓				
59	PRIMARY CONNECTOR/RECEPTACLE WIRED FOR SEPARATE STOP/TURN, CENTER PIN POWERED THROUGH IGNITION	✓				
60	SAE J560 7-WAY PRIMARY TRAILER CABLE RECEPTACLE MOUNTED END OF FRAME	✓				
61	5650MM (222 INCH) WHEELBASE	✓				
62	11/32X3-1/2X10-15/16 INCH STEEL FRAME (8.73MMX277.8MM/0.344X10.94 INCH) 120KSI	✓				
63	1/4 INCH (6MM) C-CHANNEL INNER FRAME REINFORCEMENT	✓				
64	HEAVY DUTY SUSPENSION CROSSMEMBER	✓				
65	16.5 INCH CHROME STEEL STRAIGHT BUMPER	✓				
66	100 GALLON/378 LITER ALUMINUM FUEL TANK - LH	✓				
67	GOODYEAR G296 MSA 385/65R22.5 18 PLY RADIAL FRONT TIRES	✓				
68	GOODYEAR G288 11R22.5 16 PLY RADIAL REAR TIRES	✓				
69	GOODYEAR G338 1AD 295/75R22.5 14 PLY RADIAL PUSHER/TAG TIRES	✓				
70	CONMET PRE-SET BEARING ALUMINUM REAR HUBS	✓				
71	ACCURIDE 29374A 22.5X12.25 10-HUB PILOT 4.75 INSET 10-HAND ALUMINUM DISC FRONT WHEELS	✓				
72	ACCURIDE 29644A 22.5X8.25 10-HUB PILOT ALUMINUM DISC REAR WHEELS	✓				
73	ACCURIDE 29644A 22.5X8.25 10-HUB PILOT ALUMINUM DISC PUSHER/TAG WHEELS	✓				
74	114 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB	✓				
75	AIR CAB MOUNTS	✓				
76	NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE	✓				
77	CHROMED HOOD MOUNTED AIR INTAKE GRILLE	✓				
78	DUAL 26 INCH RECTANGULAR POLISHED ALUMINUM AIR HORNS ROOF MOUNTED	✓				
79	DUAL HORN SHIELDS	✓				
80	HALOGEN COMPOSITE HEADLAMPS WITH BRIGHT BEZELS	✓				
81	DUAL WEST COAST BRIGHT FINISH HEATED MIRRORS WITH LH AND RH REMOTE	✓				
82	DOOR MOUNTED MIRRORS	✓				
83	LH AND RH 8" BRIGHT FINISH CONVEX MIRRORS MOUNTED UNDER PRIMARY MIRRORS	✓				
84	TINTED DOOR GLASS LH AND RH WITH TINTED OPERATING WING WINDOWS	✓				
85	RH AND LH ELECTRIC POWERED WINDOWS	✓				
86	INTERIOR CONVENIENCE PACKAGE WITH CB PROVISION	✓				
87	2-1/2 LB. FIRE EXTINGUISHER	✓				
88	HEATER, DEFROSTER AND AIR CONDITIONER	✓				

HALADAX AUTO SLACKS

EXCEEDS MICHELIN XZY-3

EXCEEDS MICHELIN XDE M/S

CONTINENTAL XDA2 ECHO

110" BBC

89	CAB INSULATION	✓				
90	SOLID-STATE CIRCUIT PROTECTION AND FUSES	✓				
91	LH AND RH ELECTRIC DOOR LOCKS	✓				
92	(1) 12 VOLT POWER SUPPLY IN DASH	✓				
93	TRIANGULAR REFLECTORS WITHOUT FLARES	✓				
94	BOSTROM TALLADEGA 910 HIGH BACK AIR SUSPENSION DRIVER SEAT WITH AIR LUMBAR	✓				
95	HIGH BACK NON SUSPENSION PASSENGER SEAT	✓				
96	LH AND RH INTEGRAL DOOR PANEL ARMRESTS	✓				
97	CLOTH DRIVER SEAT COVER	✓				
98	CLOTH PASSENGER SEAT COVER	✓				
99	ADJUSTABLE TILT AND TELESOPING STEERING COLUMN	✓				
100	97 DB BACKUP ALARM	✓				
101	ELECTRONIC CRUISE CONTROL WITH SWITCHES ON AUXILIARY GAUGE PANEL (B DASH PANEL)	✓				
102	ODOMETER/TRIP/HOUR/DIAGNOSTIC/VOLTAGE DISPLAY: 1X7 CHARACTER, 26 WARNING LAMPS, DATA LINKED, ICU3	✓				
103	DIAGNOSTIC INTERFACE CONNECTOR, 9 PIN, SAE J1939, LOCATED BELOW DASH	✓				
104	2 INCH ELECTRIC FUEL GAUGE	✓				
105	FUEL FILTER RESTRICTION INDICATOR	✓				
106	DUAL REAR AXLE TEMPERATURE GAUGES FOR TANDEM AXLES	✓				
107	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE	✓				
108	ENGINE OIL TEMPERATURE GAUGE	✓				
109	2 INCH TRANSMISSION OIL TEMPERATURE GAUGE	✓				
110	ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY	✓				
111	ELECTRIC ENGINE OIL PRESSURE GAUGE	✓				
112	AM/FM/WB RADIO WITH FRONT AUXILIARY INPUT	✓				
113	DASH MOUNTED RADIO	✓	OVERHEAD MOUNTED RADIO			
114	ELECTRONIC 3000 RPM TACHOMETER	✓				
115	TRAILER HAND CONTROL BRAKE VALVE	✓				
116	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, WASHER/WIPER AND HAZARD IN HANDLE	✓				
117	PAINT: ONE SOLID COLOR	✓				
118	CAB COLOR (EQUAL TO L5495EB ULTRA RED PEARL METALLIC ELITE BC)	✓				
119	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT	✓				
120	Weight Front 9324 lbs. Weight Rear 9694 lbs. Total Weight 19,018 lbs.					
	<b>Unit cost and buy back proposal</b>					
1	Bidder shall list the purchase price per unit here and on top sheet. \$	146,000. <sup>00</sup>				
2	Bidder shall list the guaranteed three (3) year/150,000 mile dealer buy back price here per unit and on top sheet. \$	99,500. <sup>00</sup>				



2018 HX w/ OX

CRAIGHEAD COUNTY					
INVITATION TO BID-Not an Order					
Craighead County Judge's Office					
511 Union St., Suite 119					
Jonesboro, Arkansas 72401					
PURCHASING OFFICE					
BID NO. 2017-11			DATE: March 21, 2017		
Sealed bids, subject to the conditions on the reverse hereof, and as may be attached hereto, will be received at this office until 2:00 PM April 5, 2017 and then publicly opened, for furnishing the supplies, materials, and/or services as described below.					
			Bids will be opened April 5, 2017.		
			2:00 P.M.		
F.O.B Jonesboro, Arkansas			BY: Al Haines		
Maximum Delivery or completion time after issuance of Purchase			PURCHASING DIRECTOR		
Order or work ordered by County 120 days.					
Item #	DESCRIPTION	QUANT	UNIT	UNIT PRICE	AMOUNT
1	Furnish two (2) each Dump Trucks with Automatic transmissions and with installed dump beds to Craighead County Road Department, 2800 Moore Road, Jonesboro, AR. 72401 according to attached specifications. Trucks are to have dump beds and hydraulics installed and fully operational when delivered.	2		138,293	276,586
2	This bid package contains 6 pages. All 6 pages must be returned to complete bid.				
3	Bid must be signed by authorized company representative.				
4	Bidder should:				
	A. Clearly define and list warranty information on each item in years.				
	B. Include all labor, delivery charges, training, programming, and any other charges FOB Jonesboro, Arkansas 72401, in bid price.				
	C. Include product literature and specifications with bid.				
	D. All relevant information will be considered when determining best bid for Craighead County.				
	E. Specify cash discounts, if available.				
	F. Note bid number on outside of bid envelope.				
	G. Specify approximate ship time in days, if awarded bid.				
	F. List make, model, and manufacturer of equipment being offered.				
	G. Quote same or equal equipment in all aspects.				
	H. Specify nearest service and parts supply location to Jonesboro, AR.				
5	Does bidder meet all dump truck specifications? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> If no, clearly list and define differences on a separate sheet.				
6	Attached equipment list with names and part numbers is for reference.				
7	Bidder should put total bid price on this sheet. Total bid price is \$ 276,586				
8	Bidder shall list purchase price per unit here. \$ 138,293 Buyback price per unit here. \$				
EXECUTION OF BID					Date 4-5-17
We, the undersigned, have read all the requirements set forth in this bid proposal including specifications, instructions, conditions, and pertinent information regarding the articles being bid on, and we agree to furnish articles at the prices stated.					
Arkansas Use Tax Register No. 1493					
Bidder Joe B. [Signature] Address Memphis TN 1750 E. Parks Rd					
(Person Authorized to Sign Bids) Title					
UNSIGNED BIDS WILL BE REJECTED					
BIDS ARE SUBJECT TO REJECTION UNLESS SUBMITTED ON THIS FORM					
NOTICE TO BIDDERS, SEE REVERSE SIDE OR ATTACHMENTS FOR INSTRUCTIONS AND CONDITIONS.					

2018 Intentional

HX

w/ OX Dump Body



CRAIGHEAD COUNTY			
JONESBORO, ARKANSAS			
CONDITIONS OF BIDDING			
<b>Compliance with the following conditions is necessary for consideration of this bid.</b>			
1	<u>Signature</u> -This bid must be signed with the firm name and by an authorized officer, employee or agent.		
2	<u>Sales Tax</u> -Is not to be shown in the bid price, but is to be added by the vendor to the invoice billing to the County. The County is exempt from Arkansas State Sales Tax on road equipment and vehicles. Contractors are to include all costs into the bid price, including applicable taxes.		
3	<u>Freight and other delivery charges</u> -to destination at designated County facility in the County must be included in bid. Charges may not be added after the bid is opened.		
4	<u>Discounts</u> -Show rate, total amount, and latest day any discounts will be allowed after receipt of article and invoice, otherwise County will deduct allowed discount when payment is made.		
5	<u>Firm Price</u> -All prices quoted will remain firm for at least 30 days from date of bid, unless otherwise specified by the County or bidder		
6	<u>Tax Exempt</u> -Craighead County is exempt from State sales tax on self propelled equipment and motor vehicles. Example: Motor graders, excavators, dozers, dump trucks, pickup trucks, etc.		
7	<u>Identical Bids</u> -In the event of two or more identical low bids, the contract may be awarded arbitrarily or for any reason to any of such bidders, or split in any proportion between the said two or more bidders at discretion of the County.		
8	<u>Clean up</u> -Complete cleanup and proper disposal of any and all job related items is considered to be a part of any contract let by Craighead County.		
9	<u>Ambiguity in bid</u> -Any ambiguity in any bid as the result of omission, error, lack of clarity or non-compliance specifications, instructions, and all conditions of bidding shall be construed in the light most favorable to the County		
10	<u>Construction</u> A. When requested, the Contractor is to supply the County with evidence of having and maintaining proper and specifically Workman's Compensation Insurance in accordance with the laws of the State of Arkansas, Public Liability, and Property Damage. All premiums and cost shall be paid by Contractor. In no way will the County be responsible in case of accident. B. A Performance Bond equaling the total amount of any bid exceeding \$20,000 must be provided for erection of any public building, public structure, or public improvement(Pursuant to Arkansas Code 18-44-503.)		
11	The County reserves the right to reject any and all bids, accept in whole or in part, to waive informalities in bids received, to accept bids on materials or equipment with variations from specifications in those cases where efficiency of operation will not be impaired, and unless otherwise specified by bidder, to accept any item in the bid. If unit prices and extensions thereof do not coincide, the County may accept the bid for the lesser amount whether reflected by extension or by the correct multiple of the unit price.		
<b>INSTRUCTIONS TO BIDDERS</b>			(Please read carefully)
1	Submit bid on bid form attached or reverse side of this sheet.		
2	Address all bids to: Purchasing Director, Craighead County Judge's Office, 511 Union St.; Suite 119, Jonesboro, Arkansas 72401 and make certain to indicate identifying bid number on the outside of bid envelope.		
3	DO NOT include Federal Excise Tax in bid. County will furnish exemption certificate.		
4	State Manufacturer, Brand Name, Model, etc. for each item bid on.		
5	Samples of items, when required must be furnished free, and, if not called for within 30 days from date of bid opening, will be disposed of by the County		
6	Bids received after stated time will not be considered.		
7	Be sure and read all conditions and verify amounts before submitting bids. No changes or additions will be allowed after submission.		
8	Guarantees and warranties should be attached as a part of the bid, as they may be a consideration in awarding contract.		
9	Delivery or contract completion time is to be shown, as this date may, where time is of the essence, determine the contract award.		
10	Additional information may be obtained from the Purchasing Department.		
<b>THE COUNTY RESERVES THE RIGHT TO ACCEPT PART OR ALL OF ANY SPECIFIC BID OR BIDS</b>			
<b>AND TO ACCEPT BID WITH OR WITHOUT TRADE-IN, AND REJECT ANY AND ALL BIDS.</b>			

	<b>General</b>				
A	Trucks (automatic transmissions) and dump beds shall be the latest year model in current production with proven performance by manufacturer and shall meet all federal emissions and all other EPA regulations.(Specify year model)				
B	All bidders shall offer a guaranteed three (3) year dealer buy back program and clearly defining buy back dollar amount, time frame and mileage and other criteria for the buy back program.				
C	Bidder shall bid truck and bed with a three (3) year/150,000 mile dealer buyback program.				
	Dealer should guarantee any outside vendors and /or companies that supply buy back pricing.				
D	Note: Part of specifications may be Freightliner specific. Please bid equal equipment.				
E	Note: Part of specifications may be Godwin EL series specific. Please bid equal equipment.				
	<b>VEHICLE AND DUMP BED SPECIFICATIONS</b>				
F	<b>Dump Bed Specifications</b> (Beds being offered shall be equal to the following specifications)	Meet Specifications			
		Yes	No		
1	R/S Godwin Truck Body Company Model EL 16052311 <i>OX Stampede</i>	✓			
2	Elliptical floor, length 192, Pivot 180 degrees, Inside width 86, Side height 52.	✓			
3	Custom single acting hoist, Electric Tarp system-6200.	✓			
4	6" diameter cylinder rod(3) stage cylinder with 2000 PSI	✓			
5	Hoist lifting capacity 56,540 lbs. (28 ton)	✓			
6	140" cylinder stroke	✓			
7	50 degree dump angle	✓			
8	High lift gate (6') opening discharge	✓			
9	16 Cubic yard capacity	✓			
10	Fender bottom rail 10 gauge, Wood Board gusset height 8", Bulkhead 74.	✓			
11	All Hydraulics, All safety features, flaps, lights,	✓			
12	Air shift PTO	✓			
13	Asphalt apron, Deck 1/4" AR450,Sides 3/16" AR450, Rear post material 1/4" high tensile	✓			
14	Air operated tailgate, High lift, Height 56, Material, 3/16" hardox AR450, air operated controls.	✓			
	<b>Vehicle Configuration</b>	✓			
1	114SD CONVENTIONAL CHASSIS	✓			
2	SPECIFY MODEL YEAR <i>2018</i>	✓			
3	SET FORWARD AXLE - TRUCK	✓			
4	TRAILER TOWING PROVISION AT END OF FRAME FOR TRUCK	✓			
5	FREIGHTLINER LEVEL II WARRANTY	✓			
6	EXPECTED FRONT AXLE(S) LOAD : 18000.0 lbs.	✓			
7	EXPECTED REAR DRIVE AXLE(S) LOAD : 46000.0 lbs.	✓			
8	EXPECTED PUSHER AXLE(S) LOAD : 12350.0 lbs.	✓			
9	EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 76350.0 lbs.	✓			
10	EXPECTED GROSS COMBINATION WEIGHT : 80000.0 lbs.	✓			
11	DD13 12.8L 450 HP @ 1800 RPM, 2080 GOV RPM, 1650 LB/FT @ 1100 RPM	✓			
12	2010 EPA/CARB EMISSION CERTIFICATION	✓			
13	DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE	✓			
14	(3) ALLIANCE MODEL 1231, GROUP 31, 12 VOLT MAINTENANCE FREE 3375 CCA THREADED STUD BATTERIES	✓			
15	POSITIVE AND NEGATIVE POSTS FOR JUMPSTART MOUNTED NEAR/ON BATTERY TRAY/BOX	✓			
16	ZF-SACHS 15-1/2 INCH TWIN XTEND ULTRA SOFT DAMPER CERAMIC CLUTCH	✓			



17	TORQUE LIMITING CLUTCH BRAKE	✓				
18	ZERK FITTING WITH EXTENSION HOSE AT CLUTCH RELEASE BEARING	✓				
19	BW MODEL BA-921 19.0 CFM SINGLE CYLINDER AIR COMPRESSOR WITH SAFETY VALVE	✓				
20	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM	✓				
21	JACOBS COMPRESSION BRAKE	✓				
22	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH LH B-PILLAR MOUNTED VERTICAL TAILPIPE	✓				
23	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND DASH MOUNTED REGENERATION REQUEST SWITCH	✓				
24	BRIGHT UPPER STACK(S)	✓				
25	13 GALLON DIESEL EXHAUST FLUID TANK	✓				
26	BORG WARNER (KYSOR) REAR AIR ON/OFF ENGINE FAN CLUTCH	✓				
27	DDC SUPPLIED ENGINE MOUNTED FUEL FILTER/FUEL WATER SEPARATOR WITH WATER-IN-FUEL INDICATOR	✓				
28	1500 SQUARE INCH ALUMINUM RADIATOR	✓				
29	DELCO 12V 39MT+ HD/OCP STARTER WITH THERMAL PROTECTION AND INTEGRATED MAGNETIC SWITCH	✓				
30	ALLISON AUTOMATIC 4500 RDS TRANSMISSION <i>Eaton Auto</i>	✓	✓			
31	MFS-18-133A 18,000# FL1 SINGLE FRONT AXLE	✓				
32	MERITOR 16.5X6 Q+ CAST SPIDER CAM FRONT BRAKES, DOUBLE ANCHOR, FABRICATED SHOES	✓				
33	MERITOR AUTOMATIC FRONT SLACK ADJUSTERS	✓				
34	TRW THP-60 POWER STEERING WITH RCH45 AUXILIARY GEAR	✓				
35	ROADRANGER SYNTHETIC FE 75W-90 FRONT AXLE LUBE	✓				
36	18,000# TAPERLEAF FRONT SUSPENSION	✓				
37	FRONT SHOCK ABSORBERS	✓				
38	RT-46-160P 46,000# R-SERIES TANDEM REAR AXLE	✓				
39	4.30 REAR AXLE RATIO	✓				
40	MXL 176N MERITOR EXTENDED LUBE MAIN DRIVELINE WITH FULL ROUND YOKES	✓				
41	MXL 17N MERITOR EXTENDED LUBE INTERAXLE DRIVELINE WITH FULL ROUND YOKES	✓				
42	DRIVER CONTROLLED TRACTION DIFFERENTIAL - BOTH TANDEM REAR AXLES	✓				
43	(1) INTERAXLE LOCK VALVE, (1) DRIVER CONTROLLED DIFFERENTIAL LOCK FORWARD-REAR AND REAR-REAR AXLE VALVE	✓				
44	MERITOR 16.5X8.62 Q+ CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES	✓				
45	BRAKE CAMS AND CHAMBERS ON FORWARD SIDE OF DRIVE AXLE(S)	✓				
46	TUFTRAC 46,000# 2-STAGE REAR SPRING SUSPENSION	✓				
47	TUFTRAC STANDARD RIDE HEIGHT	✓				
48	56 INCH AXLE SPACING	✓				
49	FORE/AFT AND TRANSVERSE CONTROL RODS	✓				
50	HENDRICKSON PARALIFT ULTRA HLUC2 COMPOSILITE 13,200# AIR LIFT STEERABLE PUSHER SUSPENSION WITH HENDRICKSON FF1 AXLE	✓				
51	HENDRICKSON FF1 13,200# PUSHER AXLE INTEGRAL WITH HLUS/R-2, HLUC2 SUSPENSIONS	✓				
52	(1) DASH VALVE AND (1) GAUGE FOR SINGLE LIFT AXLE	✓				

53	REVERSE LIFT AXLE WIRING WITH LAST STATE RETENTION WITH IGNITION OFF	✓				
54	AIR PIPING FOR (1) LIFT/NON-LIFT AXLE WITH REGULATOR CHASSIS MOUNTED	✓				
55	MERITOR 15X4 Q+ CAM PUSHER/TAG BRAKES, DOUBLE ANCHOR, FABRICATED SHOES	✓				
56	MERITOR AUTOMATIC PUSHER/TAG SLACK ADJUSTERS	✓				
57	HENDRICKSON HLUC2 13,200# AIR LIFT STEERABLE PUSHER AXLE SUSPENSION	✓				
58	WABCO 4S/4M ABS WITHOUT TRACTION CONTROL	✓				
59	PRIMARY CONNECTOR/RECEPTACLE WIRED FOR SEPARATE STOP/TURN, CENTER PIN POWERED THROUGH IGNITION	✓				
60	SAE J560 7-WAY PRIMARY TRAILER CABLE RECEPTACLE MOUNTED END OF FRAME	✓				
61	5650MM (222 INCH) WHEELBASE	✓				
62	11/32X3-1/2X10-15/16 INCH STEEL FRAME (8.73MMX277.8MM/0.344X10.94 INCH) 120KSI	✓				
63	1/4 INCH (6MM) C-CHANNEL INNER FRAME REINFORCEMENT	✓				
64	HEAVY DUTY SUSPENSION CROSSMEMBER	✓				
65	16.5 INCH CHROME STEEL STRAIGHT BUMPER	✓				
66	100 GALLON/378 LITER ALUMINUM FUEL TANK - LH	✓				
67	GOODYEAR G296 MSA 385/65R22.5 18 PLY RADIAL FRONT TIRES	✓				
68	GOODYEAR G288 11R22.5 16 PLY RADIAL REAR TIRES	✓				
69	GOODYEAR G338 1AD 295/75R22.5 14 PLY RADIAL PUSHER/TAG TIRES	✓				
70	CONMET PRE-SET BEARING ALUMINUM REAR HUBS	✓				
71	ACCURIDE 29374A 22.5X12.25 10-HUB PILOT 4.75 INSET 10-HAND ALUMINUM DISC FRONT WHEELS	✓				
72	ACCURIDE 29644A 22.5X8.25 10-HUB PILOT ALUMINUM DISC REAR WHEELS	✓				
73	ACCURIDE 29644A 22.5X8.25 10-HUB PILOT ALUMINUM DISC PUSHER/TAG WHEELS	✓				
74	114 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB	✓				
75	AIR CAB MOUNTS	✓				
76	NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE	✓				
77	CHROMED HOOD MOUNTED AIR INTAKE GRILLE	✓				
78	DUAL 26 INCH RECTANGULAR POLISHED ALUMINUM AIR HORNS ROOF MOUNTED	✓				
79	DUAL HORN SHIELDS	✓				
80	HALOGEN COMPOSITE HEADLAMPS WITH BRIGHT BEZELS	✓				
81	DUAL WEST COAST BRIGHT FINISH HEATED MIRRORS WITH LH AND RH REMOTE	✓				
82	DOOR MOUNTED MIRRORS	✓				
83	LH AND RH 8" BRIGHT FINISH CONVEX MIRRORS MOUNTED UNDER PRIMARY MIRRORS	✓				
84	TINTED DOOR GLASS LH AND RH WITH TINTED OPERATING WING WINDOWS	✓				
85	RH AND LH ELECTRIC POWERED WINDOWS	✓				
86	INTERIOR CONVENIENCE PACKAGE WITH CB PROVISION	✓				
87	2-1/2 LB. FIRE EXTINGUISHER	✓				
88	HEATER, DEFROSTER AND AIR CONDITIONER	✓				



89	CAB INSULATION	✓				
90	SOLID-STATE CIRCUIT PROTECTION AND FUSES	✓				
91	LH AND RH ELECTRIC DOOR LOCKS	✓				
92	(1) 12 VOLT POWER SUPPLY IN DASH	✓				
93	TRIANGULAR REFLECTORS WITHOUT FLARES	✓				
94	BOSTROM TALLADEGA 910 HIGH BACK AIR SUSPENSION DRIVER SEAT WITH AIR LUMBAR	✓				
95	HIGH BACK NON SUSPENSION PASSENGER SEAT	✓				
96	LH AND RH INTEGRAL DOOR PANEL ARMRESTS	✓				
97	CLOTH DRIVER SEAT COVER	✓				
98	CLOTH PASSENGER SEAT COVER	✓				
99	ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN	✓				
100	97 DB BACKUP ALARM	✓				
101	ELECTRONIC CRUISE CONTROL WITH SWITCHES ON AUXILIARY GAUGE PANEL (B DASH PANEL)	✓				
102	ODOMETER/TRIP/HOUR/DIAGNOSTIC/VOLTAGE DISPLAY: 1X7 CHARACTER, 26 WARNING LAMPS, DATA LINKED, ICU3	✓				
103	DIAGNOSTIC INTERFACE CONNECTOR, 9 PIN, SAE J1939, LOCATED BELOW DASH	✓				
104	2 INCH ELECTRIC FUEL GAUGE	✓				
105	FUEL FILTER RESTRICTION INDICATOR	✓				
106	DUAL REAR AXLE TEMPERATURE GAUGES FOR TANDEM AXLES	✓				
107	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE	✓				
108	ENGINE OIL TEMPERATURE GAUGE	✓				
109	2 INCH TRANSMISSION OIL TEMPERATURE GAUGE	✓				
110	ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY	✓				
111	ELECTRIC ENGINE OIL PRESSURE GAUGE	✓				
112	AM/FM/WB RADIO WITH FRONT AUXILIARY INPUT	✓				
113	DASH MOUNTED RADIO	✓				
114	ELECTRONIC 3000 RPM TACHOMETER	✓				
115	TRAILER HAND CONTROL BRAKE VALVE	✓				
116	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, WASHER/WIPER AND HAZARD IN HANDLE	✓				
117	PAINT: ONE SOLID COLOR	✓				
118	CAB COLOR (EQUAL TO L5495EB ULTRA RED PEARL METALLIC ELITE BC) <i>white</i>	✓	✓			
119	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT	✓				
120	Weight Front 9324 lbs. Weight Rear 9694 lbs. Total Weight 19,018 lbs.					
<b>Unit cost and buy back proposal</b>						
1	Bidder shall list the purchase price per unit here and on top sheet. \$ <u>138,293</u>					
2	Bidder shall list the guaranteed three (3) year/150,000 mile dealer buy back price here per unit and on top sheet. \$ _____					



**Terry M. McNatt**  
 Craighead County, Treasurer  
 511 South Main Room 205  
 Jonesboro, Arkansas 72401

VOID AFTER 90 DAYS



Check/Warrant #: 64720

Date: 9/6/2017

Claim #  
3511

Fund  
2000

Account  
2004005

Pay This  
Amount


\$278,900.00

**Pay Exactly**

TWO HUNDRED SEVENTY-EIGHT THOUSAND NINE HUNDRED DOLLARS AND CENTS\*\*\*\*\*

PAY  
TO THE  
ORDER  
OF

TAG TRUCK CENTER OF JONESBORO  
 5712 COMMERCE SQUARE  
 JONESBORO, AR 72401



*Wanda Marten*  
*Shay Shanklin*

THE BACK OF THIS DOCUMENT CONTAINS CHECK SECURITY WATERMARK AND COIN REACTIVE INK

⑈064720⑈ ⑆084104621⑆ 419486⑈

Terry M. McNatt, Craighead County, Treasurer

Invoice(s):

Vendor TAG TRUCK CENTER OF JONESBORO Warrant Date 9/6/2017

Dept 2000 Federal ID/SSN

Amount Check Number Claim Number

\$278,900.00 64720 3511

REF# 113091 PO NO. 49535- 2 DUMP TRUCKS

Accounts Debited for this Claim:

2004005 278,900.00

# The Jonesboro Sun

DAILY AND SUNDAY

FROM  
CRAIGHEAD COUNTY  
JUDGE'S OFFICE

MAR 3 0 2017

RECEIVED

## Proof of Publication

STATE OF ARKANSAS  
COUNTY OF CRAIGHEAD

I, Lisa A. Lynn, solemnly swear that I  
am classified director of the JONESBORO SUN daily newspaper of general  
circulation printed in the Western District of Craighead County and I was such classified  
advertising manager at the date of publication hereinafter stated, and that said newspaper had  
a bonafide circulation in such county at said dates, and had been regularly published in said county  
for the period of one month next before the date of the first publication of the advertisement hereto  
affixed, and that said advertisement was published in said

newspaper 2 times once a week for 1

weeks consecutively, the first insertion therein having been made on the

22 day of March, 2017

2nd insertion 23 day of March, 2017

3rd insertion \_\_\_\_\_ day of \_\_\_\_\_

4th insertion \_\_\_\_\_ day of \_\_\_\_\_

5th insertion \_\_\_\_\_ day of \_\_\_\_\_

6th insertion \_\_\_\_\_ day of \_\_\_\_\_

7th insertion \_\_\_\_\_ day of \_\_\_\_\_

Lisa A. Lynn

Sworn to and subscribed before me this 23 day of March, 2017

My commission  
expires 9-6-22

Fee for print, \$ \_\_\_\_\_

Cost of Proof, \$ 170.30

Rec'd Payment \$ \_\_\_\_\_

Total, - \$ 170.30



# NOTICE TO BIDDERS

Craighead County is now accepting bids until 2:00 PM, April 5, 2017, at the Craighead County Judge's office for the following:

Purchase two (2) Motor graders, with three year/ 3000 hour dealer buyback program and two (2) Dump trucks with three year/ 150,000 mile dealer buyback program.

Bid specifications may be picked up at the County Judge's office, Craighead County Courthouse Annex, 511 Union St, Suite 119, Jonesboro, Arkansas, Monday through Friday, from 8:00 A.M until 5:00 P.M.

Bids will be opened at 2:00 PM, April 5, 2017, in the County Judge's office.

The County reserves the right to reject any and all bids or any part of any specific bid.

Bid specifications are available on the County Web Site at [www.craigheadcounty.org](http://www.craigheadcounty.org)

Al Haines  
Purchasing Agent  
Craighead County

NOTICE TO BIDDERS  
Craighead County is now accepting bids until 2:00 PM, April 5, 2017, at the Craighead County Judge's office for the following:  
Purchase two (2) Motor graders, with three year/ 3000 hour dealer buyback program and two (2) Dump trucks with three year/ 150,000 mile dealer buyback program.  
Bid specifications may be picked up at the County Judge's office, Craighead County Courthouse Annex, 511 Union St, Suite 119, Jonesboro, Arkansas, Monday through Friday, from 8:00 A.M until 5:00 P.M.  
Bids will be opened at 2:00 PM, April 5, 2017, in the County Judge's office.  
The County reserves the right to reject any and all bids or any part of any specific bid.  
Bid specifications are available on the County Web Site at [www.craigheadcounty.org](http://www.craigheadcounty.org)  
Al Haines  
Purchasing Agent  
Craighead County