MISC. ORDER NO. <u>2020</u>-45

In the County Court of Craighead County, Arkansas

In the matter of awarding bids for the purchase of two (2)
Truck Tractors with fifth wheel and hydraulic and electrical
Components installed and made ready for complete belly dump
Trailer operation and delivered to the Craighead County Road Department.

FEB 18 2020

KADE HOLLIDAY
COUNTY & PROBATE COURT CLERK

ORDER

Comes before the County Court of Craighead County, Arkansas, the matter of awarding bids for the purchase of two (2) Truck Tractors with fifth wheel and hydraulic and electrical components installed and made ready for full belly dump trailer operation. Includes 12 month bumper to bumper warranty, and delivered to and to be used by the Craighead County Road Department.

Bids were advertised and publicly opened in accordance with Arkansas Code 14-22-101 through 14-22-115, concerning purchasing and bidding procedures.

It is therefore, considered, ordered, and adjudged that the best bid and overall best value of \$111,934.00 per Freightliner Truck Tractor, with a total award of \$223,868.00 be awarded to Tag Truck Center, 5712 Commerce Square, Jonesboro, AR 72401.

Dated this

Day of February 2020

Approved:

Marvin Day

Craighead County Judge

	utlined above.	it is determined that the best overall value for Craighead County is Freightliner as offered by Tag Truck Center of Jonesboro, Arkansas as outlined above	it is determined that the best over
S,	trucks. With all things considered and evaluated by county officials	money over the life of the vehicle. The county has had excellent service with the current fleet of Freightliner trucks. With all things considered	money over the life of the vehicle.
	ing a substantial amount of	can be purchased in bulk at a substantial savings without purchasing and stocking multiple parts for various types of equipment, thereby saving a substantial amount of	can be purchased in bulk at a subs
	and many of these items	large number of same make of large vehicles in their fleet. Shop mechanics and shop foreman are familiar with truck repairs and repair parts and many of these items	large number of same make of larg
	d Department has a	received from the purchasing department, county judge, road superintendent, road shop foreman, and road foreman. Craighead County Road Department has a	received from the purchasing depa
	nput in bid review was	There were some exceptions on some of the bid specifications from some bidders. All bids were very competitive in pricing and equipment. Input in bid review was	There were some exceptions on sc
	ilities and parts warehouses.	Upon reviewing all bids, all bidders have similar 12 month bumper to bumper vehicle warranties and similarly, all bidders have local repair facilities and parts warehouses	Upon reviewing all bids, all bidders
		- 1	501-940-6509/800-844-4388
		1701 E Parker Rd, Jonesboro, AR 72404. Warranty engine & drive train, 12 months unlimited	Roger Wiley
		6 speed, double overdrive, PTO provision, Service location (Town & Country International	North Little Rock, AR 72117
		(International A26)EPA 2017,475 HP@1700 RPM,Allison 4500 RDS,5th generation,	11401 Diamond Dr.
\$222,331.16	\$111,165.58	2021 International HV513 SFA (HV51300)	Summit Truck Group
			mmccormick@tristatetruck.com
			Michael McCormick
		Service location Jonesboro, AR,	Ph 870-972.1320 Fax 972-5862
		Truck warranty-1 yr/100,000 miles; Eng warranty 24 months/250000	Jonesboro, AR 72404
		Transmission Allison auto,6 speed,gen 5	1333 E Parker Road
\$244,586.72	\$122,293.36	2021 Mack Granite 64FR, Engine MP8-445 HP	TriState Truck Center
\$223,868.00	\$111,934.00		kaleb.moore@tntxtruck.com
			Ph 972-8588 Fax 972-0223
		Optional: Powertrain warranty 5 yr 200,000 mile5 yr unlimited miles warranty.	Kaleb Moore (Cell 870-819-1740
		Service location, Jonesboro, AR. 100 day delivery	Jonesboro, AR 72401
	-	Detroit DD13(12.8L) 470 HP at 1625 rpm Engine Allison Trans 4500 RDS with PTO,	5712 Commerce Square
\$223,868.00	\$111,934.00	2021 Freightliner 114SD with conventional chassis, Allison 4500 RDS trans	Tag Truck Center
Total Cost	Price per unit T	ITEM BID	BIDDER NAME
		Jonesboro, AR 72401	
		2800 Moore Rd	DATE: February 5, 2020
		Craighead County Road Dept	County Road Dept
		Purchase two new truck tractors with automatic transmission	Bid 2020-7
		BID TABULATION SHEET	

FROM:

Craighead County Purchasing Department c/o County Judges Office 511 Union Rm 119 Jonesboro, AR 72401 Phone 870-933-4500 Fax 870-933-4504

PURCHASE ORDER CRAIGHEAD COUNTY ARKANSAS

SHOW THIS NO. ON ALL INVOICES, DELIVERY SLIPS, CASES, BOXES, ETC

PURCHASE ORDER 52840

TO: TAG Truck Ca	NEDY
5712 Commence	e mo
Jongs hora ter	7240/

Gentlemen: Please furnish the following to Craighead County and be governed by the instructions hereon.

DATE 2-18-20

Req. By Eughto 1666

Req. #

Bid No. 2028-2

Charge to 2000, 0200 - 400 5

Truck Tracers with Allison Antempte 111,934.00 Truck Tracers with Allison Antempte 111,934.00 Transmissions, Enclude All Hydracites, Red Electrical languates naces for Solly Prest Inflored Tractor To Frechier, Naces of Year 223,868. 1450 with Convertined Classis Frecheds 12 mounts burger to Swaff warrance. And ford mounts Exterior Cold; Ultra Rod ford mounts Elitabe All According to Shalfillians in bid 189 2020-7.	by the instructions her	ייטנו,	Account No.		
TVENSMISSIONS, FNOUNDS AN HARDENICS, RNS ENCOTTENT CONSONTS NOCOSON SOY XORY 2021 MODELS, FRETENTINGS 1145D WITH CONVOYETHERS (Chassis FREJUNDS 12 MODELS BURGET DESSESS WARYBUTS. HERDY SUS USE USE DE 171091. EXTENSOR COLDS: 41Tra Rod Paral MODELS EXTENSOR COLDS: 41Tra ROD Paral	TTEM QUAN	BRAND, CATALOG NO. AND DESCRIPTION		UNIT PRICE	TOTAL
	2	AND ENTER MONTHERS TO FUEL YOURS 12 MARCHES TO FUEL YOURS TO FUEL ON TO FUEL YOURS 12 MARCHES PROTECTION CHE FRONTE SOUTH BURGETTO EN WORTH SUFFER COLDS: HORSELD SOUTH AND ROD PORTY SOUTH BURGETTO EN WORTH SUFFER COLDS: UTTYA ROD PORTY, EITE BURGETTO EN ENTERS COLDS: UTTYA ROD PORTY, EITE BURGETTO EN ENTERS COLDS: UTTYA ROD PORTY, EITE BURGETTO EN ENTERS COURSE TO SOUTH	Hydraclics, Sax sor There I may 1515 161710000000000000000000000000000000000	11,934.0	223,868.5

HTT: Kabb moore 870-8.	19-1740		TOTAL		113,86 8. 94
SHIP TO:	DEL. PROMISED	DEL. REQUIRED	TERMS:	e e e	
Crayhold Gour Rold Dytt, 2800 Moore Rd	F.O.B. 2057716	tribe/	PRICING:		
Jongboro, AR 7240/			· · · · · · · · · · · · · · · · · · ·		

No purchases over \$100.00 are valid unless covered by this form signed by Purchasing Agent. Submit invoice promptly to County Clerk, Craighead County Court House, P.O. Box 1167, Jonesboro, AR 72401. The above Purchase Order No. must appear on all Invoices, Delivery Slips, Cases, Boxes, Etc. even when shipped direct by your supplier.

I cortify that all	the above articles or services have been received in good order
except as noted	
	Dated 20
Signed	선물 경우 부리하는 항상은 이 때문에 받아 보고 있다면 보이는 경우를 하는 것이 없었다. 이 없는 것이다.
Signed	
1.64的多种,约克特	하는 사람들은 아이들은 아이들은 아이들이 나는 아이들이 아니는 아이들이 아이들이 아이들이 아이들이다.
	그렇게 돌아왔다면 하는데 그는 집에 그들을 하고 있다고 있다면 그 것이 되었다면 하고 하다 되었다. 그 얼마나 얼마나 없는데

By Purchasing Agent

	CRAIGHEAD COUNTY	1			T	
Name and Address	INVITATION TO BID-Not an Order				-	
-	Craighead County Judge's Office				-	
	511 Union St.; Suite 119					
	Jonesboro, Arkansas 72401			-	-	
IDCH	ASING OFFICE					
	2020-7	DATE:	lanuar	y_22, 2020		
	bids, subject to the conditions on the reverse hereof, and as may be attached hereto, will be received			y <u>ZZ, ZUZU</u>		
-	20 PM February 5, 2020, local time and then publicly opened, for furnishing the supplies, materials,	1 1115 01	lice		-	
	services as described below.					
iu/or s	ervices as described below.	Dido wil	l ho one	anad Fahruani	5 2020	
		Dius Wil		ened February		
<u> </u>	Janashara Arkanaga	DV. ALL		P.M. Local time	2	
	Jonesboro, Arkansas	BY: All		DIDECTOR	-	
	m Delivery or completion time after issuance of Purchase	PURCE	IASING	DIRECTOR	-	
	r work ordered by County 120 days. 7 100 DAY DELIVERY	OLIANIT	LINIT	LINIT DDIOE	1110	LINET
Item #				UNIT PRICE	AMO	
1	Furnish two (2) each Truck Tractors with Automatic transmissions, fifth wheel, and all	2	116	,320	250	,64000
	hydraulics and electral componets necessary for belly dump trailers to function. (EG dump,				-	
	brakes, lighting, other required safety items) to Craighead County Road Department, 2800 Moore					
	Road, Jonesboro, AR. 72401 according to attached specifications. Trucks are					
	to be made ready for belly dump trailer operations. Bidders are encouraged to					
	review belly dump trailers located at Craighead County Road Shop, 2800 Moore Rd, Jonesboro, AF	R 72401.				
_2	This bid package contains 5 pages. All 5 pages must be returned					
	to complete bid.					
_3	Bid must be signed by authorized company representative.					
4	Bidder should:				1	
	A. Clearly define and list warranty information on each item in years. 5 YR/200,00	0 m1	LE O	ENG-INE 1	AT	5
	B. Include all labor, delivery charges, training, programming, 5 Y R/UDLIV	WITE	DA	LLISOW'	TRM	JS
	and any other charges FOB Jonesboro, Arkansas 72401, in bid price. 3 YR TOW	ING	- u	ARRAN	TY	
	C. Include product literature and specifications with bid.			4386 SE F	ER .	TRUCK
	D. All relevant information will be considered when determining best bid for Craighead County.					
	E. Specify cash discounts, if available.			(222)		
	F. Note bid number on outside of bid envelope.			111,934		Ĭ,
	G. Specify approximate ship time in days, if awarded bid.	· ·		Part .		
	F. List make, model, and manufacturer of equipment being offered.					
	G. Quote same or equal equipment in all aspects.					
	H. Specify nearest service and parts supply location to Jonesboro, AR.					
5	Does bidder meet all tractor truck specifications? Yes No					
	If no, clearly list and define differences on a separate sheet.					
6	Attached equipment list with names and part numbers is for reference.					
7	Bidder should put total bid price on this sheet. Total bid price is \$232, 646.00			,		
	EXECUTION OF BID	Date 2	15	12020		
e, the	undersigned, have read all the requirements set forth in this bid proposal including specifications,					
	ons, conditions, and pertinent information regarding the articles being bid on, and we agree to furnish					
	at the prices stated.					
	s Use Tax Register No. 0552145					
	AG- TRUCK CENTER Address 57/2 COMMERCE SQ					
	(Person Authorized to Sign Bids) Title Plant Cooch CEN MAN	ALAN	9			
	UNSIGNED BIDS WILL BE REJECTED	1001				
	BIDS ARE SUBJECT TO REJECTION UNLESS SUBMITTED ON THI	SFORM	1			
NO.	TICE TO BIDDERS, SEE REVERSE SIDE OR ATTACHMENTS FOR INSTRUCTIONS AND CONDIT					
	The state of the s	10110.		1		

	CRAIGHEAD COUNTY			
	JONESBORO, ARKANSAS			
	CONDITIONS OF BIDDING			
	Compliance with the following conditions is necessary for consideration of this bid.			
1	Signature-This bid must be signed with the firm name and by an authorized officer, employee or ag	ent.		· · · - · · · ·
2	Sales Tax-Is not to be shown in the bid price, but is to be added by the vendor to the invoice billing	to the Co	ounty.	
	The County is exempt from Arkansas State Sales Tax on road equipment and vehicles. Contractors	are to ir	nclude all costs	
	into the bid price, including applicable taxes.		-	
3	Freight and other delivery charges-to destination at designated County facility in the County must be	e include	ed in bid.	
	Charges may not be added after the bid is opened.		<u> </u>	
4	Discounts-Show rate, total amount, and latest day any discounts will be allowed after receipt of artic	le and in	voice.	-
•	otherwise County will deduct allowed discount when payment is made.			- -
5	Firm Price-All prices quoted will remain firm for at least 30 days from date of bid, unless otherwise s	pecified		
	by the County or bidder	9/10/11	-	
6	Tax Exempt-Craighead County is exempt from State sales tax on self propelled equipment and mo	tor vehic	cles	
	Example: Motor graders, excavators, dozers, dump trucks, pickup trucks, etc.		-	
7	Identical Bids-In the event of two or more identical low bids, the contract may be awarded arbitrarily	or for		
	any reason to any of such bidders, or split in any proportion between the said two or more bidders a		on of the County	
8	Clean up-Complete cleanup and proper disposal of any and all job related items is considered to be	a part of	f any	
	contract let by Craighead County.	F (• • ·	, 4,	
9	Ambiguity in bid-Any ambiguity in any bid as the result of omission, error, lack of clarity or non-comp	liance		
	specifications, instructions, and all conditions of bidding shall be construed in the light most favorable	e to the (County	
10	Construction		J	
	A. When requested, the Contractor is to supply the County with evidence of having and maintaining	proper a	und -	
	specifically Workman's Compensation Insurance in accordance with the laws of the State of Arkansa			
	Public Liability, and Property Damage. All premiums and cost shall be paid by Contractor. In no way			
	County be responsible in case of accident.	17,11 (110		-
_	B. A Performance Bond equaling the total amount of any bid exceeding \$20,000 must be provided for	or		
	erection of any public building, public structure, or public improvement(Pursuant to Arkansas Code 1	8-44-50	3.)	
11	The County reserves the right to reject any and all bids, accept in whole or in part, to waive informali	ties in hi	ds	
*	received, to accept bids on materials or equipment with variations from specifications in those cases	where e	efficiency	
	of operation will not be impaired, and unless otherwise specified by bidder, to accept any item in the	bid If u	nit prices	- -
	and extensions thereof do not coincide, the County may accept the bid for the lesser amount wheth	er reflect	red Ted	
	by extension or by the correct multiple of the unit price.	07 1011001	-	- -
	INSTRUCTIONS TO BIDDERS	-	(Please read care	afully)
1	Submit bid on bid form attached or reverse side of this sheet.		V. 10400 TORU CATE	/uiij)
2	Address all bids to: Purchasing Director, Craighead County Judge's Office, 511 Union St.; Suite 119,			
	Jonesboro, Arkansas 72401and make certain to indicate identifying bid number on the outside of bid		ne.	
3	DO NOT include Federal Excise Tax in bid. County will furnish exemption certificate.	3.,,,,,,,,		 - -
4	Sate Manufacturer, Brand Name, Model, etc. for each item bid on.	-		1
5	Samples of items, when required must be furnished free, and, if not called for within 30 days from da	te of		
	bid opening, will be disposed of by the County			
6	Bids received after stated time will not be considered.			
7	Be sure and read all conditions and verify amounts before submitting bids. No changes or additions	will be		
	allowed after submission.	50		
8	Guarantees and warranties should be attached as a part of the bid, as they may be a consideration	in award	ling contract	
9	Delivery or contract completion time is to be shown, as this date may, where time is of the	in arraid	ing contract	
	essence, determine the contract award.			- - ·
10	Additional information may be obtained from the Purchasing Department.	ļ.		
	THE COUNTY RESERVES THE RIGHT TO ACCEPT PART OR ALL OF ANY SPECIFIC BID OR B	IDS	-	
	AND TO ACCEPT BID WITH OR WITHOUT TRADE-IN, AND REJECT ANY AND ALL BIDS.	100		

A. C. Sugar

	General				
Α	Tractor Trucks (automatic transmissions) shall be the latest year model in current production with proven per	erformano	e		
	by manufacturer and shall meet all federal emissions and all other EPA regulations.(Specify year model)				
D	Note: Part of specifications may be Freightliner specific. Please bid equal equipment.				
	VEHICLE SPECIFICATIONS	Meet Specifications			
	Vehicle Configuration	Yes	No		
1	114SD CONVENTIONAL CHASSIS	//			
2	SPECIFY MODEL YEAR 2020 (Or latest model in current production)			2021	
3	SET FORWARD AXLE - TRUCK	1			
4	LH PRIMARY STEERING LOCATION	1			
5	WHEEL BASE 193"	/			
6	FREIGHTLINER LEVEL II WARRANTY	1			
7	EXPECTED FRONT AXLE(S) LOAD: 12,000.0 lbs.	V,			
8	EXPECTED REAR DRIVE AXLE(S) LOAD: 40,000.0 lbs.	1			
9	EXPECTED GROSS VEHICLE WEIGHT CAPACITY 52,000 lbs	//			
10	EXPECTED GROSS COMBINATION WEIGHT 80,000lbs	/			
11	DD13 12.8L 470 HP @ 1625 RPM, 1900 GOV RPM, 1650 LB/FT @ 975 RPM	1			
12	2010 EPA/CARB FINAL EMISSION CERTIFICATION 2016 ON BOARD DIAGNOSTICS	1			
13	DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE	/			
14	(3) DTNA GUNINE WITH 3875 CCA	1		3000 CC1	A
15	POSITIVE AND NEGATIVE POSTS FOR JUMPSTART MOUNTED NEAR/ON BATTERY TRAY/BOX	/	,	3000 CC	3
16	ZF-SACHS 15-1/2 INCH TWIN XTEND ULTRA SOFT DAMPER CERAMIC CLUTCH		/	NO CLU	711
17	TORQUE LIMITING CLUTCH BRAKE		/	NO CLU	(13
18	ZERK FITTING WITH EXTENSION HOSE AT CLUTCH RELEASE BEARING		/		
19	BW MODEL BA-921 19.0 CFM SINGLE CYLINDER AIR COMPRESSOR WITH SAFETY VALVE	V			
20	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM	V			
21	JACOBS COMPRESSION BRAKE				
22	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH LH B-PILLAR MOUNTED VERTICAL TAILPIPE	/			
23	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND DASH	1			
	MOUNTED REGENERATION REQUEST SWITCH	/			
24	BRIGHT UPPER STACK(S)	1			
25	13 GALLON DIESEL EXHAUST FLUID TANK	/			
26	BORG WARNER (KYSOR) REAR AIR ON/OFF ENGINE FAN CLUTCH	1/			
27	DDC SUPPLIED ENGINE MOUNTED FUEL FILTER/FUEL WATER SEPARATOR WITH WATER-IN-	1			
28	PHILLIPS TEMRO 1500 WATT/115 VOLT BLOCK HEATER	/			
29	1500 SQUARE INCH ALUMINUM RADIATOR	1			
30	DELCO 12V 39MT+ HD/OCP STARTER WITH THERMAL PROTECTION AND INTEGRATED MAGNETIC SWITCH	V.			
31	ALLISON AUTOMATIC 4500 RDS TRANSMISSION WITH PTO PROVISIONS	/			
32	MFS-18-133A 12,000# FL1 SINGLE FRONT AXLE	/			
33	MERITOR 16.5X6 Q+ CAST SPIDER CAM FRONT BRAKES, DOUBLE ANCHOR, FABRICATED SHOES		/	16.5×5	
34	MERITOR AUTOMATIC FRONT SLACK ADJUSTERS	/			
35	TRW THP-60 POWER STEERING WITH RCH45 AUXILIARY GEAR	V	/	NO AUX	Crap
36	ROADRANGER SYNTHETIC FE 75W-90 FRONT AXLE LUBE	_/		1-0 1100	UEDIC

37	12,000# TAPERLEAF FRONT SUSPENSION	
38	FRONT SHOCK ABSORBERS	
39	RT-46-160 40,000# EXTRA OUTER REAR SUSPENSION	
40	3.91 REAR AXLE RATIO	
41	MXL 176N MERITOR EXTENDED LUBE MAIN DRIVELINE WITH FULL ROUND YOKES	
42	MXL 17N MERITOR EXTENDED LUBE INTERAXLE DRIVELINE WITH FULL ROUND YOKES	
43	DRIVER CONTROLLED TRACTION DIFFERENTIAL - BOTH TANDEM REAR AXLES	
44	(1) INTERAXLE LOCK VALVE, (1) DRIVER CONTROLLED DIFFERENTIAL LOCK FORWARD-REAR	
	AND REAR-REAR AXLE VALVE	
46	MERITOR 16.5X8.62 Q+ CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED	
	SHOES	
47	BRAKE CAMS AND CHAMBERS ON FORWARD SIDE OF DRIVE AXLE(S)	
48	AIRLINER 40,000# EXTRA DUTY REAR SUSPENSION	
49	FORE/AFT AND TRANSVERSE CONTROL RODS	
50	WABCO 6S/6M ABS WITH TRACTION CONTROL WITH ATC OFF-ROAD SWITCH	
51	PRIMARY CONNECTOR/RECEPTACLE WIRED FOR SEPARATE STOP/TURN, CENTER PIN	
52	SAE J560 7-WAY PRIMARY TRAILER CABLE RECEPTACLE MOUNTED END OF FRAME	
53	4900MM (193 INCH) WHEELBASE	
54	11/32X3-1/2X10-15/16 INCH STEEL FRAME (8.73MMX277.8MM/0.344X10.94 INCH) 120KSI	
	16.5 INCH CHROME STEEL STRAIGHT BUMPER	
62	100 GALLON/378 LITER ALUMINUM FUEL TANK - LH	
	MICHELIN XDS2 11R22.5 16 PLY ALUMINUM WHEELS	V
64	114 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB	1
	AIR CAB MOUNTS	
	NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE	
	CHROMED HOOD MOUNTED AIR INTAKE GRILLE	V .
	DUAL 26 INCH RECTANGULAR POLISHED ALUMINUM AIR HORNS ROOF MOUNTED	
	DUAL HORN SHIELDS	<i>'</i>
	HALOGEN COMPOSITE HEADLAMPS WITH BRIGHT BEZELS	V_
	DUAL WEST COAST BRIGHT FINISH HEATED MIRRORS WITH LH AND RH REMOTE	✓
	DOOR MOUNTED MIRRORS	
	LH AND RH 8" BRIGHT FINISH CONVEX MIRRORS MOUNTED UNDER PRIMARY MIRRORS	
	TINTED DOOR GLASS LH AND RH WITH TINTED OPERATING WING WINDOWS	7
	RH AND LH ELECTRIC POWERED WINDOWS	V
	INTERIOR CONVENIENCE PACKAGE WITH CB PROVISION	V
	2-1/2 LB, FIRE EXTINGUISHER	
	HEATER, DEFROSTER AND AIR CONDITIONER	/
	CAB INSULATION	
	SOLID-STATE CIRCUIT PROTECTION AND FUSES	
	LH AND RH ELECTRIC DOOR LOCKS	
0	(1) 12 VOLT POWER SUPPLY IN DASH	
	TRIANGULAR REFLECTORS WITHOUT FLARES	V
	BOSTROM TALLADEGA 910 HIGH BACK AIR SUSPENSION DRIVER SEAT WITH AIR LUMBAR	
	HIGH BACK NON SUSPENSION PASSENGER SEAT	
	LH AND RH INTEGRAL DOOR PANEL ARMRESTS	
	CLOTH DRIVER SEAT COVER	
	CLOTH PASSENGER SEAT COVER	V
DM 14	ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN	

(x,y) = (x,y)

91 ELECTRONIC CRUISE CONTROL WITH SWITCHES ON AUXILIARY GAUGE PANEL (B DASH PANEL) 92 ODOMETER/TRIP/HOUR/DIAGNOSTIC/VOLTAGE DISPLAY: 1X7 CHARACTER, 26 WARNING LAMPS, DATA LINKED, ICU3 93 DIAGNOSTIC INTERFACE CONNECTOR, 9 PIN, SAE J1939, LOCATED BELOW DASH 94 2 INCH ELECTRIC FUEL GAUGE 95 FUEL FILTER RESTRICTION INDICATOR 96 DUAL REAR AXLE TEMPERATURE GAUGES FOR TANDEM AXLES 97 ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE 98 ENGINE OIL TEMPERATURE GAUGE 99 2 INCH TRANSMISSION OIL TEMPERATURE GAUGE 100 ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY 101 ELECTRIC ENGINE OIL PRESSURE GAUGE 102 AMFMWB RADIO WITH FRONT AUXILIARY INPUT 103 DASH MOUNTED RADIO 104 ELECTRONIC 3000 RPM TACHOMETER 105 TRAILER HAND CONTROL BRAKE VALVE 106 SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, WASHERWIPER AND HAZARD IN HANDLE 107 PAINT: ONE SOLID COLOR 108 CAB COLOR (EQUAL TO L5495EB ULTRA RED PEARL METALLIC ELITE BC) 109 BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT Unit cost proposal	90	97 DB BACKUP ALARM	V					
DATA LINKED, ICU3 93 DIAGNOSTIC INTERFACE CONNECTOR, 9 PIN, SAE J1939, LOCATED BELOW DASH 94 2 INCH ELECTRIC FUEL GAUGE 95 FUEL FILTER RESTRICTION INDICATOR 96 DUAL REAR AXLE TEMPERATURE GAUGES FOR TANDEM AXLES 97 ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE 98 ENGINE OIL TEMPERATURE GAUGE 99 2 INCH TRANSMISSION OIL TEMPERATURE GAUGE 100 ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY 101 ELECTRIC ENGINE OIL PRESSURE GAUGE 102 AMFMWB RADIO WITH FRONT AUXILIARY INPUT 103 DASH MOUNTED RADIO 104 ELECTRONIC 3000 RPM TACHOMETER 105 TRAILER HAND CONTROL BRAKE VALVE 106 SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, WASHERWIPER AND HAZARD IN HANDLE 107 PAINT: ONE SOLID COLOR 108 CAB COLOR (EQUAL TO L5495EB ULTRA RED PEARL METALLIC ELITE BC) 109 BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT Unit cost proposal	91	ELECTRONIC CRUISE CONTROL WITH SWITCHES ON AUXILIARY GAUGE PANEL (B DASH PANEL)	/					
94 2 INCH ELECTRIC FUEL GAUGE 95 FUEL FILTER RESTRICTION INDICATOR 96 DUAL REAR AXLE TEMPERATURE GAUGES FOR TANDEM AXLES 97 ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE 98 ENGINE OIL TEMPERATURE GAUGE 99 2 INCH TRANSMISSION OIL TEMPERATURE GAUGE 100 ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY 101 ELECTRIC ENGINE OIL PRESSURE GAUGE 102 AM/FMWB RADIO WITH FRONT AUXILIARY INPUT 103 DASH MOUNTED RADIO 104 ELECTRONIC 3000 RPM TACHOMETER 105 TRAILER HAND CONTROL BRAKE VALVE 106 SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, WASHER/WIPER AND HAZARD IN HANDLE 107 PAINT: ONE SOLID COLOR 108 CAB COLOR (EQUAL TO L5495EB ULTRA RED PEARL METALLIC ELITE BC) 109 BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT Unit cost proposal	92		/					
95 FUEL FILTER RESTRICTION INDICATOR 96 DUAL REAR AXLE TEMPERATURE GAUGES FOR TANDEM AXLES 97 ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE 98 ENGINE OIL TEMPERATURE GAUGE 99 2 INCH TRANSMISSION OIL TEMPERATURE GAUGE 100 ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY 101 ELECTRIC ENGINE OIL PRESSURE GAUGE 102 AM/FM/WB RADIO WITH FRONT AUXILIARY INPUT 103 DASH MOUNTED RADIO 104 ELECTRONIC 3000 RPM TACHOMETER 105 TRAILER HAND CONTROL BRAKE VALVE 106 SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, WASHER/WIPER AND HAZARD IN HANDLE 107 PAINT: ONE SOLID COLOR 108 CAB COLOR (EQUAL TO L5495EB ULTRA RED PEARL METALLIC ELITE BC) 109 BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT Unit cost proposal	93	DIAGNOSTIC INTERFACE CONNECTOR, 9 PIN, SAE J1939, LOCATED BELOW DASH	/					
96 DUAL REAR AXLE TEMPERATURE GAUGES FOR TANDEM AXLES 97 ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE 98 ENGINE OIL TEMPERATURE GAUGE 99 2 INCH TRANSMISSION OIL TEMPERATURE GAUGE 100 ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY 101 ELECTRIC ENGINE OIL PRESSURE GAUGE 102 AM/FMWB RADIO WITH FRONT AUXILIARY INPUT 103 DASH MOUNTED RADIO 104 ELECTRONIC 3000 RPM TACHOMETER 105 TRAILER HAND CONTROL BRAKE VALVE 106 SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, WASHER/WIPER AND HAZARD IN HANDLE 107 PAINT: ONE SOLID COLOR 108 CAB COLOR (EQUAL TO L5495EB ULTRA RED PEARL METALLIC ELITE BC) 109 BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT Unit cost proposal	94	2 INCH ELECTRIC FUEL GAUGE	V					
97 ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE 98 ENGINE OIL TEMPERATURE GAUGE 99 2 INCH TRANSMISSION OIL TEMPERATURE GAUGE 100 ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY 101 ELECTRIC ENGINE OIL PRESSURE GAUGE 102 AM/FMWB RADIO WITH FRONT AUXILIARY INPUT 103 DASH MOUNTED RADIO 104 ELECTRONIC 3000 RPM TACHOMETER 105 TRAILER HAND CONTROL BRAKE VALVE 106 SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, WASHER/WIPER AND HAZARD IN HANDLE 107 PAINT: ONE SOLID COLOR 108 CAB COLOR (EQUAL TO L5495EB ULTRA RED PEARL METALLIC ELITE BC) 109 BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT Unit cost proposal	95	FUEL FILTER RESTRICTION INDICATOR		İ				
98 ENGINE OIL TEMPERATURE GAUGE 99 2 INCH TRANSMISSION OIL TEMPERATURE GAUGE 100 ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY 101 ELECTRIC ENGINE OIL PRESSURE GAUGE 102 AM/FM/WB RADIO WITH FRONT AUXILIARY INPUT 103 DASH MOUNTED RADIO 104 ELECTRONIC 3000 RPM TACHOMETER 105 TRAILER HAND CONTROL BRAKE VALVE 106 SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, WASHER/WIPER AND HAZARD IN HANDLE 107 PAINT: ONE SOLID COLOR 108 CAB COLOR (EQUAL TO L5495EB ULTRA RED PEARL METALLIC ELITE BC) 109 BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT Unit cost proposal	96	DUAL REAR AXLE TEMPERATURE GAUGES FOR TANDEM AXLES	/					
99 2 INCH TRANSMISSION OIL TEMPERATURE GAUGE 100 ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY 101 ELECTRIC ENGINE OIL PRESSURE GAUGE 102 AM/FMWB RADIO WITH FRONT AUXILIARY INPUT 103 DASH MOUNTED RADIO 104 ELECTRONIC 3000 RPM TACHOMETER 105 TRAILER HAND CONTROL BRAKE VALVE 106 SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, WASHER/WIPER AND HAZARD IN HANDLE 107 PAINT: ONE SOLID COLOR 108 CAB COLOR (EQUAL TO L5495EB ULTRA RED PEARL METALLIC ELITE BC) 109 BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT Unit cost proposal	97	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE	/					
100 ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY 101 ELECTRIC ENGINE OIL PRESSURE GAUGE 102 AM/FM/WB RADIO WITH FRONT AUXILIARY INPUT 103 DASH MOUNTED RADIO 104 ELECTRONIC 3000 RPM TACHOMETER 105 TRAILER HAND CONTROL BRAKE VALVE 106 SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, WASHER/WIPER AND HAZARD IN HANDLE 107 PAINT: ONE SOLID COLOR 108 CAB COLOR (EQUAL TO L5495EB ULTRA RED PEARL METALLIC ELITE BC) 109 BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT Unit cost proposal	98	ENGINE OIL TEMPERATURE GAUGE	/					
101 ELECTRIC ENGINE OIL PRESSURE GAUGE 102 AM/FM/WB RADIO WITH FRONT AUXILIARY INPUT 103 DASH MOUNTED RADIO 104 ELECTRONIC 3000 RPM TACHOMETER 105 TRAILER HAND CONTROL BRAKE VALVE 106 SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, WASHER/WIPER AND HAZARD IN HANDLE 107 PAINT: ONE SOLID COLOR 108 CAB COLOR (EQUAL TO L5495EB ULTRA RED PEARL METALLIC ELITE BC) 109 BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT Unit cost proposal	99	2 INCH TRANSMISSION OIL TEMPERATURE GAUGE	1		******			
102 AM/FM/WB RADIO WITH FRONT AUXILIARY INPUT 103 DASH MOUNTED RADIO 104 ELECTRONIC 3000 RPM TACHOMETER 105 TRAILER HAND CONTROL BRAKE VALVE 106 SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, WASHER/WIPER AND HAZARD IN HANDLE 107 PAINT: ONE SOLID COLOR 108 CAB COLOR (EQUAL TO L5495EB ULTRA RED PEARL METALLIC ELITE BC) 109 BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT Unit cost proposal	100	ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY	•					
103 DASH MOUNTED RADIO 104 ELECTRONIC 3000 RPM TACHOMETER 105 TRAILER HAND CONTROL BRAKE VALVE 106 SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, WASHER/WIPER AND HAZARD IN HANDLE 107 PAINT: ONE SOLID COLOR 108 CAB COLOR (EQUAL TO L5495EB ULTRA RED PEARL METALLIC ELITE BC) 109 BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT Unit cost proposal	101	ELECTRIC ENGINE OIL PRESSURE GAUGE	1					
104 ELECTRONIC 3000 RPM TACHOMETER 105 TRAILER HAND CONTROL BRAKE VALVE 106 SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, WASHER/WIPER AND HAZARD IN HANDLE 107 PAINT: ONE SOLID COLOR 108 CAB COLOR (EQUAL TO L5495EB ULTRA RED PEARL METALLIC ELITE BC) 109 BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT Unit cost proposal	102	AM/FM/WB RADIO WITH FRONT AUXILIARY INPUT	V					
105 TRAILER HAND CONTROL BRAKE VALVE 106 SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, WASHER/WIPER AND HAZARD IN HANDLE 107 PAINT: ONE SOLID COLOR 108 CAB COLOR (EQUAL TO L5495EB ULTRA RED PEARL METALLIC ELITE BC) 109 BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT Unit cost proposal	103	DASH MOUNTED RADIO	V,					
106 SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, WASHER/WIPER AND HAZARD IN HANDLE 107 PAINT: ONE SOLID COLOR 108 CAB COLOR (EQUAL TO L5495EB ULTRA RED PEARL METALLIC ELITE BC) 109 BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT Unit cost proposal	104	ELECTRONIC 3000 RPM TACHOMETER				1		-
HANDLE 107 PAINT: ONE SOLID COLOR 108 CAB COLOR (EQUAL TO L5495EB ULTRA RED PEARL METALLIC ELITE BC) 109 BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT Unit cost proposal	105	TRAILER HAND CONTROL BRAKE VALVE						
108 CAB COLOR (EQUAL TO L5495EB ULTRA RED PEARL METALLIC ELITE BC) 109 BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT Unit cost proposal	106	· ·	/					
109 BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT Unit cost proposal	107	PAINT: ONE SOLID COLOR	V					
Unit cost proposal	108	CAB COLOR (EQUAL TO L5495EB ULTRA RED PEARL METALLIC ELITE BC)	V,					
	109	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT					-	
Bidder shall list the purchase price per unit here and on top sheet.\$ 116,320		Bidder shall list the purchase price per unit here and on top sheet.\$ 116,320						
	,							

Prepared by: Phillip Goodman TAG Truck Center 4450 AMERICAN WAY Memphis, TN 38118 Phone: 901-345-5633

A proposal for CRAIGHEAD COUNTY

Prepared by TAG Truck Center Phillip Goodman

Jan 30, 2020

Freightliner 114SD



Components shown may not reflect all spec'd options and are not to scale




Prepared by:
Phillip Goodman
TAG Truck Center
4450 AMERICAN WAY
Memphis, TN 38118
Phone: 901-345-5633

SPECIFICATION PROPOSAL

	Data Code	Description	Weight Front	Weight Rear	
Price Le	evel				
	PRL-23D	SD PRL-23D (EFF:01/21/20)			
Data Ve	rsion				
	DRL-001	SPECPRO21 DATA RELEASE VER 001			
Interior	Convenience	ce/Driver Retention Package			
	055-004	INTERIOR CONVENIENCE PACKAGE WITH CB PROVISION			
Vehicle	Configurati	on			
	001-177	114SD CONVENTIONAL CHASSIS	7,934	6,476	
	004-221	2021 MODEL YEAR SPECIFIED			
	002-001	SET FORWARD AXLE - TRACTOR	40		
	003-001	LH PRIMARY STEERING LOCATION			
General	Service				
	AA1-001	TRACTOR/TRAILER CONFIGURATION			
	AA6-001	DOMICILED, USA 50 STATES (INCLUDING CALIFORNIA AND CARB OPT-IN STATES)			
	A85-011	CONSTRUCTION SERVICE			
	A84-1GM	GOVERNMENT BUSINESS SEGMENT		152	
	AA4-003	DRY BULK COMMODITY			
	AA5-002	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS			
	AB1-008	MAXIMUM 8% EXPECTED GRADE			
	AB5-001	SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE			
	995-1AE	FREIGHTLINER LEVEL II WARRANTY			
	A66-99D	EXPECTED FRONT AXLE(S) LOAD: 12000.0 lbs			
	A68-99D	EXPECTED REAR DRIVE AXLE(S) LOAD: 40000.0 lbs			
	A63-99D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 52000.0 lbs			



	Data Code	Description	Weight Front	Weight Rear
	A70-99D	EXPECTED GROSS COMBINATION WEIGHT : 80000.0 lbs		
	AF3-2CR	TRACTOR ONLY WITH NO BODY UPFIT	,	
	AA2-024	BOTTOM DUMP TRAILER		
	AH6-001	SINGLE (1) TRAILER		
f with		in the state of th		
	101-2YB	DETROIT DD13 12.8L 470 HP @ 1625 RPM, 1900 GOV RPM, 1650 LB/FT @ 975 RPM		
	79A-070	70 MPH ROAD SPEED LIMIT		
	79B-000	CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT		
	79M-002	PTO MODE BRAKE OVERRIDE - SERVICE BRAKE APPLIED OR PARK BRAKE NOT APPLIED		
	79W-001	ONE REMOTE PTO SPEED		
	79X-003	PTO SPEED 1 SETTING - 800 RPM		
	80L-001	ENABLE AUTO ENGINE RPM ELEVATE FOR EXTENDED IDLE		
وبازية				
	99C-017	2016-2019 ONBOARD DIAGNOSTICS/2010 EPA/CARB/FINAL GHG17 CONFIGURATION		
	99D-011	2008 CARB EMISSION CERTIFICATION - CLEAN IDLE (INCLUDES 6X4 INCH LABEL ON LOWER FORWARD CORNER OF DRIVER DOOR)		
	13E-001	STANDARD OIL PAN		
	105-001	ENGINE MOUNTED OIL CHECK AND FILL		
	014-1B5	SIDE OF HOOD AIR INTAKE WITH DONALDSON HIGH CAPACITY AIR CLEANER WITH Safety ELEMENT, FIREWALL MOUNTED		
	124-1D7	DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE		
	292-236	(3) DTNA GENUINE, FLOODED STARTING, MIN 3000CCA, 555RC, THREADED STUD BATTERIES		
	290-017	BATTERY BOX FRAME MOUNTED		
	281-001	STANDARD BATTERY JUMPERS		
	282-003	SINGLE BATTERY BOX FRAME MOUNTED LH SIDE BACK OF CAB		
	291-017	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN		





Data Code	Description	Weight Front	Weight Rear	
289-001	NON-POLISHED BATTERY BOX COVER			-
87P-001	CAB AUXILIARY POWER CABLE	5		
293-058	POSITIVE LOAD DISCONNECT WITH CAB MOUNTED CONTROL SWITCH MOUNTED OUTBOARD DRIVER SEAT	8		
295-003	POSITIVE AND NEGATIVE POSTS FOR JUMPSTART CHASSIS MOUNTED LH BACK OF CAB	4		
107-044	BW MODEL BA-921 19.0 CFM SINGLE CYLINDER AIR COMPRESSOR WITH Safety VALVE			
152-041	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM			
128-002	JACOBS COMPRESSION BRAKE			
016-1C2	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE	30	25	
28F-002	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND DASH MOUNTED REGENERATION REQUEST SWITCH			
239-038	11 FOOT 06 INCH (138 INCH+0/-5.9 INCH) EXHAUST SYSTEM HEIGHT			
233-017	STANDARD CURVE BRIGHT UPPER STACK(S)			
237-1CR	RH CURVED VERTICAL TAILPIPE B-PILLAR MOUNTED ROUTED FROM STEP			
23U-002	13 GALLON DIESEL EXHAUST FLUID TANK			
30N-003	100 PERCENT DIESEL EXHAUST FLUID FILL			
23Y-001	STANDARD DIESEL EXHAUST FLUID PUMP MOUNTING			
23Z-002	NON-POLISHED ALUMINUM DIAMOND PLATE DIESEL EXHAUST FLUID TANK COVER	15	5	
43X-002	LH MEDIUM DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION			
43Y-001	STANDARD DIESEL EXHAUST FLUID TANK CAP			
242-011	ALUMINUM AFTERTREATMENT DEVICE/MUFFLER/TAILPIPE SHIELD(S)			
273-036	BORG WARNER (KYSOR) REAR AIR ON/OFF ENGINE FAN CLUTCH			
276-001	AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH, NON ENGINE MOUNTED			
110-068	DDC SUPPLIED ENGINE MOUNTED FUEL FILTER/FUEL WATER SEPARATOR WITH WATER-IN-FUEL INDICATOR			
118-001	FULL FLOW OIL FILTER			



	Data Code	Description	Weight Front	Weight Rear	
-	266-057	1500 SQUARE INCH ALUMINUM RADIATOR	Same State of the Control of the Con		
	103-039	ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT			
	171-007	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT			
	172-001	CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES			
	270-023	HDEP FIXED RATIO COOLANT PUMP AND RADIATOR DRAIN VALVE			
	168-002	LOWER RADIATOR GUARD	6		
	138-005	PHILLIPS-TEMRO 1500 WATT/115 VOLT BLOCK HEATER	4		
	140-053	BLACK PLASTIC ENGINE HEATER RECEPTACLE MOUNTED UNDER LH DOOR			
	155-074	DELCO 12V MOD 3.175-39MT+ OCP STARTER WITH THERMAL PROTECTION AND INTEGRATED MAGNETIC SWITCH			
Transm	ission				
	342-1M3	ALLISON 4500 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION	260	100	
Transmi	ission Equip	oment			
	343-339	ALLISON VOCATIONAL PACKAGE 223 - AVAILABLE ON 3000/4000 PRODUCT FAMILIES WITH VOCATIONAL MODELS RDS, HS, MH AND TRV			
	84B-012	ALLISON VOCATIONAL RATING FOR ON/OFF HIGHWAY APPLICATIONS AVAILABLE WITH ALL PRODUCT FAMILIES			
	84C-023	PRIMARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY			
	84D-023	SECONDARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY			
	84E-000	PRIMARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			
	84F-000	SECONDARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			
	84G-000	PRIMARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			
	84H-000	SECONDARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			



Prepared by:
Phillip Goodman
TAG Truck Center
4450 AMERICAN WAY
Memphis, TN 38118
Phone: 901-345-5633

Data Code	Description	Weight Front	Weight Rear
84N-200	FUEL SENSE 2,0 DISABLED - PERFORMANCE - TABLE BASED		
84U-000	DRIVER SWITCH INPUT - DEFAULT - NO SWITCHES		
84V-001	DIRECTION CHANGE ENABLED WITH MULTIPLEXED SERVICE BRAKES - ALLISON 5TH GEN TRANSMISSIONS		
341-018	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN		
345-003	PUSH BUTTON ELECTRONIC SHIFT CONTROL, DASH MOUNTED		
97G-004	TRANSMISSION PROGNOSTICS - ENABLED 2013		
370-011	WATER TO OIL TRANSMISSION COOLER, FRAME MOUNTED		
346-003	TRANSMISSION OIL CHECK AND FILL WITH ELECTRONIC OIL LEVEL CHECK		
35T-001	SYNTHETIC TRANSMISSION FLUID (TES-295 COMPLIANT)		
	laded Systems of Estate and Section 1		
400-1A6	DETROIT DA-F-12.0-3 12,000# FF1 71.5 KPI/3.74 DROP SINGLE FRONT AXLE		
402-049	MERITOR 16.5X5 Q+ CAST SPIDER CAM FRONT BRAKES, DOUBLE ANCHOR, FABRICATED SHOES		
403-043	2011/2013-FMVSS 121 RSD FRONT BRAKE LINING		
419-001	CAST IRON OUTBOARD FRONT BRAKE DRUMS		
409-006	FRONT OIL SEALS		
408-001	VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL		
416-022	STANDARD SPINDLE NUTS FOR ALL AXLES		
405-002	MERITOR AUTOMATIC FRONT SLACK ADJUSTERS		
406-001	STANDARD KING PIN BUSHINGS		
536-050	TRW THP-60 POWER STEERING		
539-003	POWER STEERING PUMP		
504045	2 QUART SEE THROUGH POWER STEERING		
534-015	RESERVOIR		



12,000# DUAL TAPERLEAF FRONT SUSPENSION

620-1F0

42

	Data Code	Description	Weight Front	Weight Rear	
	619-004	GRAPHITE BRONZE BUSHINGS WITH SEALS - FRONT SUSPENSION			
	62G-998	NO FRONT SUSPENSION OPTIONS			
	410-001	FRONT SHOCK ABSORBERS			
Harry.					
	420-074	RT-40-160 40,000# R-SERIES TANDEM REAR AXLE		370	
	421-391	3.91 REAR AXLE RATIO			
	424-001	IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING			
	386-075	MXL 18T MERITOR EXTENDED LUBE MAIN DRIVELINE WITH HALF ROUND YOKES	20	20	
	388-073	MXL 17T MERITOR EXTENDED LUBE INTERAXLE DRIVELINE WITH HALF ROUND YOKES			
	452-006	DRIVER CONTROLLED TRACTION DIFFERENTIAL - BOTH TANDEM REAR AXLES		30	
	878-023	(1) INTERAXLE LOCK VALVE, (1) DRIVER CONTROLLED DIFFERENTIAL LOCK FORWARD- REAR AND REAR-REAR AXLE VALVE			
	87A-001	BLINKING LAMP WITH EACH INTERAXLE LOCK SWITCH, INTERAXLE UNLOCK DEFAULT WITH IGNITION OFF			
	87B-004	BLINKING LAMP WITH EACH MODE SWITCH, DIFFERENTIAL UNLOCK WITH IGNITION OFF, ACTIVE <5 MPH			
	423-019	MERITOR 16.5X8.62 Q+ CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES			
	433-043	2011/2013-FMVSS 121 RSD REAR BRAKE LININGS			
	434-005	BRAKE CAMS AND CHAMBERS ON FORWARD SIDE OF DRIVE AXLE(S) WITH AUXILIARY SUPPORT BRACKETS			
	451-023	CONMET CAST IRON REAR BRAKE DRUMS		-40	
	440-006	REAR OIL SEALS			
	426-101	WABCO TRISTOP D LONGSTROKE 2-DRIVE AXLE SPRING PARKING CHAMBERS			
	428-002	MERITOR AUTOMATIC REAR SLACK ADJUSTERS			
	41T-002	SYNTHETIC 75W-90 REAR AXLE LUBE			
	42T-001	STANDARD REAR AXLE BREATHER(S)			
	622-218	AIRLINER 40,000# EXTRA DUTY REAR SUSPENSION		100	



	Data Code	Description	Weight Front	Weight Rear
	621-007	AIRLINER HIGH POSITION RIDE HEIGHT		
	431-005	RESTRAINED AXLE SEATS IN AXLE CLAMP GROUP		,
	624-016	51 INCH AXLE SPACING		
	888-048	MANUAL DUMP VALVE FOR AIR SUSPENSION WITH GAUGE		
	87D-006	INDICATOR LIGHT FOR EACH REAR SUSPENSION CONTROL SWITCH		
	910-001	SINGLE AIR REAR SUSPENSION LEVELING VALVE		•
	623-002	TRANSVERSE CONTROL RODS		
	439-005	REAR SHOCK ABSORBERS - TWO AXLES (TANDEM) (AIR RIDE SUSPENSION)		
Brike			化金属	
	490-035	WABCO 6S/6M ABS WITH TRACTION CONTROL, WITH ATC OFF-ROAD SWITCH	And A find the second s	
	871-001	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES		
	904-001	FIBER BRAID PARKING BRAKE HOSE		
	412-001	STANDARD BRAKE SYSTEM VALVES		
	46D-002	STANDARD AIR SYSTEM PRESSURE PROTECTION SYSTEM		
	413-002	STD U.S. FRONT BRAKE VALVE		
	432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE		
	480-088	WABCO SYSTEM SAVER HP WITH INTEGRAL AIR GOVERNOR AND HEATER		
	483-004	WABCO OIL COALESCING FILTER FOR AIR DRYER		
	47 9 -015	AIR DRYER FRAME MOUNTED		
	460-001	STEEL AIR BRAKE RESERVOIRS		
	477-004	PULL CABLES ON ALL AIR RESERVOIR(S)		
	481-073	15 FOOT COILED TRAILER AIR HOSE WITH 12 INCH TRACTOR, 12 INCH TRAILER LEADS	12	
	476-002	36 INCH STAINLESS STEEL SLIDE BAR WITH SPRING TYPE AIR HOSE HANGER	2	
	484-006	COMBINATION DUMMY GLAD HANDS AND LIGHT PLUG HOLDER		
	296-010	PRIMARY CONNECTOR/RECEPTACLE WIRED FOR SEPARATE STOP/TURN, ABS CENTER PIN POWERED THROUGH IGNITION		




Prepared by: Phillip Goodman TAG Truck Center 4450 AMERICAN WAY Memphis, TN 38118 Phone: 901-345-5633

	Data Code	Description	Weight Front	Weight Rear	
	297-008	SAE J560 7-WAY PRIMARY TRAILER CABLE RECEPTACLE BRACKET LH LOWER CAB MOUNTED			
	335-004	UPGRADED CHASSIS MULTIPLEXING UNIT			
	310-081	12 FOOT DETACHABLE COILED PRIMARY TRAILER ELECTRICAL CABLE WITH SAE J560 CONNECTOR WITH 12 INCH TRACTOR, 12 INCH TRAILER LEADS	12		
		19 37 1			
6	545-490	4900MM (193 INCH) WHEELBASE			
	546-100	11/32X3-1/2X10-3/16 INCH STEEL FRAME (8.73MMX258.8MM/0.344X10.19 INCH) 120KSI	50	20	
	552-030	1600MM (63 INCH) REAR FRAME OVERHANG			
	55W-006	FRAME OVERHANG RANGE: 61 INCH TO 70 INCH			
	AC8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA): 109.45 in			
	AE8-99D	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA): 105.25 in			
	AE4-99D	CALC'D FRAME LENGTH - OVERALL: 272.87			
	FSS-0LH	CALCULATED FRAME SPACE LH SIDE: 12.71 in			
	FSS-0RH	CALCULATED FRAME SPACE RH SIDE: 160.94 in			
	AM6-99D	CALC'D SPACE AVAILABLE FOR DECKPLATE : 75.52 in			
	553-002	FLANGED TAPERED END OF FRAME			
	550-001	FRONT CLOSING CROSSMEMBER			
	559-001	STANDARD WEIGHT ENGINE CROSSMEMBER			
	562-001	STANDARD MIDSHIP #1 CROSSMEMBER(S)			
	572-020	INVERTED U TRACTOR CROSSMEMBER		10	
	565-002	HEAVY DUTY SUSPENSION CROSSMEMBER	, m	30	TWO IS NOT THE REAL PROPERTY.
'Charal					
	674-001	LH BACK OF CAB ACCESS	5	5	
	592-054	21 INCH (525MM) DECK PLATE FLUSH MOUNTED BETWEEN RAILS	8	7	
	556-1AH	16.5 INCH CHROME STEEL STRAIGHT BUMPER			
	558-033	REMOVABLE FRONT TOW HOOKS STORED ON THE CHASSIS FRAME	25		
	574-001	BUMPER MOUNTING FOR SINGLE LICENSE PLATE			
	585-042	BETTS B-25 PAINTED MUDFLAP BRACKETS		15	
	590-001	BLACK MUDFLAPS		15	

Application Version 11.2.113 Data Version PRL-23D.001 Craighead County Tractor



	Data Code	Description	Weight Front	Weight Rear	
,	551-003	HUCK-SPIN ROUND COLLAR CHASSIS FASTENERS EXCLUDING FIFTH WHEEL			_
	583-056	STAINLESS STEEL QUARTER FENDERS WITH LOGO		40	
			e de la companya de l	i e post e project	
	578-1U6	JOST JSK36 SERIES 24.0 INCH AIR SLIDE FIFTH WHEEL WITH FABRICATED TOP PLATE - 2 INCH SLIDE INCREMENTS	30	490	
	577-305	FIFTH WHEEL 305MM (12.0 INCHES) AHEAD OF SUSPENSION CENTERLINE			
	582-014	197MM (7.75 INCH) FIFTH WHEEL HEIGHT			
	570-001	OUTBOARD ANGLE - FIFTH WHEEL MOUNTING			
	890-001	DASH MOUNTED CONTROLAND PLUMBING FOR FIFTH WHEEL			
	579-005	LH FIFTH WHEEL RELEASE			
F. 97		7. 14 To 18 To	7 TH		
b. L. L. J. J. S.	204-156	100 GALLON/378 LITER ALUMINUM FUEL TANK - LH	20		
	218-006	25 INCH DIAMETER FUEL TANK(S)			
	215-005	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS			
	212-007	FUEL TANK(S) FORWARD			
	664-001	PLAIN STEP FINISH			
	205-001	FUEL TANK CAP(S)			
	122-1K3	DAVCO 487 FUEL/WATER SEPARATOR WITH ESOC	15		
	216-020	EQUIFLO INBOARD FUEL SYSTEM			
	11F-998	NO NATURAL GAS VEHICLE FUEL TANK VENT LINE/STACK			
	202-016	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE			
Tite.		Commence of the Commence of th			
30000 P. S. WALLES MICH.	093-1RK	MICHELIN X WORKS Z 11R22.5 16 PLY RADIAL FRONT TIRES	42		200
	094-2A7	MICHELIN XDS2 11R22.5 16 PLY RADIAL REAR TIRES		192	Gless
A COLOR	Treat :				133
AND ASSESSMENT AND ASSESSMENT ASS	418-060	CONMET PRESET PLUS PREMIUM IRON FRONT HUBS			
	450-060	CONMET PRESET PLUS PREMIUM IRON REAR HUBS			





Prepared by:
Phillip Goodman
TAG Truck Center
4450 AMERICAN WAY
Memphis, TN 38118
Phone: 901-345-5633

Weight

Weight

Data Code	Description	Front	Rear	
			大学	2.4. 索
502-1EF	ALCOA LVL ONE 88367X 22.5X8.25 10-HUB PILOT 5.79 INSET ALUMINUM DISC FRONT WHEELS	-50		
505-1DR	ALCOA LVL ONE 88367X ALUMINUM OUTSIDE, ACCURIDE 51637 STEEL INSIDE; 22.5X8.25 10- HUB PILOT DISC REAR WHEELS		-64	
524-001	POLISHED FRONT WHEELS; OUTSIDE ONLY			
525-001	POLISHED REAR WHEELS; OUTSIDE OF OUTER WHEELS ONLY			
 50T-998	NO FRONT AXLE WHEEL/HUB COVER			WOODS The Waster Land
tator (* *)		Company Company of the Company of th		
829-1A2	114 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB	W. (1971)		Manager Street, and you are any
650-008	AIR CAB MOUNTING			
648-002	NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE			
667-001	FRONT FENDERS			
678-001	LH AND RH GRAB HANDLES			
645-002	BRIGHT FINISH RADIATOR SHELL/HOOD BEZEL			
646-042	STATIONARY BLACK GRILLE WITH BRIGHT ACCENTS			
65X-003	CHROME HOOD MOUNTED AIR INTAKE GRILLE			
644-004	FIBERGLASS HOOD			
690-002	TUNNEL/FIREWALL LINER			
727-066	DUAL 26 INCH RECTANGULAR POLISHED ALUMINUM AIR HORNS ROOF MOUNTED	4		
726-001	SINGLE ELECTRIC HORN			
728-002	DUAL HORN SHIELDS			
657-001	DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME			
78G-002	KEY QUANTITY OF 2			
575-001	REAR LICENSE PLATE MOUNT END OF FRAME			
312-067	HALOGEN COMPOSITE HEADLAMPS WITH BRIGHT BEZELS			
302-001	(5) AMBER MARKER LIGHTS			
311-012	DAYTIME RUNNING LIGHTS - LOW BEAM ONLY			
294-001	INTEGRAL STOP/TAIL/BACKUP LIGHTS			
300-015	STANDARD FRONT TURN SIGNAL LAMPS			
469-998	NO WORK LIGHT			
744-1BC	DUAL WEST COAST BRIGHT FINISH HEATED MIRRORS WITH LH AND RH REMOTE			



	Data Code	Description	Weight Front	Weight Rear
	797-001	DOOR MOUNTED MIRRORS		
	796-001	102 INCH EQUIPMENT WIDTH		
	743-204	LH AND RH 8 INCH BRIGHT FINISH CONVEX MIRRORS MOUNTED UNDER PRIMARY MIRRORS		
	729-001	STANDARD SIDE/REAR REFLECTORS		
	73A-002	REAR REFLECTIVE DEVICE		
	677-053	RH AFTERTREATMENT SYSTEM CAB ACCESS WITH STEEL SHIELDING		
	768-043	63X14 INCH TINTED REAR WINDOW		
	661-004	TINTED DOOR GLASS LH AND RH WITH TINTED OPERATING WING WINDOWS		
	654-027	RH AND LH ELECTRIC POWERED WINDOWS, PASSENGER SWITCHES ON DOOR(S)	4	
	663-013	TINTED WINDSHIELD		
	659-007	8 LITER WINDSHIELD WASHER RESERVOIR, CAB MOUNTED, WITHOUT FLUID LEVEL INDICATOR		
Quo lin	erice (
	707-1AK	OPAL GRAY VINYL INTERIOR		
	706-016	MOLDED DOOR PANEL WITH UPPER VINYL INSERTS		
	708-016	MOLDED DOOR PANEL WITH UPPER VINYL INSERTS		
	772-006	BLACK MATS WITH SINGLE INSULATION		
	785-001	DASH MOUNTED ASH TRAYS AND LIGHTER		
	691-008	FORWARD ROOF MOUNTED CONSOLE WITH UPPER STORAGE COMPARTMENTS WITHOUT NETTING		
	693-023	LH DOOR MAP POCKET		
	742-007	(2) CUP HOLDERS LH AND RH DASH		
	680-007	GRAY/CHARCOAL WING DASH		
	860-004	SMART SWITCH EXPANSION MODULE		
	720-002	2-1/2 LB. FIRE EXTINGUISHER	5	
	700-002	HEATER, DEFROSTER AND AIR CONDITIONER		
	701-001	STANDARD HVAC DUCTING		
	703-005	MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH		
	170-015	STANDARD HEATER PLUMBING		
	130-041	VALEO HEAVY DUTY A/C REFRIGERANT COMPRESSOR		
	702-002	BINARY CONTROL, R-134A		



Data Code	Description	Weight Front	Weight Rear
739-033	STANDARD INSULATION		
285-013	SOLID-STATE CIRCUIT PROTECTION AND FUSES		
280-007	12V NEGATIVE GROUND ELECTRICAL SYSTEM		
324-011	DOME DOOR ACTIVATED LH AND RH, DUAL READING LIGHTS, FORWARD CAB ROOF		
655-005	LH AND RH ELECTRIC DOOR LOCKS		
284-023	(1) 12 VOLT POWER SUPPLY IN DASH		
722-002	TRIANGULAR REFLECTORS WITHOUT FLARES	10	
756-1D9	PREMIUM HIGH BACK AIR SUSPENSION DRIVER SEAT WITH 3 CHAMBER AIR LUMBAR, INTEGRATED CUSHION EXTENSION, FORWARD AND REAR CUSHION TILT, ADJUSTABLE SHOCK ABSORBER	70	
760-1DC	BASIC HIGH BACK NON SUSPENSION PASSENGER SEAT		
711-004	LH AND RH INTEGRAL DOOR PANEL ARMRESTS		
758-022	BLACK MORDURA CLOTH DRIVER SEAT COVER		
761-023	BLACK MORDURA CLOTH PASSENGER SEAT COVER		
763-101	BLACK SEAT BELTS		
532-002	ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN	10	
540-015	4-SPOKE 18 INCH (450MM) STEERING WHEEL		
765-002	DRIVER AND PASSENGER INTERIOR SUN VISORS		
67E-998	NO ENTRY/ACCESS/STEP WIRING		
Constitution of the second			
732-003	WOODGRAIN DRIVER INSTRUMENT PANEL		
734-003	WOODGRAIN CENTER INSTRUMENT PANEL		
870-001	BLACK GAUGE BEZELS		
486-001	LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM		
840-002	2 INCH PRIMARY AND SECONDARY AIR PRESSURE GAUGES		
198-025	INTAKE MOUNTED AIR RESTRICTION INDICATOR WITHOUT GRADUATIONS		
721-001	97 DB BACKUP ALARM		3
149-017	ELECTRONIC CRUISE CONTROL WITH SWITCHES ON AUXILIARY GAUGE PANEL (B DASH PANEL)		



Data Code	Description	Weight Front	Weight Rear	
156-007	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY			*
811-042	ICU3S, 132X48 DISPLAY WITH DIAGNOSTICS, 28 LED WARNING LAMPS AND DATA LINKED			
160-038	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH			
844-001	2 INCH ELECTRIC FUEL GAUGE			
845-011	FUEL FILTER RESTRICTION INDICATOR			
148-085	EMISSIONS LIMITED IDLE ADJUST			
866-009	DUAL REAR AXLE TEMPERATURE GAUGES WITH SENSOR SHIELD			
856-001	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE			
854-001	ENGINE OIL TEMPERATURE GAUGE			
864-001	2 INCH TRANSMISSION OIL TEMPERATURE GAUGE			
830-017	ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY			
49B-004	ELECTRONIC STABILITY CONTROL			
852-002	ELECTRIC ENGINE OIL PRESSURE GAUGE			
679-001	OVERHEAD INSTRUMENT PANEL			
746-114	AM/FM/WB WORLD TUNER RADIO WITH AUXILIARY INPUT, J1939	10		
747-001	DASH MOUNTED RADIO			
750-002	(2) RADIO SPEAKERS IN CAB			
748-006	POWER AND GROUND WIRING PROVISION OVERHEAD			
749-016	CB WIRING ONLY TO ROOF/OVERHEAD CONSOLE; NO MOUNTING PROVISION			
752-017	MULTI-BAND AM/FM/WB/CB LH MIRROR MOUNTED ANTENNA SYSTEM			
810-027	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER			
817-001	STANDARD VEHICLE SPEED SENSOR			
812-001	ELECTRONIC 3000 RPM TACHOMETER			
813-1B4	VT-HU CONNECTIVITY PLATFORM HARDWARE			
8D1-002	2 YEARS DETROIT CONNECT BASE PACKAGE (VIRTUAL TECHNICIAN, DETROIT CONNECT PORTAL ACCESS) FOR VT-HU CONNECTIVITY PLATFORM			
162-002	IGNITION SWITCH CONTROLLED ENGINE STOP			



Prepared by: Phillip Goodman TAG Truck Center 4450 AMERICAN WAY Memphis, TN 38118 Phone: 901-345-5633

	Data Code	Description	Weight Front	Weight Rear
	81Y-001	PRE-TRIP LAMP INSPECTION, ALL OUTPUTS FLASH, WITH SMART SWITCH		
	482-001	BW TRACTOR PROTECTION VALVE		
	883-001	TRAILER HAND CONTROL BRAKE VALVE		
•	836-015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY		
	660-008	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY		
	304-001	MARKER LIGHT SWITCH INTEGRAL WITH HEADLIGHT SWITCH		
	882-004	TWO VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR		
	299-013	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, WASHER/WIPER AND HAZARD IN HANDLE		
	298-039	INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH HAZARD LAMPS OVERRIDING STOP LAMPS		
	065-000	PAINT: ONE SOLID COLOR		
Celor				
	980-6H2	CAB COLOR A: L5495EY ULTRA RED PEARL METALLIC ELITE EY		
	986-020	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT		
	966-972	POWDER WHITE (N0006EA) REAR WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)		
	963-003	STANDARD E COAT/UNDERCOATING		
Certis				
	996-001	U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS		
	95M-998	NO CUSTOMER FURNISHED MATERIAL SPECIFIED		
		A STATE OF THE STA		
	AE4-99D	CALC'D FRAME LENGTH - OVERALL: 272.87		
	AE8-99D	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA): 105.25 in		
	AM6-99D	CALC'D SPACE AVAILABLE FOR DECKPLATE: 75.52 in		
	RAG-998	NO TARIFF CHARGE		

FREIGHTLINER



Page 15 of 16

Prepared by:
Phillip Goodman
TAG Truck Center
4450 AMERICAN WAY
Memphis, TN 38118
Phone: 901-345-5633

TOTALLY BRICLE SUMMARY

With Blignin			
	Weight	Weight	Total
	Front	Rear	Weight
Factory Weight ⁺	8652 lbs	7849 lbs	16501 lbs
Total Weight	8652 lbs	7849 lbs	16501 lbs

Ender Veinner

WAI-10V EW4 DD13 VOC \$0 DEDUCTIBLE 5 YEARS/200,000 MILES/322,000

KM FEX APPLIES

WAK-140 ALLISON 4500 RDS SERIES TRANSMISSION EXTENDED

WARRANTY, 5 YEARS/UNLIMITED MILES FEX

WAG-012 TOWING: 3 YEARS/UNLIMITED MILES/KM EXTENDED TOWING

COVERAGE \$550 CAP FEX APPLIES

(+) Weights shown are estimates only.

If weight is critical, contact Customer Application Engineering.

(***) All cost increases for major components (Engines, Transmissions, Axles, Front and Rear Tires) and government mandated requirements, tariffs, and raw material surcharges will be passed through and added to factory invoices.



DETROIT EXTENDED SERVICE COVERAGE PLAN EW1-EW2-EW3-EW4



Terms of Coverage

Detroit Diesel Corporation ("Detroit") offers the following Extended Service Coverage options for Detroit™ engines. Only engines that are sold at retail and used in the U.S. and Canada are eligible for coverage. In addition, the Extended Service Coverage Level provided and the applicable Coverage Period may vary. Please review the Power Protection Plan ("P3") registration materials for details.

Under the Extended Service Coverage plan, Detroit will pay for the parts and labor necessary to repair a Covered Component that fails during normal use and service due to defects in material or workmanship ("Covered Failure") and that is reported to an authorized Detroit service outlet during the Coverage Period. Extended Service Coverage includes the removal, repair, or replacement of the Covered Component and the replacement of service supplies, i.e., coolant, belts, oil, when not reusable as a result of a Covered Failure, and includes the repair of progressive damage to any engine part resulting from a Covered Failure. All repairs must be performed by an authorized Detroit service outlet.

The applicable Coverage Period begins after the new product warranty for the Eligible Product expires, and ends when the time or distance limit specified in the P3 registration materials is reached (whichever occurs first). Time and distance limits are measured from the date of delivery to the first retail purchaser. Any remaining Extended Service Coverage will automatically transfer to subsequent owner(s).

The following table shows the Covered Components associated with each Extended Service Coverage Level:

Coverage Level	COVERED COMPONENTS					
EW1	Engine Components: air inlet manifold, air intake throttle valve, alternator bracket*, belt tensioner, camshaft assembly (including seals), cold pipe assembly, connecting rod, bearings and bolts, cooler inlet pipe, crankshaft breather oil separator, crankshaft thrust washer, cylinder block, cylinder head assembly, cylinder head gasket, cylinder liner, EGR system, enginemounted sensors, exhaust manifold and bellows, fan support assembly, flywheel, housing and gasket, fuel filter housing, gear case, gear train, gear train / timing case gasket, high-pressure fuel system and lines, hydraulic pump*, integrated engine brake, low-pressure fuel pump, main bearing bolts, main bearings, MCM/CPC, oil cooler housing and gaskets, oil pan and seals, oil press regulator and relief valves, oil pump, pistons (rings, pins, retainers), rocker arm assembly, rocker cover and seals, thermostat housing and gasket, turbo compound device and coupling, turbocharger outlet elbow, valves (exhaust, intake), valve springs, guides, inserts, vibration damper, water pump (excludes water pump seal) *if supplied by Detroit					
	all EW1 components plus:					
EW2	Additional Engine Components: air compressor**, fuel injectors, turbocharger, water pump seal **air compressor covered under EW2 for GHG14; for EPA10 covered under EW3					
	all EW2 components plus: Additional Engine Components: seals - front and rear crankshaft					
EW3	Aftertreatment Support System Components: aftertreatment pressure sensors, aftertreatment temperature sensors, aftertreatment control module, DEF pump / metering unit / injection unit, electrical harness and connectors*, hydrocarbon fuel line, hydrocarbon injection valve, hydrocarbon metering unit, aftertreatment NOx sensors					
	*if supplied by Detroit					
	all EW3 components plus:					
EW4	Aftertreatment System Components: aftertreatment system mounting brackets and clamps, diesel oxidation catalyst and housing, diesel particulate filter and housing, SCR catalyst and housing					

Extended Service Coverage Does Not Cover

Extended Service Coverage does not cover any of the following:

- 1. The replacement of normal maintenance items as outlined in the Engine Operator's Guide (such as filters, belts, hoses, air cleaners, and fluids);
- 2. Performance of engine tune-up unless required due to the failure of a Covered Component.
- 3. Parts not furnished by Detroit, or parts furnished by another manufacturer or equipment supplier as part of the original vehicle or equipment. Examples of such parts may include air cleaners, air cleaner ducting, radiator, and radiator connections.
- 4. Progressive damage to any part, including Covered Components, resulting from a failure of a part not covered by this Agreement.
- 5. Failure due to misuse, negligence, accident, alteration, misapplication, lack of proper maintenance, or the use of parts not approved by Detroit.
- 6. Repairs or replacement of Covered Components not performed by an authorized Detroit service outlet.
- 7. Failures covered by a repairing outlet's guarantee.
- 8. Loss of time, loss of use of the product, inconvenience, lodging, food or other consequential loss that may result from a failure.
- 9. Towing, overtime, mechanic's travel time and/or mileage, storage, or freight charges.
- 10. Failures attributable to wear-out.
- 11. Repairs to non-covered parts. Loss of time, loss of use of the vehicle, inconvenience, lodging, food or other consequential loss that may result from a failure.
- 12. Other charges or work not directly related to the repair or replacement of a warranted part, including but not limited to: federal, state, provincial, and local taxes; travel expenses; loss of revenue; customer labor, including overtime labor; downtime; driver's expenses; cost of rental equipment; loss of cargo, including perishable cargo; general housekeeping supplies (i.e., rags, solvents, sweeping compounds, coveralls, etc.); communication charges; repair or replacement of optional items not sold or installed by DTNA; removal or replacement of dealer, bodybuilder, or customer installed equipment; environmental fees, cleanup, or other charges; cost of emergency services; or towing/roadside assistance, overtime, mechanic's travel time, and/or mileage/kilometers.

Owner Responsibilities

The Owner of the Eligible Product is responsible for the following:

- 1. The performance of regular maintenance services as specified in the Engine Operator's Guide;
- 2. In the event of a failure, the Owner must: a) use all reasonable means to protect the engine from further damage; b) notify an authorized Detroit service outlet of the failure as soon as possible; provide the Detroit service outlet or Detroit with any information reasonably required.

CRAIGHEAD COUNTY		T	 			
	-	ļ			···	
INVITATION TO BID-Not an Order						
Craighead County Judge's Office		ļ			· · · · · · · · · · · · · · · · · · ·	
511 Union St.; Suite 119	 	ļ		ļ		
Jonesboro, Arkansas 72401						
PURCHASING OFFICE	- A TE	<u> </u>	00 0000			
BID NO. <u>2020-7</u>			y <u>22, 2020</u>			
Sealed bids, subject to the conditions on the reverse hereof, and as may be attached hereto, will be received	at this of	tice				
until 2:00 PM February 5, 2020, local time and then publicly opened, for furnishing the supplies, materials,						
and/or services as described below.		<u> </u>		<u> </u>		
	Bids wil		ened February			
			P.M. Local time			
O,B Jonesboro, Arkansas	BY: All-		<u></u>			
Maximum Delivery or completion time after issuance of Purchase	PURCH	ASING	DIRECTOR			
Order or work ordered by County <u>120 days.</u>						
Item # DESCRIPTION	QUANT	UNIT	UNIT PRICE	AMOL	JNT	
1 Furnish two (2) each Truck Tractors with Automatic transmissions, fifth wheel, and all	2					
hydraulics and electral componets necessary for belly dump trailers to function. (EG dump,						
brakes, lighting, other required safety items) to Craighead County Road Department, 2800 Moore						
Road, Jonesboro, AR. 72401 according to attached specifications. Trucks are						
to be made ready for belly dump trailer operations. Bidders are encouraged to						
review belly dump trailers located at Craighead County Road Shop, 2800 Moore Rd, Jonesboro, AF	R 72401.					
2 This bid package contains 5 pages. All 5 pages must be returned						
to complete bid.						
Bid must be signed by authorized company representative.				!		
4 Bidder should:						
A. Clearly define and list warranty information on each item in years.				 		
B. Include all labor, delivery charges, training, programming,						
and any other charges FOB Jonesboro, Arkansas 72401, in bid price.						
C. Include product literature and specifications with bid.						
D. All relevant information will be considered when determining best bid for Craighead County.						
E. Specify cash discounts, if available.					······	
F. Note bid number on outside of bid envelope.				— —		
G. Specify approximate ship time in days, if awarded bid.				 		
F. List make, model, and manufacturer of equipment being offered.						
G. Quote same or equal equipment in all aspects.						
H. Specify nearest service and parts supply location to Jonesboro, AR.				-		
5 Does bidder meet all tractor truck specifications? Yes No						
If no, clearly list and define differences on a separate sheet.						
6 Attached equipment list with names and part numbers is for reference,						
7 Bidder should put total bid price on this sheet. Total bid price is \$ 244.586.72						
	Date_ 2	7. 6	2800			
Ve, the undersigned, have read all the requirements set forth in this bid proposal including specifications,	Date_5	*) 	****	-		
istructions, conditions, and pertinent information regarding the articles being bid on, and we agree to furnish						
rticles at the prices stated.					<u>-</u>	
rkansas Use Tax Register No. 116396 - 78 - 003						
idder Michael McComiel Address 1333 E PARKER Rd. JONSDOFO						
(Person Authorized to Sign Bids) Title					· · · · · ·	
UNSIGNED BIDS WILL BE REJECTED						
BIDS ARE SUBJECT TO REJECTION UNLESS SUBMITTED ON THI						
NOTICE TO BIDDERS, SEE REVERSE SIDE OR ATTACHMENTS FOR INSTRUCTIONS AND CONDIT	IONS.		<u> </u>			

					T	<u> </u>
"	General					
Α	Tractor Trucks (automatic transmissions) shall be the latest year model in current production with proven pe	erformano	e			
	by manufacturer and shall meet all federal emissions and all other EPA regulations (Specify year model)					1
D	Note: Part of specifications may be Freightliner specific. Please bid equal equipment.					-
	VEHICLE SPECIFICATIONS	Meet Sp	ecification	ons	_	
	Vehicle Configuration	Yes	No			
1	114SD CONVENTIONAL CHASSIS	1/	-			
2	SPECIFY MODEL YEAR 2020 (Or latest model in current production)	1/				
3	SET FORWARD AXLE - TRUCK					
4	LH PRIMARY STEERING LOCATION	1				
5	WHEEL BASE 193"	1				
6	FREIGHTLINER LEVEL II WARRANTY	1/			- 	
7	EXPECTED FRONT AXLE(S) LOAD: 12,000.0 lbs.					
8	EXPECTED REAR DRIVE AXLE(S) LOAD: 40,000.0 lbs.	1/			·	
9	EXPECTED GROSS VEHICLE WEIGHT CAPACITY 52,000 lbs	1/				
10	EXPECTED GROSS COMBINATION WEIGHT 80,000lbs	1/				ļ
11	DD13 12.8L 470 HP @ 1625 RPM, 1900 GOV RPM, 1650 LB/FT @ 975 RPM	1./				
12	2010 EPA/CARB FINAL EMISSION CERTIFICATION 2016 ON BOARD DIAGNOSTICS	1				
13	DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE				- -	
Ю	DICTOR TO AMIL STOLL ACTION AND ACTION ACTION AND ACTION ACTION AND ACTION ACTIO	V				
14	(3) DTNA GUNINE WITH 3875 CCA					-
15	POSITIVE AND NEGATIVE POSTS FOR JUMPSTART MOUNTED NEAR/ON BATTERY TRAY/BOX	-				
10	POSITIVE AND NEGATIVE POSTS FOR JUMPSTART MODIVED NEARON BATTERT TRATIBOX					
16	ZF-SACHS 15-1/2 INCH TWIN XTEND ULTRA SOFT DAMPER CERAMIC CLUTCH					
16		\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\				
17	TORQUE LIMITING CLUTCH BRAKE ZERK FITTING WITH EXTENSION HOSE AT CLUTCH RELEASE BEARING					
18						
19	BW MODEL BA-921 19.0 CFM SINGLE CYLINDER AIR COMPRESSOR WITH SAFETY VALVE					
20	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM					
21	JACOBS COMPRESSION BRAKE			<u> </u>		
22	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH LH B-PILLAR MOUNTED VERTICAL TAILPIPE					
23	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND DASH	· · · · · · · · · · · · · · · · · · ·				
23	MOUNTED REGENERATION REQUEST SWITCH	V				
24	BRIGHT UPPER STACK(S)					
25	13 GALLON DIESEL EXHAUST FLUID TANK	-				
26	BORG WARNER (KYSOR) REAR AIR ON/OFF ENGINE FAN CLUTCH	1				+
	DDC SUPPLIED ENGINE MOUNTED FUEL FILTER/FUEL WATER SEPARATOR WITH WATER-IN-	1			+	
27	PHILLIPS TEMRO 1500 WATT/115 VOLT BLOCK HEATER	0			-	-
28	1500 SQUARE INCH ALUMINUM RADIATOR	<u> </u>	-		-	
29	DELCO 12V 39MT+ HD/OCP STARTER WITH THERMAL PROTECTION AND INTEGRATED MAGNETIC	V				-
30	SWITCH					
31	ALLISON AUTOMATIC 4500 RDS TRANSMISSION WITH PTO PROVISIONS					
32	MFS-18-133A 12,000# FL1 SINGLE FRONT AXLE	V				
33	MERITOR 16.5X6 Q+ CAST SPIDER CAM FRONT BRAKES, DOUBLE ANCHOR, FABRICATED SHOES	1				
34	MERITOR AUTOMATIC FRONT SLACK ADJUSTERS		,			
35	TRW THP-60 POWER STEERING WITH RCH45 AUXILIARY GEAR	1				
36	ROADRANGER SYNTHETIC FE 75W-90 FRONT AXLE LUBE	V				

12,000# TAPERLEAF FRONT SUSPENSION 38 FRONT SHOCK ABSORBERS 39 RT-46-160 40,000# EXTRA OUTER REAR SUSPENSION 40 3.91 REAR AXLE RATIO 41 MXL 176N MERITOR EXTENDED LUBE MAIN DRIVELINE WITH FULL ROUND YOKES 42 MXL 17N MERITOR EXTENDED LUBE INTERAXLE DRIVELINE WITH FULL ROUND YOKES 43 DRIVER CONTROLLED TRACTION DIFFERENTIAL - BOTH TANDEM REAR AXLES 44 (1) INTERAXLE LOCK VALVE, (1) DRIVER CONTROLLED DIFFERENTIAL LOCK FORWARD-REAR	
39 RT-46-160 40,000# EXTRA OUTER REAR SUSPENSION 40 3.91 REAR AXLE RATIO 41 MXL 176N MERITOR EXTENDED LUBE MAIN DRIVELINE WITH FULL ROUND YOKES 42 MXL 17N MERITOR EXTENDED LUBE INTERAXLE DRIVELINE WITH FULL ROUND YOKES 43 DRIVER CONTROLLED TRACTION DIFFERENTIAL - BOTH TANDEM REAR AXLES	
40 3.91 REAR AXLE RATIO 41 MXL 176N MERITOR EXTENDED LUBE MAIN DRIVELINE WITH FULL ROUND YOKES 42 MXL 17N MERITOR EXTENDED LUBE INTERAXLE DRIVELINE WITH FULL ROUND YOKES 43 DRIVER CONTROLLED TRACTION DIFFERENTIAL - BOTH TANDEM REAR AXLES	
41 MXL 176N MERITOR EXTENDED LUBE MAIN DRIVELINE WITH FULL ROUND YOKES 42 MXL 17N MERITOR EXTENDED LUBE INTERAXLE DRIVELINE WITH FULL ROUND YOKES 43 DRIVER CONTROLLED TRACTION DIFFERENTIAL - BOTH TANDEM REAR AXLES	
42 MXL 17N MERITOR EXTENDED LUBE INTERAXLE DRIVELINE WITH FULL ROUND YOKES 43 DRIVER CONTROLLED TRACTION DIFFERENTIAL - BOTH TANDEM REAR AXLES	
43 DRIVER CONTROLLED TRACTION DIFFERENTIAL - BOTH TANDEM REAR AXLES	
44 (1) INTERAXLE LOCK VALVE, (1) DRIVER CONTROLLED DIFFERENTIAL LOCK FORWARD-REAR	
AND REAR-REAR AXLE VALVE	
46 MERITOR 16.5X8.62 Q+ CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES	
47 BRAKE CAMS AND CHAMBERS ON FORWARD SIDE OF DRIVE AXLE(S)	
48 AIRLINER 40,000# EXTRA DUTY REAR SUSPENSION	
49 FORE/AFT AND TRANSVERSE CONTROL RODS	
50 WABCO 6S/6M ABS WITH TRACTION CONTROL WITH ATC OFF-ROAD SWITCH	
51 PRIMARY CONNECTOR/RECEPTACLE WIRED FOR SEPARATE STOP/TURN, CENTER PIN	
52 SAE J560 7-WAY PRIMARY TRAILER CABLE RECEPTACLE MOUNTED END OF FRAME	
53 4900MM (193 INCH) WHEELBASE	
54 11/32X3-1/2X10-15/16 INCH STEEL FRAME (8.73MMX277.8MM/0.344X10.94 INCH) 120KSI	
16.5 INCH CHROME STEEL STRAIGHT BUMPER	
62 100 GALLON/378 LITER ALUMINUM FUEL TANK - LH	
63 MICHELIN XDS2 11R22.5 16 PLY ALUMINUM WHEELS	
64 114 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB	
65 AIR CAB MOUNTS	
66 NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE	
67 CHROMED HOOD MOUNTED AIR INTAKE GRILLE	
68 DUAL 26 INCH RECTANGULAR POLISHED ALUMINUM AIR HORNS ROOF MOUNTED	
69 DUAL HORN SHIELDS	
70 HALOGEN COMPOSITE HEADLAMPS WITH BRIGHT BEZELS	
71 DUAL WEST COAST BRIGHT FINISH HEATED MIRRORS WITH LH AND RH REMOTE	
72 DOOR MOUNTED MIRRORS	
73 LH AND RH 8" BRIGHT FINISH CONVEX MIRRORS MOUNTED UNDER PRIMARY MIRRORS	
74 TINTED DOOR GLASS LH AND RH WITH TINTED OPERATING WING WINDOWS	
75 RH AND LH ELECTRIC POWERED WINDOWS	
76 INTERIOR CONVENIENCE PACKAGE WITH CB PROVISION	
77 2-1/2 LB, FIRE EXTINGUISHER	
78 HEATER, DEFROSTER AND AIR CONDITIONER	
79 CAB INSULATION	
80 SOLID-STATE CIRCUIT PROTECTION AND FUSES	
81 LH AND RH ELECTRIC DOOR LOCKS	
82 (1) 12 VOLT POWER SUPPLY IN DASH	
83 TRIANGULAR REFLECTORS WITHOUT FLARES	
84 BOSTROM TALLADEGA 910 HIGH BACK AIR SUSPENSION DRIVER SEAT WITH AIR LUMBAR	
. /	
to more provided and the control of	
60 ER AND AR INTEGRAL DOOR PANEL ANNINESTO	
87 CLOTH DRIVER SEAT COVER	
88 CLOTH PASSENGER SEAT COVER 89 ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN	
89 ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN	

		/
90	97 DB BACKUP ALARM	V ,
91	ELECTRONIC CRUISE CONTROL WITH SWITCHES ON AUXILIARY GAUGE PANEL (B DASH PANEL)	V
92	ODOMETER/TRIP/HOUR/DIAGNOSTIC/VOLTAGE DISPLAY: 1X7 CHARACTER, 26 WARNING LAMPS, DATA LINKED, ICU3	
93	DIAGNOSTIC INTERFACE CONNECTOR, 9 PIN, SAE J1939, LOCATED BELOW DASH	1//
94	2 INCH ELECTRIC FUEL GAUGE	V/ .
95	FUEL FILTER RESTRICTION INDICATOR	
96	DUAL REAR AXLE TEMPERATURE GAUGES FOR TANDEM AXLES	1
97	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE	V,
98	ENGINE OIL TEMPERATURE GAUGE	0,
99	2 INCH TRANSMISSION OIL TEMPERATURE GAUGE	V/
100	ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY	V,
101	ELECTRIC ENGINE OIL PRESSURE GAUGE	
102	AM/FM/WB RADIO WITH FRONT AUXILIARY INPUT	1/
103	DASH MOUNTED RADIO	V,
104	ELECTRONIC 3000 RPM TACHOMETER	J,
105	TRAILER HAND CONTROL BRAKE VALVE	
106	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, WASHER/WIPER AND HAZARD IN HANDLE	
107	PAINT: ONE SOLID COLOR	1,
108	CAB COLOR (EQUAL TO L5495EB ULTRA RED PEARL METALLIC ELITE BC)	01
109	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT	J.
-	Unit cost proposal	V/
	Bidder shall list the purchase price per unit here and on top sheet.\$	V



1333 E. Parker Road Jonesboro, AR 72404

P 870.972.1320 F 870.972.5862 T 800.530.6475 C 870.630.7298

mmccormick@tristatetruck.com www.tristatetruck.com







	CRAIGHEAD COUNTY			
w	JONESBORO, ARKANSAS			
	CONDITIONS OF BIDDING			
	Compliance with the following conditions is necessary for consideration of this bid.	-		<u> </u>
	Signature-This bid must be signed with the firm name and by an authorized officer, employee or age	né	-	
1			Numbs	
2	Sales Tax-Is not to be shown in the bid price, but is to be added by the vendor to the invoice billing to			
	The County is exempt from Arkansas State Sales Tax on road equipment and vehicles. Contractors	are to ir	nclude all costs	
	Into the bid price, including applicable taxes. Freight and other delivery charges-to destination at designated County facility in the County must be	include	od in hid	
3		Include	RU III DIG.	
	Charges may not be added after the bid is opened.	<u> المريد ـ</u>		
4	Discounts-Show rate, total amount, and latest day any discounts will be allowed after receipt of article	e ano ir	ivoice,	
	otherwise County will deduct allowed discount when payment is made.			
5	Firm Price-All prices quoted will remain firm for at least 30 days from date of bid, unless otherwise sp	ecified	· · · - · · ·	
	by the County or bidder			<u> </u>
6	Tax Exempt-Craighead County is exempt from State sales tax on self propelled equipment and mot	tor vehi	cles.	
	Example: Motor graders, excavators, dozers, dump trucks, pickup trucks, etc.		'	
7	Identical Bids-In the event of two or more identical low bids, the contract may be awarded arbitrarily of			
	any reason to any of such bidders, or split in any proportion between the said two or more bidders at			
8	Clean up-Complete cleanup and proper disposal of any and all job related items is considered to be	a part o	rany	
	contract let by Craighead County.			·
9	Ambiguity in bid-Any ambiguity in any bid as the result of omission, error, lack of clarity or non-compl			
	specifications, instructions, and all conditions of bidding shall be construed in the light most favorable	to the	County	
10	Construction.			
	A. When requested, the Contractor is to supply the County with evidence of having and maintaining p		and	
,	specifically Workman's Compensation Insurance in accordance with the laws of the State of Arkansa			
·	Public Liability, and Property Damage. All premiums and cost shall be paid by Contractor. In no way	will the		
	County be responsible in case of accident.			
	B. A Performance Bond equaling the total amount of any bid exceeding \$20,000 must be provided fo			
	erection of any public building, public structure, or public improvement(Pursuant to Arkansas Code 1			
11	The County reserves the right to reject any and all bids, accept in whole or in part, to waive informalit			
	received, to accept bids on materials or equipment with variations from specifications in those cases			
	of operation will not be impaired, and unless otherwise specified by bidder, to accept any item in the			
	and extensions thereof do not coincide, the County may accept the bid for the lesser amount whether	er reflec	ted	
	by extension or by the correct multiple of the unit price.			•
	INSTRUCTIONS TO BIDDERS		(Please read carefully)	
1	Submit bid on bid form attached or reverse side of this sheet.			
2	Address all bids to: Purchasing Director, Craighead County Judge's Office, 511 Union St.; Suite 119,			
	Jonesboro, Arkansas 72401 and make certain to indicate identifying bid number on the outside of bid	envelo	pe.	
3	DO NOT include Federal Excise Tax in bid. County will furnish exemption certificate.			
4	Sate Manufacturer, Brand Name, Model, etc. for each item bid on.			
5	Samples of items, when required must be furnished free, and, if not called for within 30 days from date	te of		
	bid opening, will be disposed of by the County			
6	Blds received after stated time will not be considered.			
7	Be sure and read all conditions and verify amounts before submitting bids. No changes or additions v	vill be		
	allowed after submission.			
8	Guarantees and warrantles should be attached as a part of the bid, as they may be a consideration it	in awar	ding contract.	
9	Delivery or contract completion time is to be shown, as this date may, where time is of the			
	essence, determine the contract award.			
10	Additional information may be obtained from the Purchasing Department.			
	THE COUNTY RESERVES THE RIGHT TO ACCEPT PART OR ALL OF ANY SPECIFIC BID OR B	IDS		
	AND TO ACCEPT BID WITH OR WITHOUT TRADE-IN, AND REJECT ANY AND ALL BIDS.			

DATE

2/5/2020

QUOTE INFORMATION

TRIST2020000112C652 GRANITE 64FT

Qty: 2

PREPARED BY

TRI-STATE TRUCK CENTER, INC. 494 E EH CRUMP BLVD MEMPHIS TN 381264699

PREPARED FOR

CRAIGHEAD COUNTY 511 UNION ST STE 119 JONESBORO AR 724012863

PROPOSAL

Michael McCormick

New & Used Truck Sales

1333 E. Parker Road Jonesboro, AR 72404

P 870.972.1320 F 870.972.5862 T 800.530.6475 C 870.630.7298

mmccormick@tristatetruck.com www.tristatetruck.com















TECHNICAL SPECIFICATION

GRANITE 64FT

CUSTO	MER/VEHICLE INFO	DESCRIPTION
S	CHASSIS (BASE MODEL)	GRANITE 64FT
S	ASSEMBLY PLANT	Made in Macungie, PA USA
S	CUSTOMER FLEET SIZE	DEALER FLEET WITH LESS THAN 25 VEHICLES IN OWN FLEET OF ANY VEHICLE BRAND
	TYPE OF SERVICE	MUNICIPAL
S	WARRANTY REGISTRATION LOCATION	US - WARRANTY REGISTRATION LOCATION
S	INITIAL REGISTRATION LOCATION	ALL 50 STATES, CARB ENGINE EMISSION (US17 / US21 / ZERO EMISSION)
S	LANGUAGE-PUBS/DECAL/SIGNS	ENGLISH
S	ROAD CONDITION	WELL MAINTAINED SURFACED ROADS >95% DRIVING DISTANCE
	VEHICLE USE & BODY/TRAILER TYPE	BOTTOM-DUMP TRAILER
S	GROSS COMBINATION WEIGHT	80,000 LB (36 TONNES) GROSS COMBINATION WEIGHT
S	BRAKE REGULATION	BRAKE REGULATION, STOPPING DISTANCE 76M (250FT)
S	TOPOGRAPHY	GRADES <6% GREATER THAN 98% OF DRIVING DISTANCE MAX GRADE 16%
S	AMBIENT TEMP UPPER LIMIT (GTA)	AMBIENT TEMPERATURE HOT. WARMER THAN 104 F (40 C) ALLOWED UP TO 25 HOURS PER YEAR
	TERRAIN GRADE	ON HIGHWAY, STARTING GRADES<16%
S	LOADING SURFACE	CONCRETE LOADING AND / OR UNLOADING SURFACE
	VEHICLE VOCATION	LINEHAUL / LONG HAUL SERVICE

ENGI	NE/TRANSMISSIONS	DESCRIPTION		
	ENGINE PACKAGE, COMBUSTION	MP8-445C MACK 445HP @ 1300-1700 RPM (PEAK) 1950 RPM (GOV) 1860 LB-FT, US'21		
	TRANSMISSION	4500 RDS 6 SP-ALLISON RUGGED DUTY SERIES GEN 5 W/PROGNOSTICS		
S	GEARBOX 12TH GEAR LOCK-OUT	WITHOUT 12TH GEARBOX GEAR LOCK-OUT		

EXHA	UST/EMISSIONS	DESCRIPTION
s	CARB 2008 IDLE REGULATION	IDLE EMISSION CERTIFICATION, CARB (WITH DECAL LOCATED ON LOWER LH CORNER / DRIVER DOOR
S	DPF DIESEL PARTICULATE FILTER	CLEARTECH ONE BOX E.A.T.S. RH SIDE UNDER CAB US17 / US21
S	DPF COVER	DPF COVER, PAINTED STEEL
S	DEF TANK COVER	PAINTED FINISH DEF TANK COVER

PRICELIST DATE	QUOTATION	DATE	PAGE	CUSTOMER NAME	DEALER NAME
20190812	TRIST2020000112C652	2/5/2020	2 of 9	CRAIGHEAD COUNTY	TRI-STATE TRUCK CENTER, INC.

TECHNICAL SPECIFICATION (cont.)



EXH	AUST/EMISSIONS	DESCRIPTION	
S	DEF TANK	11.8 GALLON (45 L) 22" LEFT SIDE FRAME MOUNTED	
s	EXHAUST	SINGLE VERTICAL RIGHT SIDE OUTBOARD MOUNTED STRAIGHT EXHAUST STACK TURNED OUT END	
S	EXHAUST STACK HEIGHT	11' 6" FROM GROUND	
s	EXHAUST SYSTEM MATERIAL FINISH	W/O BRIGHT FINISH EXHAUST	
	EMISSION ON BOARD DIAG CONTROL	EMISSION OBD, DISPLAY ONLY, USA2020	

ENGINE	EQUIPMENT	DESCRIPTION
s	AIR CLEANER	UNDER HOOD SINGLE ELEMENT DRY TYPE W/AIR INTAKE FROM BOTH SIDES OF HOOD
S	BUG SCREEN	BLACK ALUMINUM MOUNTED BEHIND GRILLE, WITHOUT WINTER FRONT COVER
S	COMPRESSOR CAPACITY	MERITOR/WABCO 318 (18.7 CFM)
S	AIR DRYER - MANUFACTURER	WABCO 1200P W/TURBO CUT OFF VALVE, W/COALESCING OIL FILTER, HEATED
s	ALTERNATOR	DELCO 12V 130A (24SI) BRUSH-TYPE
S	BATTERIES	(3) MACK 12V 650/1950 CCA THREADED STUD TYPE
S	BATTERY BOX - MOUNTING	LH RAIL UNDER CAB FORWARD OF FUEL TANK (3 BATTERY MAX)
S	BATTERY BOX COVER	MOLDED PLASTIC
S	STARTER MOTOR	12 VOLT DELCO 39MT-MXT
	ENGINE BRAKE	MACK MP8 POWERLEASH
S	FAN DRIVE	BEHR FAN AND ELECTRONIC MODULATING VISCOUS FAN DRIVE
S	COOLANT PROTECTION	ETHYLENE GLYCOL FULLY FORMULATED COOLANT (50/50 MIX DYED PINK) TO -34DEG, W/ FILTER
S	HOSES - RADIATOR/HEATER	MACK EPDM RADIATOR & HEATER HOSES
S	FUEL-WATER SEPARATOR	MACK W/MANUAL DRAIN VALVE (INTEGRAL W/PRIMARY FUEL FILTER)
s	PRIMARY FUEL FILTER POSITION (CA)	STANDARD FUEL FILTER POSITION
S	ENGINE HEATERS	W/O STARTING AID + W/O BLOCK HEATER + W/O OIL PAN HEATER
S	OIL PAN	OIL PAN
s	ENGINE STOP, EMERGENCY (CA)	WITHOUT ENGINE STOP, EMERGENCY

CLUTCH/TRANS EQUIPMENT		DESCRIPTION
	GEAR SHIFTER	ALLISON DASH MOUNTED SHIFTER W/NEUTRAL TO RANGE INHIBIT (HD SERIES)
DRIVELINE - MAIN		MERITOR 18 MXL "XTENDED LUBE" (PROPS-L)
	DRIVELINE - INTERAXLE	MERITOR 17 MXL "XTENDED LUBE"
	PROPELLR SHAFT MAIN, UNVSL JNT	UNIVERSAL JOINT HALF-ROUND TYPE
s	PROP SHAFT INTERAXL UNIV JOINT	HALF-ROUND UNIVERSAL JOINT
S	TRANSMISSION OUTPUT TORQUE	TRANSMISSION OUTPUT TORQUE BASIC
s	BELL HOUSING	ALUMINUM
	LUBRICANTS, TRANSMISSION	TRANSYND SYNTHETIC LUBE FOR ALLISON TRANS
	TRANSMISSION OIL COOLER	FURNISH FOR ALLISON TRANSMISSION W/DIRECT MOUNT COOLER

FRON	T AXLE EQUIPMENT	DESCRIPTION	
s	FRONT AXLE	12000# (5400 KG) MACK FXL12 STRAIGHT SPINDLE/UNITIZED BEARINGS	
	SPRINGS - FRONT	MACK TAPERLEAF HD 12000# (5400 KG) GROUND LOAD RATING, NO BIAS	
s	FRONT AXLE BRAKES	MERITOR "S" CAM TYPE 16.5" x 5" Q+	
s	BRAKE, FRONT	CAST IRON	
s	FRONT BRAKE ADJ. MANUFACTURE	HALDEX - AUTOMATIC	

PRICELIST DATE	QUOTATION	DATE	PAGE	CUSTOMER NAME	DEALER NAME
20190812	TRIST2020000112C652	2/5/2020	3 of 9	CRAIGHEAD COUNTY	TRI-STATE TRUCK CENTER, INC.





FRONT AXLE EQUIPMENT		DESCRIPTION
	FRONT BRAKE CHAMBER MFG.	FRONT BRAKE CHAMBER MANUFACTURER, HALDEX
s	FRONT HUBCAP TYPE	STANDARD FRONT HUB CAPS
	HUB MATERIAL, FRONT	ALUMINUM
s	SHOCK ABSORBER, FRONT	DOUBLE ACTING TYPE
s	STEERING	SHEPPARD SD110
s	LUBRICANTS, FRONT AXLE	PETROLEUM/SYNTHETIC (50/50) OIL FRONT AXLE

REAR AXLES - TANDEM 40000# (18100kg) MERITOR MT40-14X4D HYPOID (LOW ENTRY) REAR AXLE CASING WIDTH W/O WIDE TRACK AXLE CARRIER - REAR AXLE VENDOR CARRIER REAR AXLE RATIO 3.90 RATIO REAR SUSPENSION - TANDEM SAL40 MACK AL-402 AIR 40000# CAPACITY (NOT FOR USE WITH AIR DISC BRAKES) BOGIE SPREAD, REAR 52" AXLE SPACING (BOGIE WHEELBASE) SUSPENSION LEVELLING DEVICE AIR SUSPENSION DUMP WARNING REAR SHOCK ABSORBER REAR SHOCK ABSORBER TRANSVERSE TORQUE RODS, R SUSP TRANSVERSE TORQUE RODS, R SUSP BRAKE LINING MATERIAL DRIVE BRAKE LINING MATERIAL DRIVE BRAKE LINING MATERIAL DRIVE BRAKE LINING MATERIAL DRIVE BRAKE DAY MANUFACTURE REAR BRAKE ADJ MANUFACTURE REAR BRAKE CHAMBER SIZE REAR SPRING BRAKE CHAMBERS 30/30 TYPE REAR BRAKE CHAMBER HALDEX "GOLD SEAL" BRAKE CHAMBERS (Total for QTY = 2) HUB MATERIAL, DRIVE ALUMINUM PRESET REAR HUB W/INTEGRATED SPINDLE NUT POWER DIVIDER LOCKOUT POWER DIVIDER LOCKOUT POWER DIVIDER LOCKOUT, W/BUZZER & LIGHT S DRAKE VALVE VERSION BENDIX SWITCHES AND VALVE HABS SENSOR & MODULATOR SPRING BRAKE INVERSION VALVE TRACTOR SPRING BRAKE INVERSION VALVE	REAR A	XLE EQUIPMENT	DESCRIPTION
CARRIER - REAR AXLE REAR AXLE RATIO 3.90 RATIO REAR SUSPENSION - TANDEM SAL 40 MACK AL-402 AIR 40000# CAPACITY (NOT FOR USE WITH AIR DISC BRAKES) BOGIE SPREAD, REAR 52" AXLE SPACING (BOGIE WHEELBASE) SUSPENSION LEVELLING DEVICE AIR SUSPENSION DUMP WARNING REAR SHOCK ABSORBER REAR SHOCK ABSORBER TRANSVERSE TORQUE RODS, R SUSP TRANSVERSE TORQUE RODS, R SUSP TRANSVERSE TORQUE RODS AND THANSVERSE TORQUE ROD - ALL AXLES AUX.SPRING BRAKE QTY AUX SPRING BRAKE QTY AUX SPRING BRAKE QTY BRAKE LINING MATERIAL DRIVE BRAKE LINING MATERIAL DRIVE BRAKE LINING MATERIAL DRIVE SALE REAR BRAKE ADJ MANUFACTURE HALDEX - AUTOMATIC REAR BRAKE CHAMBER SIZE REAR SPRING BRAKE CHAMBERS 30/30 TYPE REAR BRAKE CHAMBER HALDEX "GOLD SEAL" BRAKE CHAMBERS (Total for QTY = 2) HUB MATERIAL, DRIVE ALUMINUM PRESET REAR HUB W/INTEGRATED SPINDLE NUT POWER DIVIDER LOCKOUT POWER DIVIDER LOCKOUT, W/BUZZER & LIGHT LUBRICANTS, REAR AXLE(s) BRAKE VALVE VERSION BENDIX SWITCHES AND VALVES WHERE POSSIBLE		REAR AXLES - TANDEM	40000# (18100kg) MERITOR MT40-14X4D HYPOID (LOW ENTRY)
REAR AXLE RATIO REAR SUSPENSION - TANDEM SAL 40 MACK AL-402 AIR 40000# CAPACITY (NOT FOR USE WITH AIR DISC BRAKES) BOGIE SPREAD, REAR 52° AXLE SPACING (BOGIE WHEELBASE) SUSPENSION LEVELLING DEVICE AIR SUSPENSION DUMP WARNING REAR SHOCK ABSORBER REAR SHOCK ABSORBER TRANSVERSE TORQUE RODS, R SUSP TRANSVERSE TORQUE ROD - ALL AXLES AUX.SPRING BRAKE QTY AUX SPRING BRAKE QTY, 4 CHAMBERS BRAKES - REAR MERITOR "S" CAM 16.5" x7" Q+ (Total for QTY = 2) BRAKE LINING MATERIAL DRIVE BRAKE LINING MATERIAL DRIVE BRAKE LINING MATERIAL DRIVE BRAKE LINING MATERIAL DRIVE REAR BRAKE ADJ MANUFACTURE HALDEX - AUTOMATIC REAR BRAKE CHAMBER SIZE REAR SPRING BRAKE CHAMBERS 30/30 TYPE REAR BRAKE CHAMBER HALDEX "GOLD SEAL" BRAKE CHAMBERS (Total for QTY = 2) HUB MATERIAL, DRIVE ALUMINUM PRESET REAR HUB W/INTEGRATED SPINDLE NUT POWER DIVIDER LOCKOUT POWER DIVIDER LOCKOUT, W/BUZZER & LIGHT LUBRICANTS, REAR AXLE(s) FACTORY OPTION LUBE - REAR AXLE BRAKE VALVE VERSION BENDIX SWITCHES AND VALVES WHERE POSSIBLE	S	REAR AXLE CASING WIDTH	W/O WIDE TRACK AXLE
REAR SUSPENSION - TANDEM BOGIE SPREAD, REAR 52" AXLE SPACING (BOGIE WHEELBASE) SUSPENSION LEVELLING DEVICE AIR SUSPENSION DUMP WARNING REAR SHOCK ABSORBER REAR SHOCK ABSORBER REAR SHOCK ABSORBER TRANSVERSE TORQUE RODS, R SUSP TRANSVERSE TORQUE RODS, R SUSP TRANSVERSE TORQUE RODS, R SUSP BRAKE SHOCK ABSORBER REAR SHOCK ABSORBER TRANSVERSE TORQUE RODS, R SUSP TRANSVERSE TORQUE RODS, R SUSP SPAKE LINING MATERIAL DRIVE BRAKE LINING MATERIAL DRIVE BRAKE LINING MATERIAL DRIVE BRAKE LINING MATERIAL DRIVE BRAKE CHAMBER SIZE REAR BRAKE ADJ MANUFACTURE HALDEX - AUTOMATIC SPEAR BRAKE CHAMBER SIZE REAR SPRING BRAKE CHAMBERS 30/30 TYPE REAR BRAKE CHAMBER HALDEX "GOLD SEAL" BRAKE CHAMBERS (Total for QTY = 2) HUB MATERIAL, DRIVE ALUMINUM PRESET REAR HUB WINTEGRATED SPINDLE NUT SPOWER DIVIDER LOCKOUT W/BUZZER & LIGHT SLUBRICANTS, REAR AXLE(s) FACTORY OPTION LUBE - REAR AXLE SBRAKE VALVE VERSION BENDIX SWITCHES AND VALVES WHERE POSSIBLE		CARRIER - REAR AXLE	VENDOR CARRIER
BOGIE SPREAD, REAR SUSPENSION LEVELLING DEVICE AIR SUSPENSION DUMP WARNING REAR SHOCK ABSORBER REAR SPRING BRAKE QTY, 4 CHAMBERS REAKELINING MATERIAL DRIVE REAKE LINING MATERIAL DRIVE REAKELINING MATERIAL DRIVE REAR BRAKE ADJ MANUFACTURE REAR SPRING BRAKE CHAMBERS 30/30 TYPE REAR BRAKE CHAMBER HALDEX "GOLD SEAL" BRAKE CHAMBERS (Total for QTY = 2) HUB MATERIAL, DRIVE ALUMINUM PRESET REAR HUB W/INTEGRATED SPINDLE NUT POWER DIVIDER LOCKOUT POWER DIVIDER LOCKOUT, W/BUZZER & LIGHT LUBRICANTS, REAR AXLE(s) FACTORY OPTION LUBE - REAR AXLE REAR SPRING PRAKE UNITED SENSORS REAKE VALVE VERSION BENDIX SWITCHES AND VALVES WHERE POSSIBLE		REAR AXLE RATIO	3.90 RATIO
SUSPENSION LEVELLING DEVICE AIR SUSPENSION DUMP WARNING REAR SHOCK ABSORBER REAR SHOCK ABSORBER REAR SHOCK ABSORBER TRANSVERSE TORQUE RODS, R SUSP RANSVERSE TORQUE RODS, R SUSP REAR SHOCK ABSORBER TRANSVERSE TORQUE RODS, R SUSP REAR SHOCK ABSORBER REAR SHOCK ABSORBER REAR SHAKE QTY AUX SPRING BRAKE QTY, 4 CHAMBERS REAR LINING MATERIAL DRIVE BRAKE LINING MATERIAL DRIVE, MERITOR SOR2003 SHAKE, DRIVE, REAR CAST IRON SHAKE, DRIVE, REAR CAST IRON SHAKE CHAMBER SIZE REAR BRAKE CHAMBER SIZE REAR BRAKE CHAMBER SIZE REAR BRAKE CHAMBER HALDEX "GOLD SEAL" BRAKE CHAMBERS (Total for QTY = 2) HUB MATERIAL, DRIVE ALUMINUM PRESET REAR HUB W/INTEGRATED SPINDLE NUT SPOWER DIVIDER LOCKOUT POWER DIVIDER LOCKOUT, W/BUZZER & LIGHT LUBRICANTS, REAR AXLE(s) FACTORY OPTION LUBE - REAR AXLE SABS SENSOR & MODULATOR SENDIX SWITCHES AND VALVES WHERE POSSIBLE		REAR SUSPENSION - TANDEM	SAL40 MACK AL-402 AIR 40000# CAPACITY (NOT FOR USE WITH AIR DISC BRAKES)
AIR SUSPENSION DUMP WARNING REAR SHOCK ABSORBER REAR SPORT STORQUE ROD - ALL AXLES AUX.SPRING BRAKE QTY AUX SPRING BRAKE QTY, 4 CHAMBERS BRAKES - REAR MERITOR "S" CAM 16.5"x7" Q+ (Total for QTY = 2) BRAKE LINING MATERIAL DRIVE BRAKE LINING MATERIAL DRIVE, MERITOR SOR2003 BRAKE, DRIVE, REAR CAST IRON REAR BRAKE ADJ MANUFACTURE HALDEX - AUTOMATIC REAR BRAKE CHAMBER SIZE REAR SPRING BRAKE CHAMBERS 30/30 TYPE REAR BRAKE CHAMBER HALDEX "GOLD SEAL" BRAKE CHAMBERS (Total for QTY = 2) HUB MATERIAL, DRIVE ALUMINUM PRESET REAR HUB W/INTEGRATED SPINDLE NUT POWER DIVIDER LOCKOUT POWER DIVIDER LOCKOUT, W/BUZZER & LIGHT LUBRICANTS, REAR AXLE(s) FACTORY OPTION LUBE - REAR AXLE BRAKE VALVE VERSION BENDIX SWITCHES AND VALVES WHERE POSSIBLE		BOGIE SPREAD, REAR	52* AXLE SPACING (BOGIE WHEELBASE)
REAR SHOCK ABSORBER TRANSVERSE TORQUE RODS, R SUSP TRANSVERSE TORQUE ROD - ALL AXLES S AUX.SPRING BRAKE QTY AUX SPRING BRAKE QTY, 4 CHAMBERS S BRAKES - REAR MERITOR "S" CAM 16.5"x7" Q+ (Total for QTY = 2) BRAKE LINING MATERIAL DRIVE BRAKE LINING MATERIAL DRIVE BRAKE LINING MATERIAL DRIVE, MERITOR SOR2003 S BRAKE, DRIVE, REAR CAST IRON S REAR BRAKE ADJ MANUFACTURE HALDEX - AUTOMATIC S REAR BRAKE CHAMBER SIZE REAR SPRING BRAKE CHAMBERS 30/30 TYPE REAR BRAKE CHAMBER HALDEX "GOLD SEAL" BRAKE CHAMBERS (Total for QTY = 2) HUB MATERIAL, DRIVE ALUMINUM PRESET REAR HUB W/INTEGRATED SPINDLE NUT S POWER DIVIDER LOCKOUT POWER DIVIDER LOCKOUT, W/BUZZER & LIGHT LUBRICANTS, REAR AXLE(s) FACTORY OPTION LUBE - REAR AXLE S ABS SENSOR & MODULATOR BENDIX SWITCHES AND VALVES WHERE POSSIBLE		SUSPENSION LEVELLING DEVICE	ELECTRICAL REGULATION LEVELING DEVICE
TRANSVERSE TORQUE RODS, R SUSP TRANSVERSE TORQUE ROD - ALL AXLES S AUX.SPRING BRAKE QTY AUX SPRING BRAKE QTY, 4 CHAMBERS S BRAKES - REAR MERITOR "S" CAM 16.5"x7" Q+ (Total for QTY = 2) BRAKE LINING MATERIAL DRIVE BRAKE LINING MATERIAL DRIVE, MERITOR SOR2003 S BRAKE, DRIVE, REAR CAST IRON S REAR BRAKE ADJ MANUFACTURE HALDEX - AUTOMATIC S REAR BRAKE CHAMBER SIZE REAR SPRING BRAKE CHAMBERS 30/30 TYPE REAR BRAKE CHAMBER HALDEX "GOLD SEAL." BRAKE CHAMBERS (Total for QTY = 2) HUB MATERIAL, DRIVE ALUMINUM PRESET REAR HUB W/INTEGRATED SPINDLE NUT S POWER DIVIDER LOCKOUT POWER DIVIDER LOCKOUT, W/BUZZER & LIGHT S LUBRICANTS, REAR AXLE(s) FACTORY OPTION LUBE - REAR AXLE S ABS SENSOR & MODULATOR 4S/4M SYSTEM REAR WHEEL END SENSORS S BRAKE VALVE VERSION BENDIX SWITCHES AND VALVES WHERE POSSIBLE		AIR SUSPENSION DUMP WARNING	AIR SUSPENSION DUMP, SPEED LIMITED, WARNING INDICATOR & BUZZER
S AUX SPRING BRAKE QTY SPRING BRAKE QTY, 4 CHAMBERS BRAKES - REAR MERITOR "S" CAM 16.5"x7" Q+ (Total for QTY = 2) BRAKE LINING MATERIAL DRIVE BRAKE LINING MATERIAL DRIVE, MERITOR SOR2003 S BRAKE, DRIVE, REAR CAST IRON S REAR BRAKE ADJ MANUFACTURE HALDEX - AUTOMATIC S REAR BRAKE CHAMBER SIZE REAR SPRING BRAKE CHAMBERS 30/30 TYPE REAR BRAKE CHAMBER HALDEX "GOLD SEAL" BRAKE CHAMBERS (Total for QTY = 2) HUB MATERIAL, DRIVE ALUMINUM PRESET REAR HUB W/INTEGRATED SPINDLE NUT S POWER DIVIDER LOCKOUT POWER DIVIDER LOCKOUT, W/BUZZER & LIGHT S LUBRICANTS, REAR AXLE(S) FACTORY OPTION LUBE - REAR AXLE S ABS SENSOR & MODULATOR BENDIX SWITCHES AND VALVES WHERE POSSIBLE		REAR SHOCK ABSORBER	REAR SHOCK ABSORBER
BRAKES - REAR MERITOR "S" CAM 16.5"x7" Q+ (Total for QTY = 2) BRAKE LINING MATERIAL DRIVE BRAKE LINING MATERIAL DRIVE, MERITOR SOR2003 S BRAKE, DRIVE, REAR CAST IRON S REAR BRAKE ADJ MANUFACTURE HALDEX - AUTOMATIC REAR BRAKE CHAMBER SIZE REAR SPRING BRAKE CHAMBERS 30/30 TYPE REAR BRAKE CHAMBER HALDEX "GOLD SEAL" BRAKE CHAMBERS (Total for QTY = 2) HUB MATERIAL, DRIVE ALUMINUM PRESET REAR HUB W/INTEGRATED SPINDLE NUT S POWER DIVIDER LOCKOUT POWER DIVIDER LOCKOUT, W/BUZZER & LIGHT LUBRICANTS, REAR AXLE(S) FACTORY OPTION LUBE - REAR AXLE S ABS SENSOR & MODULATOR 4S/4M SYSTEM REAR WHEEL END SENSORS BRAKE VALVE VERSION BENDIX SWITCHES AND VALVES WHERE POSSIBLE		TRANSVERSE TORQUE RODS, R SUSP	TRANSVERSE TORQUE ROD - ALL AXLES
BRAKE LINING MATERIAL DRIVE BRAKE LINING MATERIAL DRIVE, MERITOR SOR2003 S BRAKE, DRIVE, REAR CAST IRON S REAR BRAKE ADJ MANUFACTURE HALDEX - AUTOMATIC S REAR BRAKE CHAMBER SIZE REAR SPRING BRAKE CHAMBERS 30/30 TYPE REAR BRAKE CHAMBER HALDEX "GOLD SEAL" BRAKE CHAMBERS (Total for QTY = 2) HUB MATERIAL, DRIVE ALUMINUM PRESET REAR HUB W/INTEGRATED SPINDLE NUT S POWER DIVIDER LOCKOUT POWER DIVIDER LOCKOUT, W/BUZZER & LIGHT S LUBRICANTS, REAR AXLE(s) FACTORY OPTION LUBE - REAR AXLE S ABS SENSOR & MODULATOR 4S/4M SYSTEM REAR WHEEL END SENSORS S BRAKE VALVE VERSION BENDIX SWITCHES AND VALVES WHERE POSSIBLE	S	AUX.SPRING BRAKE QTY	AUX SPRING BRAKE QTY, 4 CHAMBERS
S BRAKE, DRIVE, REAR CAST IRON S REAR BRAKE ADJ MANUFACTURE HALDEX - AUTOMATIC S REAR BRAKE CHAMBER SIZE REAR SPRING BRAKE CHAMBERS 30/30 TYPE REAR BRAKE CHAMBER HALDEX "GOLD SEAL" BRAKE CHAMBERS (Total for QTY = 2) HUB MATERIAL, DRIVE ALUMINUM PRESET REAR HUB W/INTEGRATED SPINDLE NUT S POWER DIVIDER LOCKOUT POWER DIVIDER LOCKOUT, W/BUZZER & LIGHT S LUBRICANTS, REAR AXLE(s) FACTORY OPTION LUBE - REAR AXLE S ABS SENSOR & MODULATOR 45/4M SYSTEM REAR WHEEL END SENSORS BRAKE VALVE VERSION BENDIX SWITCHES AND VALVES WHERE POSSIBLE	S	BRAKES - REÁR	MERITOR "S" CAM 16.5"x7" Q+ (Total for QTY = 2)
S REAR BRAKE ADJ MANUFACTURE REAR BRAKE CHAMBER SIZE REAR SPRING BRAKE CHAMBERS 30/30 TYPE REAR BRAKE CHAMBER HALDEX "GOLD SEAL" BRAKE CHAMBERS (Total for QTY = 2) HUB MATERIAL, DRIVE ALUMINUM PRESET REAR HUB W/INTEGRATED SPINDLE NUT POWER DIVIDER LOCKOUT, W/BUZZER & LIGHT LUBRICANTS, REAR AXLE(s) FACTORY OPTION LUBE - REAR AXLE ABS SENSOR & MODULATOR 4S/4M SYSTEM REAR WHEEL END SENSORS BRAKE VALVE VERSION BENDIX SWITCHES AND VALVES WHERE POSSIBLE		BRAKE LINING MATERIAL DRIVE	BRAKE LINING MATERIAL DRIVE, MERITOR SOR2003
REAR BRAKE CHAMBER SIZE REAR SPRING BRAKE CHAMBERS 30/30 TYPE REAR BRAKE CHAMBER HALDEX "GOLD SEAL" BRAKE CHAMBERS (Total for QTY = 2) HUB MATERIAL, DRIVE ALUMINUM PRESET REAR HUB W/INTEGRATED SPINDLE NUT POWER DIVIDER LOCKOUT POWER DIVIDER LOCKOUT, W/BUZZER & LIGHT LUBRICANTS, REAR AXLE(s) FACTORY OPTION LUBE - REAR AXLE ABS SENSOR & MODULATOR SHAKE VALVE VERSION BENDIX SWITCHES AND VALVES WHERE POSSIBLE	\$	BRAKE, DRIVE, REAR	CAST IRON
REAR BRAKE CHAMBER HALDEX "GOLD SEAL" BRAKE CHAMBERS (Total for QTY = 2) HUB MATERIAL, DRIVE ALUMINUM PRESET REAR HUB W/INTEGRATED SPINDLE NUT POWER DIVIDER LOCKOUT, W/BUZZER & LIGHT LUBRICANTS, REAR AXLE(s) FACTORY OPTION LUBE - REAR AXLE ABS SENSOR & MODULATOR SHAKE VALVE VERSION BENDIX SWITCHES AND VALVES WHERE POSSIBLE	S	REAR BRAKE ADJ MANUFACTURE	HALDEX - AUTOMATIC
HUB MATERIAL, DRIVE ALUMINUM PRESET REAR HUB W/INTEGRATED SPINDLE NUT POWER DIVIDER LOCKOUT, W/BUZZER & LIGHT LUBRICANTS, REAR AXLE(s) FACTORY OPTION LUBE - REAR AXLE ABS SENSOR & MODULATOR SHAKE VALVE VERSION BENDIX SWITCHES AND VALVES WHERE POSSIBLE	S	REAR BRAKE CHAMBER SIZE	REAR SPRING BRAKE CHAMBERS 30/30 TYPE
S POWER DIVIDER LOCKOUT POWER DIVIDER LOCKOUT, W/BUZZER & LIGHT S LUBRICANTS, REAR AXLE(s) FACTORY OPTION LUBE - REAR AXLE S ABS SENSOR & MODULATOR 45/4M SYSTEM REAR WHEEL END SENSORS S BRAKE VALVE VERSION BENDIX SWITCHES AND VALVES WHERE POSSIBLE		REAR BRAKE CHAMBER	HALDEX "GOLD SEAL" BRAKE CHAMBERS (Total for QTY = 2)
S LUBRICANTS, REAR AXLE(s) FACTORY OPTION LUBE - REAR AXLE S ABS SENSOR & MODULATOR 4S/4M SYSTEM REAR WHEEL END SENSORS S BRAKE VALVE VERSION BENDIX SWITCHES AND VALVES WHERE POSSIBLE		HUB MATERIAL, DRIVE	ALUMINUM PRESET REAR HUB W/INTEGRATED SPINDLE NUT
S ABS SENSOR & MODULATOR 4S/4M SYSTEM REAR WHEEL END SENSORS S BRAKE VALVE VERSION BENDIX SWITCHES AND VALVES WHERE POSSIBLE	S	POWER DIVIDER LOCKOUT	POWER DIVIDER LOCKOUT, W/BUZZER & LIGHT
S BRAKE VALVE VERSION BENDIX SWITCHES AND VALVES WHERE POSSIBLE	S	LUBRICANTS, REAR AXLE(s)	FACTORY OPTION LUBE - REAR AXLE
	s	ABS SENSOR & MODULATOR	4S/4M SYSTEM REAR WHEEL END SENSORS
S SPRING BRAKE INVERSION VALVE TRACTOR SPRING BRAKE INVERSION VALVE	S	BRAKE VALVE VERSION	BENDIX SWITCHES AND VALVES WHERE POSSIBLE
	S	SPRING BRAKE INVERSION VALVE	TRACTOR SPRING BRAKE INVERSION VALVE

FRAME EQUIPMENT/FUEL TANKS		DESCRIPTION	
	WHEELBASE	219 ⁿ	
	AF (OVERHANG)	.56°	
S	FRAME RAILS	STEEL - 300MM X 90MM X 8MM (11.81" X 3.54" X 0.31")	
S	FRONT FRAME LENGTH	FRONT FRAME LENGTH 725MM	
S	CROSSMEMBERS	BOC AND INTERMEDIATE(S) STEEL HD BACK-TO-BACK CHANNEL	
	REAR CROSSMEMBER OPTIONS	FOR USE W/TAPERED & FLANGED FRAME ENDS (28 DEG) W/BUILT IN TAIL LAMPS	
	REAR FRAME TREATMENT	FURNISH TAPERED & FLANGED FRAME RAIL ENDS (28 DEG) FOR USE W/BUILT IN TAIL LAMPS	
	FRONT BUMPER	FLUSH-STAINLESS CLAD ALUMINUM	
	TOWING DEVICE, FRONT	(2) CLEVIS	
S	FUEL LEVEL SENDER UNIT, LIQUID	BASIC FUEL LEVEL SENDER MOUNTED ON L.H TANK	
	FUEL TANK - LH	116 GALLON (440 L) 22" ALUMINUM ROUND	

PRICELIST DATE	QUOTATION	DATE	PAGE	CUSTOMER NAME	DEALER NAME
20190812	TRIST2020000112C652	2/5/2020	4 of 9	CRAIGHEAD COUNTY	TRI-STATE TRUCK CENTER, INC.





FRAME EQUIPMENT/FUEL TANKS		DESCRIPTION	
S FUEL TANK - RH		W/O RH FUEL TANK	
	FUEL LINE OPTIONS, LIQUID	W/O FUEL LINE OPTION	
S	FUEL TANK CAP	NON-LOCKABLE FUEL TANK CAP	
S	CAB INSTEP VERSION	STANDARD 2 STEP CAB ACCESS	
	QUARTER FENDERS	STAINLESS STEEL QUARTER FENDERS	

AIR/BRAKE		DESCRIPTION	
	AIRTANK DRAIN VALVE	MANUAL DRAIN VALVES, WITH LANYARD ON SUPPLY TANK ONLY	
	AIRTANK MATERIAL	ALUMINUM, PAINTED	
s	AIR DRYER POSITION (CA)	W/O RELOCATION OPTION	
S	RELOCATE AIR RESERVOIRS	W/O RELOCATED AIR TANKS	
s	PARKING BRAKE VALVE	TWO (2) VALVE DUAL BRAKE SYSTEM - TRAILER SUPPLY AND TRACTOR-TRAILER PARK	

ELECTRICAL		DESCRIPTION
S MARKER/DIRECTIONAL SIGNAL		W/O MARKER/DIR SIGNAL OPTION
S	ROOF MARKER LIGHT	(5) TRUCKLITE LED CHROME BULLET TYPE LAMPS
S DAYTIME RUNNING LIGHTS		DRL WHEN ENGINE RUNNING & PARK BRAKE OFF
	TAIL LAMPS	LED STOP & TAIL LAMPS W/BACKUP LAMP & LICENSE PLATE MTD IN TAPERED CROSSMEMBER

TRAILER CONNECTIONS		DESCRIPTION
s	FIFTH WHEEL	AIR - JOST JSK37USL SERIES, LH RELEASE (AVAIL: 6.73",7.76",8.74")
s	5TH WHEEL MOUNTING BRACKETS	SLIDING 5TH WHEEL MTG, 24" TRAVEL
s	FIFTH WHEEL ANGLE MATERIAL	STEEL FIFTH WHEEL ANGLES
S	5TH WHEEL ANGLE THICKNESS	5TH WHEEL ANGLE, 10MM THICKNESS
	5TH WHEEL OFFSET	50" BOGIESPREAD = -1" OFFSET, 52" BS = 0", 54" BS = 1", 55" BS = 1.5", 4x2 = ~ 26"
	GROUND TO 5TH WHEEL TOP HGT.	1232MM (48.5") GROUND TO 5TH WHEEL TOP HEIGHT
	FIFTH WHEEL LEG-HEIGHT (KAX Result)	171MM (6.75"), FIFTH WHEEL LEG-HEIGHT (SELECTED BY KAX)
s	TRAILER BRAKE VALVE	HAND CONTROL VALVE FOR TRAILER BRAKES W/ AIR CONNECTIONS OR SERVICE BRAKES W/O AIR CONNECTIONS
S	TRAILER CONNECTION POSITION	TRAILER AIR BRAKE CONNECTIONS, BACK OF CAB
s	TRAILER BRAKE HOSEHANGER	HOSE TENDER, POGO STICK (CHASSIS MOUNTED)
s	TRAILER ELECTRICAL RECEPT	SINGLE, 7 PINS STD SAE TYPE, BACK OF CAB
s	TRAILER BRAKE HOSES & CABLES	TRAILER AIR HOSES (12' NON-COILED TYPE)
s	TRAILR ELECTRICAL CABLE CONFIG	TRAILER ELECTRICAL CORD (12' NON-COILED TYPE)
s	TRAILER CONNECTORS HOLDER	ELECTRICAL PLUG HOLDER (INCLUDES GLAD HAND STORAGE)

PTO		DESCRIPTION	
s	PTO TRANS NEUTRAL CONTRL CHECK	W/O NEUTRAL CONTROL	

SPECIALTY EQUIPMENT		DESCRIPTION		
S BLINDSPOT DETECTION ALARM		WITHOUT BLINDSPOT DETECTION AUDIO ALARM DISABLE		
	UNIQUE DECALS MACHINE DIRECTIV	DECALS READING: ("CAUTION SUSPENSION MUST BE LOWERED BEFORE DUMP BODY IS LIFTED")		

PRICELIST DATE	QUOTATION	DATE	PAGE	CUSTOMER NAME	DEALER NAME
20190812	TRIST2020000112C652	2/5/2020	5 of 9	CRAIGHEAD COUNTY	TRI-STATE TRUCK CENTER, INC.



CAB II	NTERIOR (A THRU G)	DESCRIPTION
s	GAUGES - UNIT OF MEASURE	U.S. UNITS (PREDOMINANT)
s	AIR CONDITIONING/HEATER	BLEND AIR HVAC W/"ATC" TEMP REGULATION
s	DOME LAMP, INTERIOR	(4) DOME LAMPS - DOOR AND SWITCH ACTIVATED
S	FLOOR COVERING	POLYURETHANE FLOOR MAT WITHOUT REMOVABLE INSERTS

CAB	INTERIOR (H THRU R)	DESCRIPTION
S	INSTMNT CLUSTER LANGUAGE	DEFAULT: ENGLISH, SPANISH, FRENCH
S	KEY TYPES FOR DOORS	ALL CHASSIS KEYED AT RANDOM
S	DOOR OPENING OPTIONS	W/O ELECTRONIC KEYLESS ENTRY
S	AUDIO ACCOMMODATION	PREMIUM STEREO, AM/FM, CD-PLAYER, MP3, WEATHER BAND, BLUETOOTH
	ANTENNA - RADIO	48" ANTENNA RIGHT SIDE MIRROR MOUNTED
s	AUDIO SHUTOFF	AUTO SHUTOFF FOR RADIO ENTERTAINMENT SYSTEM WHEN VEHICLE IS ENGAGED IN REVERSE
s	POWER LEADS	POWER LEADS (5-WAY BINDING POSTS FOR CB RADIO) IN HEADER CONSOLE
S	AUDIO SPEAKER LOCATION	SPEAKER LOCATION, IN DOORS, MIDDLE HIGH SIDE PANEL
	COM.RADIO PREP KIT (CB)	MOUNTING PLATE AND VELCRO STRAP IN HEADER CONSOLE
S	AUXILIARY REAR WINDOW	REAR WINDOW (FIXED TYPE)
s	REAR WALL STORAGE COMPARTMENT	STORAGE POUCH REAR

CAB INTERIOR (S THRU Z)		DESCRIPTION
S	INTERIOR TRIM LEVELS	STANDARD PACKAGE, STEEL GRAY (Package 11A)
S	SEAT - DRIVER'S	MACK-AIR, HIGH BACK, 1 CHAMBER AIR LUMBAR
S	SEAT COVERING - DRIVER'S	DRIVER'S SEAT - STEEL GREY VINYL
S	SEAT - PASSENGER'S	MACK-FIXED, HIGH BACK
s	SEAT COVERING - PASSENGER'S	PASSENGER'S SEAT - STEEL GREY VINYL
S	SEAT BELT(S)	LAP & SHOULDER (BOTH SEATS) CAB MOUNTED SHOULDER BELT ADJUSTMENT (NOT AVAIL W/EXTENDED RIDER SEAT)
S	IGNITION TYPE	KEY TYPE
S	STEERING WHEEL	2 SPOKE URETHANE GRIP, GUNMETAL SPOKES, W/O SWITCHES
s	WINDSHIELD TYPE	2-PIECE WINDSHIELD
S	CAB GLASS	TINTED WINDSHIELD & SIDE WINDOWS & REAR WINDOW (IF EQUIPPED)
s	WASHER RESERVOIR POSITION	W/O WINDSHIELD WASHER OPTION
s	WINDSHIELD WIPERS	2 SPEED ELECTRIC MOTOR W/INTERMITTENT FEATURE

CAB - SLEEPER BOX		DESCRIPTION	
S	SLEEPER BOX - WINDOW	WITHOUT SLEEPER BOX WINDOWS	

CAB EXTERIOR		DESCRIPTION
S	AIR INTAKE GRILLE, FINISH	GRILLE PAINTED GRAY
S	HOOD LATCH, FINISH	PAINTED HOOD LATCHES
s	GRILLE	SILVER PAINTED W/O GRILLE SURROUND
S	DOOR WINDOW FRONT	PEEP WINDOW ON PASSENGER SIDE DOOR
s	GRAB HANDLES	PREMIUM BLACK EXTERIOR CAB GRAB HANDLE, BLACK GRAB HANDLE RH INTERIOR WINDSHIELD POST
S	REAR CAB SUSPENSION	REAR CAB SUSPENSION, AIR
S	HORN - AIR	(1) MACK RECTANGULAR SINGLE TRUMPET

PRICELIST DATE	QUOTATION	DATE	PAGE	CUSTOMER NAME	DEALER NAME
20190812	TRIST2020000112C652	2/5/2020	6 of 9	CRAIGHEAD COUNTY	TRI-STATE TRUCK CENTER, INC.



CAB	EXTERIOR	DESCRIPTION	
S	HORN - ELECTRICAL	SINGLE TONE	
	MIRRORS - EXTERIOR	HADLEY/KAM 4-WAY W/CHROME SHELL RH/LH BOTH MOTORIZED AND HEATED	
s	MIRRORS - CONVEX TYPE CAB DOORS	BRIGHT FINISH, LH & RH, 8" DIAMETER CONVEX	

WHEEL	S & TIRES	DESCRIPTION
s	TIRES BRAND/TYPE - FRONT	11R22.5 G BRIDGESTONE R268 ECOPIA (12350 lbs) (Total for QTY = 2)
S	GHG STEER TIRE CATEGORY (PAWS)	LOW ROLLING RESISTANCE, BETTER FUEL ECONOMY
s	WHEELS - FRONT	22.5x8.25 ALCOA ULTRA ONE ALUM DISC WHEEL 10-HOLE HUB PILOTED, (11.25*/286MM BC), 5.85* INSET (Total for QTY = 2)
S	WHEEL FINISHING, FRONT	MACHINE CLEAN BUFFED-ALL WHEELS (Total for QTY = 2)
s	FRONT AXLE TIRE & WHEEL QUANTITY	TWO FRONT TIRES & WHEELS
s	TIRES BRAND/TYPE - REAR	11R22.5 G BRIDGESTONE M713 ECOPIA (23360 lbs) (DRIVE ONLY) (recommended replacement for 901 1343) (Total for QTY = 8)
s	GHG DRIVE TIRE CATEGORY (PAWS)	ADVANCED LOW ROLLING RESISTANCE, BEST FUEL ECONOMY
s	WHEELS - REAR	22.5x8.25 ALCOA ULTRA ONE ALUM DISC 10-HP, 11.25"BC, 6.60"OUTSET #ULTRAX (Total for QTY = 8)
s	REAR DISC WHEEL:POLISH	MACHINE CLEAN BUFFED - ALL WHEELS (Total for QTY = 8)
S	REAR AXLE TIRE & WHEEL QUANTITY	EIGHT REAR AXLE TIRES & WHEELS
s	DRIVE WHEEL STUDS	DRIVE WHEEL STUDS LONGER LENGTH
S	TIRE INFLATION VALVE	STANDARD VALVE STEMS AND CAPS
	WHEEL TRIM PACKAGE DRIVE AXLE	WITHOUT WHEEL TRIM PACKAGE DRIVE
S	WHEEL NUT & FINISH, FRONT	WHEEL NUT BASIC FINISH, FRONT
S	WHEEL NUT FINISH, REAR (CA)	WHEEL NUT BASIC FINISH, REAR

COMMUNICATION SYSTEMS		DESCRIPTION	
s	CO-PILOT - DISPLAY FEATURES ACCESS LEVEL	CO-PILOT DISPLAY, DRIVER ACCESS LEVEL 1	_
s	TELEMATIC GATEWAY	TELEMATICS GATEWAY, 4G/LTE AND WLAN SYSTEM WITH DIAGNOSTIC SERVICES	

ENGINE	ELECTRONICS	DESCRIPTION
s	OIL PRESSURE, ENGINE SHUTDOWN	OIL PRESSURE, ENGINE SHUTDOWN
s	COOLANT TEMP, ENGINE SHUTDOWN	COOLANT TEMP, ENGINE SHUTDOWN
s	ENGINE PROTECTION SYSTEM	ENGINE PROTECTION (SHUTDOWN)
s	ENGINE IDLE CONTROL	IDLE CONTROL, 650 RPM
s	SMART IDLE ELEVATED IDLE RPM TIME	INCREASE 10 MINUTE MAXIMUM TIME
S	IDLE S/D ABS TAMPER CHECK	IDLE SHUTDOWN ABS TAMPER CHECK, ENABLED
S	IDLE S/D IF WARM-UP TEMP	38C DEG (100F), WARM UP TEMP DELAY
S	IDLE S/D WARM-UP TIMER	5 MIN, WARM UP TIME DELAY
S	IDLE SHUTDOWN IF POWER > LIMIT	ENG IDLE SHUTDOWN TIME OVERRIDDEN IF TORQUE > THAN LIMIT
S	IDLE S/D OVERIDE %ENGINE LOAD	IDLE SHUTDOWN OVERIDE UPTO 20% ENGINE LOAD THRESHOLD
S	AMBIENT TEMP MIN TRESHOLD	AMBIENT TEMP MIN TRESHOLD, 16 DEG C, (60 DEG F)
S	AMBIENT TEMP MAX TRESHOLD	AMBIENT TEMP MAX TRESHOLD, 27 DEG C, (80 DEG F)
S	EL HD THROTTLE,MAX ROAD SPEED	ELECTRONIC HAND THROTTLE, MAX ROAD SPEED, 16 KMH (10 MPH)
s	EL HAND THROTTLE, MAX ENG SPEED	ELECTRONIC HAND THROTTLE, MAX ENGINE SPEED, 1000 RPM
S	EL HAND THROTTLE, MIN ENG SPEED	ELECTRONIC HAND THROTTLE, MIN ENGINE SPEED, 700 RPM

PRICELIST DATE	QUOTATION	DATE	PAGE	CUSTOMER NAME	DEALER NAME
20190812	TRIST2020000112C652	2/5/2020	7 of 9	CRAIGHEAD COUNTY	TRI-STATE TRUCK CENTER, INC.



TRA	NSMISSION ELECTRONICS	DESCRIPTION
	TRANSMISSION ELECTRONICS PACKAGE	DUMP/VOC/PLOW(223) - ALLOWS TRUCK TO BE PUT IN GEAR W/O SERVICE BRAKE (FOR PAVING) (4TH GEAR LIMIT S
s	TRANSMISSION ELECTRONIC SHIFTING PROPERTIES	W/O ALLISON FUELSENSE 2.0 PROGRAMMING

VENICI	E ELECTRONICS	DESCRIPTION
		CRUISE CONTROL
S	CRUISE CONTROL	
S	CRUISE CONTROL, MAX SPEED	MAX CRUISE, 105 KPH (65 MPH)
S	CRUISE CONTROL MIN SPEED	MIN CRUISE, 32 KPH (20 MPH)
. 'S	ENG BRK ENGAGE IN CRUISE	ENG BRK ENGAGE IN CRUISE, 3 MPH, ABOVE SET SPEED
s	PEDAL RSL SETTING	101 KM/H PEDAL ROAD SPEED LIMITER (63MPH)
s	ROAD SPEED LIMITER SETTING	105 KM/H ROAD SPEED LIMITER(65 MPH)
	ROAD SPEED LIMIT CONTROL TYPE	RSL CONTROL TYPE NORMAL
s	PDLO ENGAGED VLS	POWER DIVIDER LOCK OUT (PDLO) ROAD SPEED LIMIT 8KMH (5MPH)
s	MAXIMUM ENG SPEED AT 0 MPH	1000 MAXIMUM ENGINE SPEED AT 0 MPH
s	DETECTION SPEED SENSR TMPRNG	DETECTION OF SPEED SENSOR TAMPERING, ENABLE
s	ENG TORQUE LIMIT,SPEED SENSOR	ENG TORQUE LIMITED TO 50%, IF SPEED SENSOR TAMPER DETECTED
S	DRIVER ID FUNCTION	DRIVER ID FUNCTION, DISABLED
S	DR PERFORMANCE PARAMETERS	WITHOUT DRIVER PERFORMANCE PARAMETERS
s	ENGINE OVERSPEED,ALL COND, LOG	ENGINE OVERSPEED, ALL CONDITIONS, TIME LOG IF ABOVE 2200 RPM
S	ENGINE OVERSPEED, FUELED, LOG	ENGINE OVERSPEED, FUELED, TIME LOG IF ABOVE 2100 RPM
s	VEHICLE OVERSPEED, ALL COND, LOG	VEHICLE OVERSPEED,ALL COND, TIME LOG IF ABOVE 75MPH (121KMH)
S	VEHICLE OVERSPEED, FUELED, LOG	VEHICLE OVERSPEED, FUELED, TIME LOG IF ABOVE 70MPH (113KMH)
S	ENGINE IDLE DELAY TO LOG	ENGINE IDLE DELAY TO START LOG, 2 MIN
s	PERIODIC TRIP LOG DAY OF MONTH	PERIODIC TRIP LOG, DAY 1 OF THE MONTH

PAINT		DESCRIPTION
S	PAINT DESIGN	SINGLE COLOR
	PAINT TYPE	PEARL OR MICA PAINT
	PAINT COLOR - FIRST COLOR	ULTRA RED-PEARL; L5495
S	PAINT COLOR - SECOND COLOR	NO SECOND TRUCK COLOR PROVIDED; NO COLOR
s	PAINT COLOR - THIRD COLOR	NO THIRD TRUCK COLOR PROVIDED; NO COLOR
s	PAINT - CAB PAINT SYSTEM	PAINT - CAB, URETHANE CLEAR COAT
s	CAB COLOR	SAME AS FIRST COLOR - CAB
S	HOOD COLOR	SAME AS FIRST COLOR - HOOD
s	SLEEPER ROOF COLOR	WITHOUT SLEEPER ROOF COLOR
S	ROOF FAIRING COLOR	WITHOUT ROOF FAIRING
s	CHASSIS RUNNING GEAR	MACK BLACK (URETHANE)
	BUMPER	W/O OPTIONAL BUMPER PAINT
s	FUEL TANK - ***NO INVENTED VARIANTS ALLOWED in the FUEL TANK PAINT FAMILY***	W/O OPTIONAL FUEL TANK PAINT
	FRONT WHEEL PAINT	WITHOUT FRONT WHEEL PAINT
	DRIVE WHEEL PAINT	WITHOUT SPECIAL PRE-FINISHED OPTION
s	PAINTED DISC WHEELS, FRONT	WITHOUT PAINT
s	PAINTED DISC WHEELS, REAR	WITHOUT PAINT
s	HUBS & DRUMS-FRONT	SAME AS CHASSIS RUNNING GEAR

PRICELIST DATE	QUOTATION	DATE	PAGE	CUSTOMER NAME	DEALER NAME
20190812	TRIST2020000112C652	2/5/2020	8 of 9	CRAIGHEAD COUNTY	TRI-STATE TRUCK CENTER, INC.



PAINT		DESCRIPTION
S	HUBS & DRUMS-REAR	SAME AS CHASSIS RUNNING GEAR

CALCULATED CODES - KAX		DESCRIPTION
S	PROPCALC SELECTION	YES, THE ORDER MUST BE CALCULATED
AUTO ROUTING & CLIPPING, CENTER		AUTOMATIC ROUTING & CLIPPING PLACEMENT, CENTER SECTION

	WARRANTY & PURCHASED RAGES	DESCRIPTION
	VEHICLE WARRANTY TYPE	NORMAL DUTY WARRANTY CLASSIFICATION
	BASIC CHASSIS COVERAGE	NORMAL DUTY STANDARD BASE COVERAGE 12 MONTHS/100,000 MILES (161,000KM)
S	ENGINE WARRANTY	MACK MP7/MP8 BASE ENGINE COVERAGE 24 MONTHS / 250,000 MILES (402,000KM)
s	EMISSION COMPONENT COVERAGE	US and CANADA EQUIPPED VEHICLE EMISSION COMPONENTS COVERAGE 60 MONTHS/100,000 MILES (161,000 KM)
	TRANSMISSION WARRANTY	ALLISON TRANSMISSIONS (Contact Allison Transmission for standard warranty and extended coverage data
	CARRIER & AXLE HOUSING WARRANTY	STANDARD VENDOR NORMAL / HEAVY DUTY COVERAGE 36 MONTHS/350,000 (563,00 KM)
s	AIR CONDITIONING WARRANTY	AIR CONDITIONING STANDARD COVERAGE (Sealed System Only) 12 MONTHS UNLIMITED MILEAGE
s	CHASSIS TOWING WARRANTY	STANDARD NORMAL / HEAVY DUTY CHASSIS TOWING 90 DAYS OR 5,000 MILES
s	ENGINE TOWING WARRANTY	STANDARD MACK ENGINE TOWING COVERAGE 24 MONTHS/250,000 MILES (402,000 KM)
S	GUARDOG CONNECT BUNDLE	24 MONTH - GUARDDOG CONNECT WITH MACK OTA (with ASIST and Mack OneCall))
s	PREMIUM MAINTENANCE - CHASSIS LUBE AND INSPECTION	W/O PREMIUM MAINTENANCE - CHASSIS LUBE AND INSPECTION COVERAGE



	CRAIGHEAD COUNTY						
	INVITATION TO BID-Not an Order						
	Craighead County Judge's Office						
	511 Union St.; Suite 119						
	Jonesboro, Arkansas 72401				-		
PURCHAS	SING OFFICE						
BID NO.		DATE:	Januar	/ 22. 2	2020		
	ds, subject to the conditions on the reverse hereof, and as may be attached hereto, will be received	-					
intil 2:00	PM February 5, 2020, local time and then publicly opened, for furnishing the supplies, materials,	1					
	rvices as described below.	 					
iliu/Oi 3Gi	vices as described below.	Bids wil	I be one	ened F	ebruary :	5. 2020	
					ocal time		
OR In	nesboro, Arkansas	BY: Al H		l l			
	Delivery or completion time after issuance of Purchase	PURCH		DIRE	CTOR		
A CONTRACTOR OF THE PARTY	work ordered by County 120 days.	1 01101	101110		0101		
THE RESERVE OF THE PARTY OF THE	DESCRIPTION	QUANT	LIMIT	LINIT	PRICE	AMO	LINIT
Item#		2	OINII				
1	Furnish two (2) each Truck Tractors with Automatic transmissions, fifth wheel, and all			111	162.28	466	331,16
	hydraulics and electral componets necessary for belly dump trailers to function. (EG dump,					-	
	brakes, lighting, other required safety items) to Craighead County Road Department, 2800 Moore	1	-				
	Road, Jonesboro, AR. 72401 according to attached specifications. Trucks are	 		-			
	to be made ready for belly dump trailer operations. Bidders are encouraged to	D 70404					
	review belly dump trailers located at Craighead County Road Shop, 2800 Moore Rd, Jonesboro, A	K /2401	-	-		-	
2	This bid package contains 5 pages. All 5 pages must be returned			-			
	to complete bid.			 			
3	Bid must be signed by authorized company representative.			-			
4	Bidder should:	-		-			
	A. Clearly define and list warranty information on each item in years.			-			
	B. Include all labor, delivery charges, training, programming,					-	
	and any other charges FOB Jonesboro, Arkansas 72401, in bid price.			-			
	C. Include product literature and specifications with bid.						
	D. All relevant information will be considered when determining best bid for Craighead County.						
	E. Specify cash discounts, if available.						
	F. Note bid number on outside of bid envelope.						
	G. Specify approximate ship time in days, if awarded bid. 120 days from recept of F. List make, model, and manufacturer of equipment being offered. 2021 International	PO					
	F. List make, model, and manufacturer of equipment being offered. 2021 International	HV51	3				
	G. Quote same or equal equipment in all aspects.						
	H. Specify nearest service and parts supply location to Jonesboro, AR. Town & Country of the	Mitim	al 17	OIE	Parker	Coads	neghorol
5	Does bidder meet all tractor truck specifications? Yes No See Notes						
	If no, clearly list and define differences on a separate sheet.						
6	Attached equipment list with names and part numbers is for reference.						
7	Bidder should put total bid price on this sheet. Total bid price is \$ 222, 331,16						
	EXECUTION OF BID	Date_	2/4	1/2	0		
We, the u	undersigned, have read all the requirements set forth in this bid proposal including specifications,						
	ns, conditions, and pertinent information regarding the articles being bid on, and we agree to furnish	1					
	t the prices stated.						
	Use Tax Register No. 0222273 - 78 - 001						
	Summit Trulk Ground Address 11401 Di amond Dr. North Little	will 1	911	211	7		1
	(Person Authorized to Sign Bids) Title Rock When Truck Soles Manuel				-		
	UNSIGNED BIDS WILL BE REJECTED		7-1				
	BIDS ARE SUBJECT TO REJECTION UNLESS SUBMITTED ON TI	HIS FOR	M				
NOT	TICE TO BIDDERS, SEE REVERSE SIDE OR ATTACHMENTS FOR INSTRUCTIONS AND COND						1

	CDAICUEAD COUNTY				
·	CRAIGHEAD COUNTY				
	JONESBORO, ARKANSAS			77°-	· · · · · · · · · · · · · · · · · · ·
	CONDITIONS OF BIDDING		•		
	Compliance with the following conditions is necessary for consideration of this bid.				
1	Signature-This bid must be signed with the firm name and by an authorized officer, employee or ager		v	-	
2	Sales Tax-Is not to be shown in the bid price, but is to be added by the vendor to the invoice billing to				
	The County is exempt from Arkansas State Sales Tax on road equipment and vehicles. Contractors a	are to in	clude a	all costs	
	into the bid price, including applicable taxes.				
3	Freight and other delivery charges-to destination at designated County facility in the County must be	include	d in bid		
	Charges may not be added after the bid is opened.				
4	Discounts-Show rate, total amount, and latest day any discounts will be allowed after receipt of article	and in	volce,		
	otherwise County will deduct allowed discount when payment is made.				
5	Firm Price-All prices quoted will remain firm for at least 30 days from date of bid, unless otherwise sp	eclfied	* * **********************************		**************************************
	by the County or bidder	-			
6	Tax Exempt-Craighead County is exempt from State sales tax on self propelled equipment and mot	or vehic	es.	THE WORLD BOOK OF LINE WAS A STREET	
<u> </u>	Example: Motor graders, excavators, dozers, dump trucks, pickup trucks, etc.				
7	dentical Bids-In the event of two or more identical low bids, the contract may be awarded arbitrarily of	or for			
	any reason to any of such bidders, or split in any proportion between the said two or more bidders at		on of th	an County	
8	Clean up-Complete cleanup and proper disposal of any and all job related items is considered to be			ie County.	<u> </u>
0	contract let by Craighead County.	a part o	i dith		
9	Ambiguity in bid-Any ambiguity in any bid as the result of omission, error, lack of clarity or non-compli	ianaa	-		
9	the state of the s		<u></u>		
	specifications, instructions, and all conditions of bidding shall be construed in the light most favorable	e to the	County		
10	Construction				
	A. When requested, the Contractor is to supply the County with evidence of having and maintaining p		ind		
	specifically Workman's Compensation Insurance in accordance with the laws of the State of Arkansa				
	Public Liability, and Property Damage. All premiums and cost shall be paid by Contractor. In no way	will the			
	County be responsible in case of accident.				
	B. A Performance Bond equaling the total amount of any bid exceeding \$20,000 must be provided for	r		-	
	erection of any public building, public structure, or public improvement(Pursuant to Arkansas Code 1	8 -44 -50	3.)		
11	The County reserves the right to reject any and all bids, accept in whole or in part, to waive informalit	lies in bi	ids		
···· - ·	received, to accept bids on materials or equipment with variations from specifications in those cases	where a	efficien	су	
	of operation will not be impaired, and unless otherwise specified by bidder, to accept any item in the	bid. If L	ınit pric	es	
	and extensions thereof do not coincide, the County may accept the bid for the lesser amount whether	er reflec	ted		
	by extension or by the correct multiple of the unit price.				
# *V M	INSTRUCTIONS TO BIDDERS		(Pleas	se read carefully)	
1	Submit bid on bid form attached or reverse side of this sheet.		3	1	1
2	Address all bids to: Purchasing Director, Craighead County Judge's Office, 511 Union St.; Suite 119,		Artista : Karless	 	
HVarian	Jonesboro, Arkansas 72401and make certain to indicate identifying bid number on the outside of bid		De.		
3	DO NOT include Federal Excise Tax in bid. County will furnish exemption certificate.				
4	Sate Manufacturer, Brand Name, Model, etc. for each item bid on.				**
5	Samples of Items, when required must be furnished free, and, if not called for within 30 days from da	te of		 	
·	bid opening, will be disposed of by the County		ļ	 	
6	Bids received after stated time will not be considered.				
7	Be sure and read all conditions and verify amounts before submitting bids. No changes or additions	مط الف			
,	allowed after submission.	WILL DE	 	***************************************	
		ln	dine -	n tra cit	
8	Guarantees and warranties should be attached as a part of the bid, as they may be a consideration	ın awar	uing co	лиаст.	
9	Delivery or contract completion time is to be shown, as this date may, where time is of the		 		
3.5	essence, determine the contract award.		-		
10	Additional information may be obtained from the Purchasing Department.				
	THE COUNTY RESERVES THE RIGHT TO ACCEPT PART OR ALL OF ANY SPECIFIC BID OR	BIDS		<u> </u>	
	AND TO ACCEPT BID WITH OR WITHOUT TRADE-IN, AND REJECT ANY AND ALL BIDS.				

* see notes

	1,500 /1019		,	
	General			-
Α	Tractor Trucks (automatic transmissions) shall be the latest year model in current production with proven po	arformano	<u> </u>	 -
^	by manufacturer and shall meet all federal emissions and all other EPA regulations.(Specify year model)	Indimand		 -
<u> </u>	Note: Part of specifications may be Freightliner specific. Please bid equal equipment.			-
<u>D</u>		N4 -4 O-		
	VEHICLE SPECIFICATIONS	-	ecifications	
	Vehicle Configuration	Yes	No	-
1	114SD CONVENTIONAL CHASSIS	V		
2	SPECIFY MODEL YEAR 2020 (Or latest model in current production) 20 2	V		
3	SET FORWARD AXLE - TRUCK	V		
4	LH PRIMARY STEERING LOCATION	V		
5	WHEEL BASE 193"	V		
6	FREIGHTLINER LEVEL II WARRANTY	VKI		
7	EXPECTED FRONT AXLE(S) LOAD: 12,000.0 lbs.	V		
8	EXPECTED REAR DRIVE AXLE(S) LOAD: 40,000.0 lbs.	V		
9	EXPECTED GROSS VEHICLE WEIGHT CAPACITY 52,000 lbs	~		
10	EXPECTED GROSS COMBINATION WEIGHT 80,000lbs	.,		
11	DD13 12.8L 470 HP @ 1625 RPM, 1900 GOV RPM, 1650 LB/FT @ 975 RPM 475 H P 1700 48/F7	·		+
12	2010 EPA/CARB FINAL EMISSION CERTIFICATION 2016 ON BOARD DIAGNOSTICS	-		
13	DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE	V	-	-
13	DK 12V 100 AWF 20-31 QUADRAWOUNT FAD ALTERNATOR WITH REMOTE BATTERY VOET SENSE	1		1
14	(3) DTNA GUNINE WITH 3875 CCA	VX.	2	
15	POSITIVE AND NEGATIVE POSTS FOR JUMPSTART MOUNTED NEAR/ON BATTERY TRAY/BOX	V		
16	ZF-SACHS 15-1/2 INCH TWIN XTEND ULTRA SOFT DAMPER CERAMIC CLUTCH N/Ann HU 1500	V		
17	TORQUE LIMITING CLUTCH BRAKE N/A on Allian Transmission	-		
18	ZERK FITTING WITH EXTENSION HOSE AT CLUTCH RELEASE BEARING N/A AILiso N	6		
19	BW MODEL BA-921 19.0 CFM SINGLE CYLINDER AIR COMPRESSOR WITH SAFETY VALVE	1		
20	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM			
21	JACOBS COMPRESSION BRAKE	V		
22	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY			
	WITH LH B-PILLAR MOUNTED VERTICAL TAILPIPE	~		
23	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND DASH MOUNTED REGENERATION REQUEST SWITCH	V		
24	BRIGHT UPPER STACK(S)	V		
25	13 GALLON DIESEL EXHAUST FLUID TANK	1*		
26	BORG WARNER (KYSOR) REAR AIR ON/OFF ENGINE FAN CLUTCH	V		
27	DDC SUPPLIED ENGINE MOUNTED FUEL FILTER/FUEL WATER SEPARATOR WITH WATER-IN-	VX	-	
28	PHILLIPS TEMRO 1500 WATT/115 VOLT BLOCK HEATER	1		
29	1500 SQUARE INCH ALUMINUM RADIATOR	1.1		
30	DELCO 12V 39MT+ HD/OCP STARTER WITH THERMAL PROTECTION AND INTEGRATED MAGNETIC	C		 1
30	SWITCH	1		
31	ALLISON AUTOMATIC 4500 RDS TRANSMISSION WITH PTO PROVISIONS	1		
32	MFS-18-133A 12,000# FL1 SINGLE FRONT AXLE MFS 12 143A	V		
33	MERITOR 16.5X6 Q+ CAST SPIDER CAM FRONT BRAKES, DOUBLE ANCHOR, FABRICATED SHOES	S /		1
34	MERITOR AUTOMATIC FRONT SLACK ADJUSTERS	1		
35	TRW THP-60 POWER STEERING WITH RCH45 AUXILIARY GEAR	11		
36	ROADRANGER SYNTHETIC FE 75W-90 FRONT AXLE LUBE Synthetic for Alligon	1		

37	12,000# TAPERLEAF FRONT SUSPENSION	./	
38	FRONT SHOCK ABSORBERS		 _
39	RT-46-160 40,000# EXTRA OUTER REAR SUSPENSION	50	
40	3.91 REAR AXLE RATIO	7	
41	MXL 176N MERITOR EXTENDED LUBE MAIN DRIVELINE WITH FULL ROUND YOKES	V	
42	MXL 17N MERITOR EXTENDED LUBE INTERAXLE DRIVELINE WITH FULL ROUND YOKES		
43	DRIVER CONTROLLED TRACTION DIFFERENTIAL - BOTH TANDEM REAR AXLES	V	
44	(1) INTERAXLE LOCK VALVE, (1) DRIVER CONTROLLED DIFFERENTIAL LOCK FORWARD-REAR	V	
	AND REAR-REAR AXLE VALVE	~	
46	MERITOR 16.5X8.62 Q+ CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES	~	
47	BRAKE CAMS AND CHAMBERS ON FORWARD SIDE OF DRIVE AXLE(S)	V	
48	AIRLINER 40,000# EXTRA DUTY REAR SUSPENSION	V	
49	FORE/AFT AND TRANSVERSE CONTROL RODS		
50	WABCO 6S/6M ABS WITH TRACTION CONTROL WITH ATC OFF-ROAD SWITCH	~	
51	PRIMARY CONNECTOR/RECEPTACLE WIRED FOR SEPARATE STOP/TURN, CENTER PIN	N	
52	SAE J560 7-WAY PRIMARY TRAILER CABLE RECEPTACLE MOUNTED END OF FRAME Tractor		
53	4900MM (193 INCH) WHEELBASE	V	
54	11/32X3-1/2X10-15/16 INCH STEEL FRAME (8.73MMX277.8MM/0.344X10.94 INCH) 120KSI		
	16.5 INCH CHROME STEEL STRAIGHT BUMPER	V V	
62	100 GALLON/378 LITER ALUMINUM FUEL TANK - LH		
63	MICHELIN XDS2 11R22.5 16 PLY ALUMINUM WHEELS	V	
64		V	
	114 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB //3/A	V	
65	AIR CAB MOUNTS	V	
66	NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE	V	
67	CHROMED HOOD MOUNTED AIR INTAKE GRILLE	V	
68	DUAL 26 INCH RECTANGULAR POLISHED ALUMINUM AIR HORNS ROOF MOUNTED	V	
69	DUAL HORN SHIELDS	V	
70	HALOGEN COMPOSITE HEADLAMPS WITH BRIGHT BEZELS	V	
71	DUAL WEST COAST BRIGHT FINISH HEATED MIRRORS WITH LH AND RH REMOTE	V	
72	DOOR MOUNTED MIRRORS	V	
73	LH AND RH 8" BRIGHT FINISH CONVEX MIRRORS MOUNTED UNDER PRIMARY MIRRORS	V	
74	TINTED DOOR GLASS LH AND RH WITH TINTED OPERATING WING WINDOWS		
75	RH AND LH ELECTRIC POWERED WINDOWS	V	
76	INTERIOR CONVENIENCE PACKAGE WITH CB PROVISION	V	
77	2-1/2 LB. FIRE EXTINGUISHER		
78	HEATER, DEFROSTER AND AIR CONDITIONER	V	
79	CAB INSULATION		
80	SOLID-STATE CIRCUIT PROTECTION AND FUSES	V	
81	LH AND RH ELECTRIC DOOR LOCKS	7	
82	(1) 12 VOLT POWER SUPPLY IN DASH	V	
83	TRIANGULAR REFLECTORS WITHOUT FLARES	V	
84	BOSTROM TALLADEGA 910 HIGH BACK AIR SUSPENSION DRIVER SEAT WITH AIR LUMBAR	in l	
85	HIGH BACK NON SUSPENSION PASSENGER SEAT		
86	LH AND RH INTEGRAL DOOR PANEL ARMRESTS	V	
87	CLOTH DRIVER SEAT COVER	V	
88	CLOTH PASSENGER SEAT COVER	V	
89	ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN		
	The residence of the original octobrit	V	

90	97 DB BACKUP ALARM	✓
91	ELECTRONIC CRUISE CONTROL WITH SWITCHES ON AUXILIARY GAUGE PANEL (B DASH PANEL)	√
92	ODOMETER/TRIP/HOUR/DIAGNOSTIC/VOLTAGE DISPLAY: 1X7 CHARACTER, 26 WARNING LAMPS, DATA LINKED, ICU3	✓
93	DIAGNOSTIC INTERFACE CONNECTOR, 9 PIN, SAE J1939, LOCATED BELOW DASH	V
94	2 INCH ELECTRIC FUEL GAUGE	V
95	FUEL FILTER RESTRICTION INDICATOR	V
96	DUAL REAR AXLE TEMPERATURE GAUGES FOR TANDEM AXLES	V
97	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE	V
98	ENGINE OIL TEMPERATURE GAUGE	V
99	2 INCH TRANSMISSION OIL TEMPERATURE GAUGE	Y
100	ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY	V
101	ELECTRIC ENGINE OIL PRESSURE GAUGE	V
102	AM/FM/WB RADIO WITH FRONT AUXILIARY INPUT	V
103	DASH MOUNTED RADIO	V
104	ELECTRONIC 3000 RPM TACHOMETER	V
105	TRAILER HAND CONTROL BRAKE VALVE	V
106	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, WASHER/WIPER AND HAZARD IN HANDLE	1
107	PAINT: ONE SOLID COLOR	V
108	CAB COLOR (EQUAL TO L5495EB) ULTRA RED PEARL METALLIC ELITE BC)	V
109	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT	V
	Unit cost proposal	
	Bidder shall list the purchase price per unit here and on top sheet.\$ 11116 5.58	

INTERNATIONAL®

Financial Summary 2021 HV513 SFA (HV513)

February 04, 2020

(US DOLLAR)

<u>Description</u>	(<u>Price</u>
Factory List Prices:		
Product Items	\$242,612.00	
Service Items	\$0.00	
Total Factory List Price Including Options:		\$242,612.00
Deliver to Jonesboro, AR	\$100.00	
Total Preparation And Delivery:		\$100.00
Freight	\$2,350.00	
Total Freight:		\$2,350.00
Total Factory List Price Including Freight:		\$245,062.00
Less Customer Allowance:		(\$133,896.42)
Total Vehicle Price:		\$111,165.58
Total Sale Price:		\$111,165.58
Total Per Vehicle Sales Price:		\$111,165.58
Total For 2 Vehicle Sales:		\$222,331.16
Net Sales Price:		\$222,331.16

Please feel free to contact me regarding these specifications should your interests or needs change. I am confident you will be pleased with the quality and service of an International vehicle.

Approved by Seller:	Accepted by Purchaser:
Official Title and Date	Firm or Business Name
Authorized Signature	Authorized Signature and Date
This proposal is not binding upon the seller without Seller's Authorized Signature	
•	Official Title and Date

The TOPS FET calculation is an estimate for reference purposes only. The seller or retailer is responsible for calculating and reporting/paying appropriate FET to the IRS.

The limited warranties applicable to the vehicles described herein are Navistar, Inc.'s standard printed warranties which are incorporated herein by reference and to which you have been provided a copy and hereby agree to their terms and conditions.

Tuesday, February 4, 2020

Al Haines Craighead County 511 Union St. Ste. 119 Jonesboro, AR 72401-2863 USA

Dear Al,

We appreciate this opportunity of giving you a quote on one 2021 International HV513 SFA (HV51300). We are proud to represent International Trucks and know that we offer the best product in the industry.

We are also proud of what Summit Truck Group can offer Craighead County in the way of services and optional equipment. Consider the following:

Our Service Department is open 24 hours per day, 7 days a week. We stock over \$2,000,000 in parts inventory. We offer full service leasing and rental of vehicles. We can provide 24 hour-a-day wrecker service. We offer Fuel and Over-Dimension Permits by wire. Finally, we offer a full selection of financing options from conventional finance to lease.

When you combine all of the features that Summit Truck Group offers you with the strength of almost a thousand International dealers coast to coast, the answer is obvious:

The Right Product + The Right Dealership = The Right Decision

Thanks again and we look forward to completing this order. Please let me know if you have any further questions.

Sincerely,

Roger Wiley



HV513 SFA

Sales Proposal For:

Craighead County

Presented By:

Summit Truck Group