MISC. ORDER NO. 21-14

In the County Court of Craighead County, Arkansas

In the matter of awarding bids for the purchase of one (1) Backhoe/Loader for the Craighead County Road Department.

FILED
FEB 2 3 2021
LESLI PENNY
COUNTY & PROBATE COURT CLERK

ORDER

Comes before the County Court of Craighead County, Arkansas, the matter of awarding bids for the purchase of one (1) Backhoe/Loader with cab and air, four wheel drive, 4N1 clam bucket, and 12 month full warranty, to be used by the Craighead County Road Department.

Bids were advertised and publicly opened in accordance with Arkansas Code 14-22-101 through 14-22-115, concerning purchasing and bidding procedures.

It is therefore, considered, ordered, and adjudged that the best bid of \$94,911 with additional 3 year, 5000 hour power train hydraulic and technical support at a cost of \$1,444, with a total cost of \$96,355 be awarded to JA Riggs Tractor Co, 3701 E Parker Rd, Jonesboro, AR 72404.

Dated this

Day of February 2021

Approved:

Marvin Day

Craighead County Judge

VENDOR'S COPY

PURCHASE ORDER

CRAIGHEAD COUNTY ARKANSAS

SHOW THIS NO. ON ALL INVOICES, DELIVERY SLIPS, CASES, BOXES, ETC

PURCHASE ORDER

53856

TO: JA Riggs Tractor
3701 E. PANKER Bd
Jonesbord, AB 72404

Please furnish the following to Craighead County and be governed by the Instructions hereon.

Craighead County Purchasing Department

c/o County Judge's Office

511 Union, Room 119

Jonesboro, AR 72401

Phone 870-933-4500 Fax 870-933-4504

DATE 2-23-2/
Req. by: Judge My

Req. No.: __

Bid No.: 2021-6

Charge to Account No. 2600, 6200. 4004

TTEM: QUANTITY	BRAND, CATALOG NO. AND DESCRIPTION	UNIT PRICE	TOTAL
1	NOW CATOTOTILAN BRESTON LOADEN		The second secon
	(Mode) 430, 1/22 202/ cal +ax		
	4N/ Clare DULKOT		94, 911,00
	12 MBKTh FU/ WINBUTY		•
	Add; 36 month/souckers formitiete		1444.00
	A) According specifications Total	4/ \$	96,355,00
	104 1011-6		
	TO COUNTY RIGHT SHE OF WATER + CIL	,	
	manuals. Early shall be suit NOTO: 5hul is Closed in Gradul		
V-	The sol upon Deliber		
	NOTS: Shul is Closed on Fridays		

SHIP TO: Crziphozd Count Rozd Rft. 2860 MGOVE Rd	DEL. PROMISED:	DEL. REQUIRED:	TERMS:	
	F.O.B.: DOSTARE	TEN	PRICING:	
ONDSHOW, RA 7249				

2.13	/eth		1130V	1300	180	4 150	100	MALE IN	Section 1	Sec. 1.	36 12	1. T. T.		7.70	1-00	11.86	150	690.0	A	diam'r.	60.00	Ó
34	CO	-111	75	TOT	20 H 2	ha"		ve a	rtic	loc		ര്മ	nio e		7	120	Water III	2.00.00		an raji		t,
No	126	100 80	- E.	535350		Water To	neservice	Arriana			5.00	10 100 100		3 I	ICI Y	1000	JOI I	100	95.	v Ot.	10.4E	į.
100	1135	Sun	477	GE OF	g og Kull	11116	10000	M. A. P.	701	100	11 Fat,	7.45	25 - 27 5	C. 16	23.75.2	1250	935	4.2	31.4	9. 10	500	¥
23	189	UΘ	930	HE K	я в	KCOL	ÆШ	s no	tea	365.65	200	7	165	71 2	3 25	11.10	100	20.0		5 6	with.	Ž,
5.7	Sec. 11	445	1500	1924	7 7 7 7 1	15-15-5	125 M	200	Mels, C.	440	11.48	59	163.79	See 30 10	31 T.	AND SIL	A_{ij}	Kind House	35.01	47.0	11/12	ż
震.	1930	1,00		49(6)	100	1 1	124	50	100	57	100	27	7	2. 7	25.15	1100	91600		100	J. 160	2	S
176	Jag	115-577	施力	38. W.	1	10. 10. 15.	13012	6 78	4.7	100	March !	14.5	100	30.46	10.756	10000	1.0	100	200	57.71	5.60	Ì.
67	10.55	100	113	250	27 17	W 5053	(E) (S)	200	76.57	76 17	7	de la serie	1.5	246,000	100	6.5	125	170.00	200	7.5		Į.
20	123	J-15	425	1900	图内 // 特	4.43	15 100	F 1204	2.74	20	1.00	1.00	tion in the	11.	2.00	1. 15.52	80.5	£35.50	200	200	4.58	Ý.
-57	100	0.9	45	163	3 11 2	ar in		11 15 1	550	Dat	ea	Y	15.5	100	3 7 633	1.0	11.	6 24 m	600	ജവ	17,5040	9
8	1,230	25		939.0	3.7	9.4	Sec. 147.	210 (40)	121	全 000	2000	1793	648:P80	16 118	7797-2	Sec.	13 7 9 1	92%.W	50 M	661.00	0.775	-
200	1.63	1111	24	226	CF 150	Luck	1.5	Sec. 15.50		3.90%	0.00	Court Co	4.5	5.0	#2 A4	191	1	100	311.5	100	-6.3	Ø,
3	Parent	100	H.	Albert 1	21.64	20.00	152 4	T 126		135	1	2.4	100	263 nle	5.1	1	154	62.67	0.5	6.75	-	ć
100	1.00	Sec. 3	Contract of	24.38 A.	A 12 30	$E_{i} = E_{i}$	17.00	200	ALC: N	13614	1 / Pak	2.0	150.31	2 11/11	2000	1501	(2)#240	grant a	73.4		unce:	'n

CRAIGHEAD COUNTY
By A Gin
Purchasing Agent

TOTAL >

ITEM BID	Jonesboro, AR 72404, as outlined above.
	repairs, cost of repair parts, and performance and ease of operation from employees directly associated with operation of road equipments the best special color for Creative Countries and the color for Creative Count
	thoroughly and operation of road equipment, considering all relevant information, based on current fleet and experience by hands-on employees, including frequency and type of
	parts, and operate equipment, to get their input and perspective as to which type of equipment would best meet the overall needs of Craighead County. After reviewing each bid
" 	Not all bidders met bid specifications. County officials reviewed equipment specifications and visited with road employees with hands-on experience who maintain, purchase repair
Backhoe Loader Dunit Price The Cab/air 1 \$94,000.00 \$101,909.00 \$1	Craighead County officials conducted a careful and in-depth analysis of all bids received. All bidders were local with local parts and service facilities located in Jonesboro, Arkansas
Backhoe Loader Backhoe Loader Unit Price 1 \$94,000.00 3000hr warranty 1 \$94,000.00 \$ \$0.00 \$ \$1,444.00 ain & Hyd, Tech 1 \$98,796.50 ain & Hyd 1 \$98,796.50 \$ \$1,490.00 \$ \$101,909.00 \$ \$1	870-268-9902
Backhoe Loader Backhoe Loader	grant_watkins@striblingequipment_com 1 yr full warranty.
Backhoe Loader Backhoe Loader Dunit Price 1 \$94,000.00 \$ 000hr warranty 1 \$94,000.00 \$ Tier 4 Emissions 1 \$94,911.00 \$ Ain & Hyd, Tech 1 \$98,796.50 \$ b heat/air 1 \$98,796.50 \$ ain & Hyd 1 \$2,712.50 \$	Grant Watkins 4in1 clam bucket
Backhoe Loader Quantity Unit Price 7 \$94,000.00 \$ \$ \$ \$ \$ \$ \$ \$ \$	Memphis, TN 38132 Travel time and mileage(transportation costs)
Backhoe Loader Dunit Price 1 \$94,000.00 \$ Per shift 1 \$94,000.00 \$ Per shift 1 \$94,000.00 \$ Per shift 1 \$94,911.00 \$ Per Shift 1 \$96,355.00 \$ Per Shift 1 \$96,355.00 \$	1505 Corporate Ave Extended warranty 60 mo/4000 hrs, Power Train & Hyd
Backhoe Loader Backhoe Loader Dunit Price Quantity Unit Price 1 \$94,000.00 \$0.00 \$1 \$94,000.00 \$2 \$94,000.00 \$3 \$94,911.00 \$3 \$1,444.00 \$3 \$96,355.00 \$3 \$96,355.00	Stribbling Equipment,LLC John Deere 410L,98HP,4 WD,cab heat/air
Backhoe Loader Backhoe Loader Backhoe Loader Data tity Unit Price 1 \$94,000.00 \$ For Shift Summarranty 1 \$94,000.00 \$ For Shift For 4 Emissions 1 \$94,911.00 \$ For 2021, Tier 4 Emissions 1 \$94,911.00 \$ For Shift 1 \$94,911.00 \$ For Shift 1 \$96,355.00 \$ For Shift For 2021, Tier 4 Emissions 1 \$94,911.00 \$ For Shift 1 \$96,355.00 \$	8/0-243-/623
Backhoe Loader Backhoe Loader Discription	shanef@jariggs.com warranty,May delivery
Backhoe Loader Backhoe Loader Backhoe Loader Dunit Price 1 \$94,000.00 \$ Per shift \$94,000.00 \$ Per shift \$94,000.00 \$ Per shift \$94,000.00 \$ Per shift \$94,911.00 \$ Per 2021, Tier 4 Emissions 1 \$94,911.00 \$ Per Train & Hyd, Tech 1 \$1,444.00 \$	Shane Franklin rear bucket,93HP,Std shift,1 yr full,
Backhoe Loader Backhoe Loader Dunit Price 1 \$94,000.00 \$ Nair 1 \$94,000.00 \$ 4 Emissions 1 \$94,911.00 \$ Hyd, Tech 1 \$1,444.00	Jonesboro, Are 72404 Cab/air, 4WD, Multipurpose bucket, 24"
Backhoe Loader	3701 E. Parker Rd Extended warranty 36 mo/5000 hrs, Power Train & Hyd, Tech
Backhoe Loader Duantity Unit Price	JA Riggs Tractor Caterpillar 430 07A,211 model, year 2021, Tier 4 Emissions
Backhoe Loader Backhoe Loader Duantity Unit Price 1 \$94,000.00 \$ 3000hr warranty 1 \$94,000.00 \$ \$94,000.00 \$	010-2-40-0010
Backhoe Loader Backhoe Loader Duantity Unit Price 1 \$94,000.00 \$ 3000hr warranty 1 \$0.00 \$ \$94,000.00 \$	ISIZQUISAITACIOT. NET DEIIVERY 3 to 4 months
Backhoe Loader Quantity Unit Price 1 \$94,000.00 \$	
Backhoe Loader Quantity Unit Price 1 1 \$94,000.00 \$	Jonesboro, AR 72404 5 year emissions
Backhoe Loader Quantity Unit Price 1 \$94,000.00	1701 E Parker Rd 1 year full,2 year power train,emmisions 5 yr/3000hr warranty
Backhoe Loader Quantity Unit Price	ent Case 590SNT4F, Equipped with Cab/air
Backhoe Loader	
Backhoe Loader	
Backhoe Loader	DATE: February 3, 2021
Backhoe Loader	Road Department
	Bid 2021-6
	Backhoe Loader for Craighead County Road Dept
	BID TABULATION SHEET

.;	•					
	CRAIGHEAD COL	JNTY				-
	INVITATION TO BID-Not			······································	<u> </u>	i
	Craighead County Judge'	·			- · · · · · · · · · · · · · · · · · · ·	·
	511 Union St.; Suite	* · · -				
	Jonesboro, Arkansas	··· · · · · · · · · · · · · · · · · ·	1	4	ļ	<u> </u>
NIRC	CHASING OFFICE	3 7 2 4 4 1				
,,	IO. 2021-6	DATE	lonuor	10 2021		
				y 18, 2021	1	
hie of	d bids, subject to the conditions on the reverse hereof, and as ma	iy be attac	nea ne	ereto, will be re	iceived at	·
ms of	ffice until <u>2:00 PM_February 3, 2021</u> and then publicly opened, for services as described below.	r turnisnir	ig the s	supplies, mate	riais,	<u>i</u>
ina/o	services as described below,	D11 (1)		L.,	<u> </u>	
		Bids Will		ened February		
				P.M. Local Tir	<u>ne</u>	ļ
	Jonesboro, Arkansas	BY: AI H		<u> </u>		: 4
	num Delivery or completion time after issuance of Purchase	PURCH	ASING	DIRECTOR	: : :	
	or work ordered by County <u>90 days.</u>					į
tem #	DESCRIPTION	QUANT	UNIT	UNIT PRICE	AMOUNT P	WT/HYD/Tech
1	Furnish one (1) New backhoe/loader to Craighead	1		\$94,911.00	\$96,355.00	}
	County Road Dept with each unit to be delivered and fully			;		
	operational as per the attached and specifications.					
	Unit being offered shall be comparable and equal to	1	i 	:		
	2021 Case 590SNT4F with 4 in 1 (clam) bucket, 4X4, cab & a	 ir.		<u> </u>	• · · · · · · · · · · · · · · · · · · ·)
2	This bid package contains 6 pages. All 6 pages must be returne		plete b	id.		\ <u></u>
3	Bid must be signed by authorized company representative.					
4	Bidder should:	 		·		}
	A. Clearly define and list warranty information on each item in ye	ears	ESTATIONAL AS FERRALA.			!
	B. Include all labor, delivery charges, training, programming,	:				
	and any other charges FOB Jonesboro, Arkansas 72401, in b	id price				ļ
	C. Include product literature and specifications with bid.	na prioci	!	 		·
	D. Include references of similar transactions to relative industrie	.e			· · · · · · · · · · · · · · · · · · ·	ļ
	E. Specify cash discounts, if available.	J			1	
	F. Note bid number on outside of bid envelope.					
	G. Specify approximate ship time in days, if awarded bid.					
	F. List make, model, and manufacturer of equipment being offer				: }	ļ ·
	G. Quote same or equal equipment in all aspects.	eu.			·	
	H. Specify nearest service and parts supply location to Jonesbo	ro AD		<u> </u>		ļ
5	Does bidder meet all backhoe/ loader specifications? Yes	No	ļ <u></u>			
	If no, clearly list and define differences on a separate sheet.	TNO				
6	Attached equipment list with names and part numbers is for refe	YORGO		i		ļ
7	Craighead County reserves the right to award bids to more than		L			<u> </u>
		to the management of	or.		j	
8	Bid should put bid price per unit. \$ \$94.9			-		
9	Bidder should put total bid price. Total bid price is \$_\$94.9			extended warra	inty \$96,355.0)0
	EXECUTION OF BID	Date		3/2021		ļ <u>.</u>
	ne undersigned, have read all the requirements set forth in this bio					
	ctions, conditions, and pertinent information regarding the articles	being bid	on, an	d we agree to	furnish	
	s at the prices stated.			<u> </u>		
	sas Use Tax Register No. 019243-78-001					
Bidder						1
3y <u> </u>	Shane Franklin City Jonesboro, AR	T	- Lizari			
	(Person Authorized to Sign Bids) Title Premiere Accounts		er			
	UNSIGNED BIDS WILL BE REJ	JECTED				
	BIDS ARE SUBJECT TO REJECTION UNLESS SU	JBMITTEI	ON	THIS FORM		
NO.	TICE TO BIDDERS, SEE REVERSE SIDE OR ATTACHMENTS	FOR INS	RUCT	TIONS AND CO	ONDITIONS.	1

	CRAIGHEAD COUNTY
	JONESBORO, ARKANSAS
	CONDITIONS OF BIDDING
	Compliance with the following conditions is necessary for consideration of this bid.
1	Signature-This bid must be signed with the firm name and by an authorized officer, employee or agent.
2	Sales Tax-Is not to be shown in the bid price, but is to be added by the vendor to the invoice billing to the County,
	The County is not exempt from Arkansas State Sales Tax. Contractors are to include all costs into the bid price.
	including applicable taxes.
3	Freight and other delivery charges-to destination at designated County facility in the County must be included in bid.
	Charges may not be added after the bid is opened. List freight and delivery charges separate.
4	Discounts-Show rate, total amount, and latest day any discounts will be allowed after receipt of article and invoice
	otherwise County will deduct allowed discount when payment is made.
5	Firm Price-All prices quoted will remain firm for at least 30 days from date of bid, unless otherwise specified
	by the County or bidder
. 6	Arkansas Preference-Must be requested writing when bid is submitted to be considered as a factor
	in awarding a contract. Arkansas Code 19-11-259.
7	Identical Bids-In the event of two or more identical low bids, the contract may be awarded arbitrarily or for
	any reason to any of such bidders, or split in any proportion between the said two or more bidders at
	discretion of the County.
88	Clean up-Complete cleanup and proper disposal of any and all job related items is considered to be a part of any
	contract let by Craighead County.
9	Ambiguity in bid-Any ambiguity in any bid as the result of omission, error, lack of clarity or non-compliance
	specifications, instructions, and all conditions of bidding shall be construed in the light most favorable to the County
10	Construction
to make a	A. When requested, the Contractor is to supply the County with evidence of having and maintaining proper and
·	specifically Workman's Compensation Insurance in accordance with the laws of the State of Arkansas,
	Public Liability, and Property Damage. All premiums and cost shall be paid by Contractor. In no way will the
	County be responsible in case of accident.
	B. A Performance Bond equaling the total amount of any bid exceeding \$20,000 must be provided for
	erection of any public building, public structure, or public improvement(Pursuant to Arkansas Code 18-44-503,)
11	The County reserves the right to reject any and all bids, accept in whole or in part, to waive informalities in bids
	received, to accept bids on materials or equipment with variations from specifications in those cases where efficiency
	of operation will not be impaired, and unless otherwise specified by bidder, to accept any item in the bid. If unit prices
	and extensions thereof do not coincide, the County may accept the bid for the lesser amount whether reflected
	by extension or by the correct multiple of the unit price.
	INSTRUCTIONS TO BIDDERS (Please read carefully)
1	Submit bid on bid form attached or reverse side of this sheet.
2	Address all bids to: Purchasing Director, Craighead County Judge's Office, 511 Union St.; Suite 119,
	Jonesboro, Arkansas 72401and make certain to indicate identifying bid number on the outside of bid envelope.
3	DO NOT include Federal Excise Tax in bid. County will furnish exemption certificate.
4	Sate Manufacturer, Brand Name, Model, etc. for each item bid on.
5	Samples of items, when required must be furnished free, and, if not called for within 30 days from date of
	bid opening, will be disposed of by the County
6	Blds received after stated time will not be considered.
7	Be sure and read all conditions and verify amounts before submitting bids. No changes or additions will be
	allowed after submission.
8	Guarantees and warranties should be attached as a part of the bid, as they may be a consideration
	in awarding contract.
9	Delivery or contract completion time is to be shown, as this date may, where time is of the
	essence, determine the contract award.
10	Additional information may be obtained from the Purchasing Department.
	THE COUNTY RESERVES THE RIGHT TO ACCEPT PART OR ALL OF ANY SPECIFIC BID OR BIDS
	AND TO ACCEPT BID WITH OR WITHOUT TRADE-IN, AND REJECT ANY AND ALL BIDS.

٠..

	A. GENERAL CLAUSES AND CONDITIONS		* The state of the	
1	Backhoe/loader Unit furnished shall be the latest type, improved model in curre	ont production (so offered		
	to commercial trade), shall be of good quality as to workmanship and materials			
	units offered under this advertisement shall be new. The design of the mechan		-	· •
	shall be such that the stress imposed through normal shock loads at maximum	anging torque		·
	shall not cause rupture or permanent deformation or undue wear on any members and the stress imposed through normal shock loads at maximum			
2	Specifications and printed literature covering units bidder proposes to furnish s			
	submitted either with bid, or if requested after bid opening, prior to award. The			
	prices quoted shall include all transportation charges fully prepaid to: 2800 Mo		70404	
3	Units to be assembled, adjusted and made ready for continuous operation at til	me of delivery	7 240 1	
	Material shall be treated to resist rust, corrosion, and wear.	nie di delivery.		
4	Right is reserved to accept, reject, in whole or in part, to waive informalities in t	side recoived		
	or accept bids with variations.	nus receiveu,		! !
5	Craighead County reserves the right to accept, reject or award each item separate	ratalu	-	
5 6	Bidder certifies he maintains a service facility with qualified service technicians			· · · · · · · · · · · · · · · · · · ·
· · · · · · · · · · · · · · · · · · ·	representative inventory of replacement parts within a fifty (150) mile radius of		······································	
	representative inventory of repracement parts within a inty (100) fille radius of	Jonesboro, Arkansas.		
	B. SPECIFICATIONS:		Moot Charles	4:
	Color:		Meet Specifica	
1	Units shall be painted with a high quality, long lasting, durable paint in the man	ufacturar's	Yes	No
	standard color.	ulactulal 9		
P-0	Cab:			
1	Shall be fully enclosed and allow for ventilation and shall meet all safety stand	arde have eafety		·· .
	glass window openings to permit a full view of the working areas and the road			
·	each side.	; , ,	├	
		Specifications		***************************************
	the company of the co	X No		
2	Shall have adjustable operator's seat, hot water heater with shut-off valve at el		larly	
	furnished and offered by Backhoe/Loader Manufacturer.	The control of the co	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	
3	A retractable seat belt shall be provided.			
8	Factory installed air conditioning and heater with built in ventilation.		\bigcirc	
	Warranty:		/>	
1	Backhoe/Loaders purchased under this specification shall be warranted for a p	eriod of not less than		
	twelve (12) months (365 days) from the date backhoe/loader is placed in serving			
	parts and workmanship that fails under normal use.		×	
2	Warranty shall include all parts, labor and transportation costs to the location of	of the equipment.		
3	It is understood that this is a minimum warranty required in order for a bid to be)	
	understood that any warranty by the Backhoe/Loader Manufacturer on compon		· · · · · · · · · · · · · · · · · · ·	
	(that exceeds the minimum warranty specified herein) and is so advertised and	and the same of th		
	manufacturer's printed data sheets shall be passed on to the Craighead Coun		-	
4	Power Train extended warranties should be clearly defined.		×	•
5	Consideration will be given in making the award to the selection of an backhoe	/loader which appears	\downarrow	.
	to be best suited with regard to weight, strength, power, mechanical design, etc			······································
	work for which they are intended.			
6	Bidder shall bid backhoe/loader under this proposal that are comparable and e	gual to 2021 Case 590SN	T4F 🗙	ļ

	N	leet Specifi	cations
		Yes	No
he loader backhoe shall be equipped with the following features and/or specificati	ions:		
MACHINE SPECIFICATIONS			
NGINE		****************	
l-cylinder, turbocharged diesel engine with a minimum 108 net horsepower at 2,20	OO RPM	X	
ngine displacement of 274 cubic inches	268 in		X
finimum SAE net torque rating of 380 ft-lbs at 1,400 RPM	360 lb ft		\Diamond
orque rise of 45% at rated speed	39%		
ler III certified per Federal Emissions Standards	Tier 4	X	
ertical spin-on engine oil filter	1191 1		<u> </u>
old weather starting aid to be that of non-ether based system		\sim	
quid cooled engine		\Diamond	
00-hour engine oil change interval		\Diamond	
LECTRICAL		-X	
2-volt electrical system	1	Ż	-
linimum 120-amp alternator	10 //		
ual batteries with 850 cca (each)		-	
JLLY SYNCHRONIZED TRANSMISSION			
orque converter drive with a fully synchronized transmission		$-\Diamond$	
our forward speeds		\rightarrow	ļ
our reverse speeds		$-\Diamond$	
Inimum forward travel speed of 24 MPH with standard tires	25 mph	\Diamond	
finimum reverse travel speed of 29 MPH with standard tires	25 mph		
ectric forward/reverse shuttle shift	2 <u>7 mpn</u>	Y	^
OWER TRAIN			
ne loader backhoe power train shall be componentized			
eering shall be hydrostatic		Y	
eavy duty axles with brake that can be serviced without removing the axle from the	frame		1
n-the-go electro-hydraulic rear differential lock engagement		Y	
be-for-life drive shaft cross bearings			
single fill and check point for rear axle shall be standard equipment		X	
e power shift transmission shall provide the following:			<u> </u>
inimum of four forward and three reverse speeds			<u> </u>
all have a kickdown function for ease of operation			Y
ur-wheel drive units include the following features:			
nventional differentials in the front axle		~	
nventional differentials in the rear axle		\sim	
ont axle with a minimum 74.3 inch fixed tread with 14 x 17.5 tires		$-\Diamond$	

٠,

		Meet Specifi	cations
No the go electrical forms at a later		Yes	No
)n-the-go electrical four-wheel drive engagement		X	
ront and rear axles with outboard planetaries		X	
ingle, double-rod steering cylinder		X	
teering cylinder located behind the axle			
ube-for-life drive shaft cross bearings	A PARAMETER STATE OF THE STATE	X	
ront Axle (4wd) maximum static — 67,883 lbs minimum		X,	
ear Axle maximum static — 70,848 lbs minimum	1	Y Y	1
ront Axle (4wd) dynamic operating —47,426 lbs minimum			
ear Axle dynamic operating —49,494 lbs minimum	The statement of the second of		
ront Axle (4wd) static operating — 18,969 lbs minimum			
RAKES			-
ully hydraulic, multiple wet disc brake located outboard			-
ow effort, power boosted, oil cooled brakes		\rightarrow	
rakes operated by two, suspended brake pedals		\	
Taintenance-free and self-adjusting		~~~ ~	
pring applied, hydraulically (SAHR) released parking brake		$+$ \diamond —	
DADER AND LINKAGE FEATURES			
he loader arms shall be heavy duty and in-line.	——————————————————————————————————————		
rch design for short turning circle		· · · · · · · · · · · · · · · · · · ·	
ual parallel lift cylinders		- 	
ushioned loader cylinders			
ne loader linkage shall have the following features:			
ual parallel bucket cylinders			
ushioned bucket cylinders		·	
ucket cylinders with reverse linkage			
ual cast dump links to bucket		+	
Ill bucket rollover for dozing		— <u>S</u> —	
all bucket rollover for stability in backhoe operation		+	
utomatic bucket self-leveling		$+$ δ —	
eturn-to-dig			
DADER BUCKET	THE PARTY OF THE P	_X	i
ne loader bucket shall be 4 in 1 (clam) a minimum of 93 inches wide with a 1.3 cubi	c)/ard hooned seresit		
ear bucket rolled wrapper	c yaru neaped capacity,	X	
e-drilled edge		-X,	
eavy duty lifting eyes		—-X	<u> </u>
icket position indicator		-	
A STATE OF THE PARTY OF THE PAR	45.000	X	
inimum SAE dump cylinder breakout force of 12,776 pounds force	15,983	X	
inimum SAE lift capacity to full height of 8,202 pounds	8,193		X
linimum SAE dump clearance of 8 feet 11.4 inches at full height and 45 degree dun	np angle	X	
linimum SAE dump reach of 29.2 inches at full height and 45 degree dump angle		X.	
inimum hinge pin height of 11 feet 5.6 inches		X	

		Meet Specific	ations
		Yes	No
laximum loader lowering time (power down) of 2.5 seconds		X	
Maximum loader lowering time (return-to-dig) of 3.8 seconds		X	
Maximum bucket dumping time of 2.0 seconds		X .	
Maximum bucket raising time to full height of 3.7 seconds		X	
ACKHOE BUCKET	:		
he backhoe bucket shall be 24" and heavy duty.	:	X	
ACKHOE - Standard hoe		X	
linimum SAE dig depth with standard over-center backhoe for 24-inch flat bottom of 15 feet		, X	1
rovide Power Lift feature		\sim	-
Ninimum digging force, bucket cylinder, 14,940 pounds force	16,163	X	· · · · · · · · · · · · · · · · · · ·
Ninimum digging force, dipper cylinder, 9,047 pounds force	10,086		
YDRAULICS	10,000	X	-!
he loader hydraulics shall be closed center and allow for smooth loader operation.		X	· ·
he backhoe hydraulics shall be variable volume and allow for smooth backhoe operation.		\mathbf{X}	
ariable displacement axial piston pump, dual mode torque regulation	ı	T X	
otal pump flow to be 40.0 GPM at 2,340 psi available to the loader valve and backhoe valve	49.4 gp	om X	
llows operation of optional hand-held hydraulic tools			×
nti-cavitation valves in the dipper and loader circuit		X	
ilot-operated check valves for stabilizers and boom circuit		X	
nti-rebound valve for backhoe swing precision		\sim	i
ERVICEABILITY			i . i
he loader backhoe shall be easy to service from ground level.		X	
it hood that permits access to the engine with the loader arms raised or lowered		X	
Minimum 42-gallon side-mounted fuel tank		X	
finimum hydraulic system (total) fill of 34.75gallons (standard hoe) / 36.25 gallons	25		×
VARRANTY			
ull machine warranty of 12 months, unlimited hours		X	
ngine warranty of two years or 2,000 hours	i		
ower train warranty of two years or 2,000 hours			
ptional extended warranty for Full Machine		X	
ptional extended warranty for Power train Only		X	
36 month or 5000 hour power train Hydraulic and Tech	nical	\$1484.00)

Apprilate	CRAIGHEAD COU	NTY		<u> </u>		1
	INVITATION TO BID-Not a	n Order				mrs hadeness-Miller remands .
	Craighead County Judge's	- matter springs a second common			engelistate de comunication en la grant autoritation de servicion en la grant de la grant de la grant de la gr	***********
	511 Union St.; Suite	wa <i>n</i> era-wan		- Lapine Can - La - Array VI		
	Jonesboro, Arkansas	·			After a section of the section of th	
PURC	HASING OFFICE					THE PERSON NAMED IN COLUMN PARTY OF THE PERSON NAMED IN COLUMN PAR
BID N	O. <u>2021-6</u>	DATE:	lanuar	y 18, 2021	and the first of the same of t	
Sealed	bids, subject to the conditions on the reverse hereof, and as may	, be attac	hed he	reto will be re	deved at	
this of	fice until 2:00 PM February 3, 2021 and then publicly opened, for	furnishin	o the s	upolies mate	rials	·
and/or	services as described below.		Mary or Mary or Construction	NEW TOO	iujo,	,
		Bids will	be one	ened February	3 2021	
والمراجعة	- C - 11.50 Tax C - C - C - C - C - C - C - C - C - C			P.M. Local Tir		1990 - Start an aparticular - June -
F.O.B	Jonesboro, Arkansas	BY: AI H		,		
Maxim	um Delivery or completion time after issuance of Purchase			DIRECTOR		
***************************************	or work ordered by County 90 days.				***************************************	
	DESCRIPTION	QUANT	ÜNİT	UNIT PRICE	AMOUNT	
1	Furnish one (1) New backhoe/loader to Craighead	1		7.21.1.1.2.2		
##1	County Road Dept with each unit to be delivered and fully	THE REPORT OF THE PARTY.				
······	operational as per the attached and specifications.					+
	Unit being offered shall be comparable and equal to	i mandajinija iraj madapajinija,				+
-	2021 Case 590SNT4F with 4 in 1 (clam) bucket, 4X4, cab & al	<u> </u>		<u> </u>		
2	This bid package contains 6 pages. All 6 pages must be returned		alata k	<u>L</u>		
3 -	Bid must be signed by authorized company representative.	i to conti	niete bi	E.		
4	Bidder should:			<u> </u>		
	A. Clearly define and list warranty information on each item in ye	ore			to the second se	
,	B. Include all labor, delivery charges, training, programming,	ais.		<u> </u>		
, , , , , , , , , , , , , , , , , , ,	and any other charges FOB Jonesboro, Arkansas 72401, in bi	d price				
ing the contract of the contra	C. Include product literature and specifications with bid.	d price.			ļ 	-
29 (4 . 1)-24-1-4-4-4-4-4-4-4-4-4-4-4-4-4-4-4-4-4-	D. Include references of similar transactions to relative industries		- 1-4-4 Santrain-review			~
	E. Specify cash discounts, if available.					
	F. Note bid number on outside of bid envelope.					
	G. Specify approximate ship time in days, if awarded bid.		***************************************	harry the tribulation of the speed new familia and legislately linearly	***************************************	
rin Berge (** estem rango.	F. List make, model, and manufacturer of equipment being offere					-
	G. Quote same or equal equipment in all aspects.			tätukkononduloitoitaroorillakanna, aisnyys yrysilyy	Afficiación de como de la como dela como de la como de	AN
***************************************	H. Specify nearest service and parts supply location to Jonesbor	o AR		and the same of th		
5	Does bidder meet all backhoe/ loader specifications? Yes	No λ			a difference and chicago, is a substitution of the control of the	
	If no, clearly list and define differences on a separate sheet.		****	- Name of the State of the Stat	***************************************	
6	Attached equipment list with names and part numbers is for refer	rence.				
7	Craighead County reserves the right to award bids to more than		Or.			1
8		000.00				
9		0.00		The west to the section of the general part of the section of the	Providence - Program (gray round industries	<u> </u>
	EXECUTION OF BID	Date /	29-	a)		1
We, th	e undersigned, have read all the requirements set forth in this bid	proposal	includi	na specificatio	ons.	
	tions, conditions, and pertinent information regarding the articles I					-
	at the prices stated.	9				
Arkans	as Use Tax Register No. 0 1 588 4 - 16 - 00 1			Litteragish promotostate transcript control of	***************************************	***************************************
	HEARTLAND EQUIPMENT Address 1701 E P	ARKE)	PR	IAD		1
By K	ick SITZ Ruil Sur City JONESBORD	AR	72	409		
	(Person Authorized to Sign Bids) Title CE MGR					1
	UNSIGNED BIDS WILL BE REJ	ECTED				1
	BIDS ARE SUBJECT TO REJECTION UNLESS SU		ON T	HIS FORM		1
NOT	ICE TO BIDDERS, SEE REVERSE SIDE OR ATTACHMENTS F			# 2 15 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	ONDITIONS	<u> </u>

,

وديدا	CRAIGHEAD COUNTY
	JONESBORO, ARKANSAS
	CONDITIONS OF BIDDING
ب عدد	Compliance with the following conditions is necessary for consideration of this bid.
	Signature-This bid must be signed with the firm name and by an authorized officer, employee or agent.
),), 	Sales Tax-Is not to be shown in the bid price, but is to be added by the vendor to the invoice billing to the County.
	The County is not exempt from Arkansas State Sales Tax. Contractors are to include all costs into the bid price,
	including applicable taxes.
í.	Freight and other delivery charges to destination at designated County facility in the County must be included in bid.
n Arinay	Charges may not be added after the bid is opened. List freight and delivery charges separate.
-	Discounts-Show rate, total amount, and latest day any discounts will be allowed after receipt of article and invoice,
i-w	otherwise County will deduct allowed discount when payment is made,
	Firm Price-All prices quoted will remain firm for at least 30 days from date of bid, unless otherwise specified
.	by the County or bidder
	Arkansas Preference-Must be requested writing when bid is submitted to be considered as a factor
***	in awarding a contract. Arkansas Code 19-11-259.
	Identical Bids-In the event of two or more identical low bids, the contract may be awarded arbitrarily or for
	any reason to any of such bidders, or split in any proportion between the said two or more bidders at
	discretion of the County.
	Clean up-Complete cleanup and proper disposal of any and all job related items is considered to be a part of any
	contract let by Craighead County.
	Ambiguity in bid-Any ambiguity in any bid as the result of omission, error, lack of clarity or non-compliance
)	specifications, instructions, and all conditions of bidding shall be construed in the light most favorable to the County Construction
Ri.	the same and the s
	A. When requested, the Contractor is to supply the County with evidence of having and maintaining proper and specifically Workman's Compensation Insurance in accordance with the laws of the State of Arkansas,
	Public Liability, and Property Damage. All premiums and cost shall be paid by Contractor. In no way will the
	County be responsible in case of accident.
e	B. A Performance Bond equaling the total amount of any bid exceeding \$20,000 must be provided for
	erection of any public building, public structure, or public improvement(Pursuant to Arkansas Code 18-44-503.)
	The County reserves the right to reject any and all bids, accept in whole or in part, to waive informalities in bids
-	received, to accept bids on materials or equipment with variations from specifications in those cases where efficiency
nio neg	of operation will not be impaired, and unless otherwise specified by bidder, to accept any item in the bid. If unit prices
	and extensions thereof do not coincide, the County may accept the bid for the lesser amount whether reflected
-	by extension or by the correct multiple of the unit price.
	INSTRUCTIONS TO BIDDERS (Please read carefully)
MV	Submit bid on bid form attached or reverse side of this sheet.
ويوشونه	Address all bids to: Purchasing Director, Craighead County Judge's Office, 511 Union St.; Suite 119,
	Jonesboro, Arkansas 72401 and make certain to indicate identifying bid number on the outside of bid envelope.
	DO NOT include Federal Excise Tax in bid. County will furnish exemption certificate.
.,	Sate Manufacturer, Brand Name, Model, etc. for each item bid on.
	Samples of items, when required must be furnished free, and, if not called for within 30 days from date of
	bid opening, will be disposed of by the County
	Bids received after stated time will not be considered.
_	Be sure and read all conditions and verify amounts before submitting bids. No changes or additions will be
	allowed after submission.
	Guarantees and warranties should be attached as a part of the bid, as they may be a consideration
	in awarding contract.
	Delivery or contract completion time is to be shown, as this date may, where time is of the
	essence, determine the contract award.
-	Additional information may be obtained from the Purchasing Department.
-	THE COUNTY RESERVES THE RIGHT TO ACCEPT PART OR ALL OF ANY SPECIFIC BID OR BIDS

		1	T		Ì
	A. GENERAL CLAUSES AND CONDITIONS	Province and proceedings and an artistic and an artistic and artistic			1
		***************************************	the Common value may be specified in the second sec		
1	Backhoe/loader Unit furnished shall be the latest type, improved mode	l in current	production (as offe	ered	
	to commercial trade), shall be of good quality as to workmanship and r	materials, A	All I		1
	units offered under this advertisement shall be new. The design of the	mechanica	al members	PER O-Militaria anni il-vita da managani ilagani anni anni anni anni anni anni anni	-
i dimensionen recomm	shall be such that the stress imposed through normal shock loads at m	naximum en	ngine torque		
	shall not cause rupture or permanent deformation or undue wear on ar	ny member		**************************************	
2	Specifications and printed literature covering units bidder proposes to t	furnish shal	l be	The state of the s	1
Individual Russia	submitted either with bid, or if requested after bid opening, prior to awa	ard. The pr	rice or		
**************	prices quoted shall include all transportation charges fully prepaid to: 1	2800 Moore	Road Jonesboro.	AR 72401	
3	Units to be assembled, adjusted and made ready for continuous opera	tion at time	of delivery.		
********************************	Material shall be treated to resist rust, corrosion, and wear.	****	The board description of the board described a policies of the board described a policies of the board of the		
4	Right is reserved to accept, reject, in whole or in part, to waive informa	lities in bid:	s received.	**************************************	^
-	or accept bids with variations.	.		restricte to a cit, and has putting a septiment of treatment and tension probability devention in an entropy on	1
5	Craighead County reserves the right to accept, reject or award each ite	m separati	ely:	Angeritan un ditte of min and are a many - 19-19-19-19-19-19-19-19-19-19-19-19-19-1	-
6	Bidder certifies he maintains a service facility with qualified service tec	hnicians ar	nd	And the state of t	***************************************
V stitreumennus	representative inventory of replacement parts within a fifty (150) mile ra	adius of Jor	esboro, Arkansas	j _g	
			A Programme of the party of the	And the second section of the second section of the second section of the second section section section section section sections.	
	B. <u>Specifications:</u>			Meet Specifica	ations
پسپونسید	Color:			Yes	No
1	Units shall be painted with a high quality, long lasting, durable paint in	the manufa	cturer's	Y	
-mangatanic landapana	standard color.		4		
	<u>Cab:</u>			and the second s	A STATE OF THE STA
1	Shall be fully enclosed and allow for ventilation and shall meet all safe	ty standard	ls, have safety	X	
***********	glass window openings to permit a full view of the working areas and	the road in	front, rear and		
	each side.				
*********			ecifications	4	
		Yes X	No.		
2	Shall have adjustable operator's seat, hot water heater with shut-off va	alve at engir	ne connection, as	regularly X	
	furnished and offered by Backhoe/Loader Manufacturer.				
3	A retractable seat belt shall be provided.	*********		X	
8	Factory installed air conditioning and heater with built in ventilation.			X	
	Warranty:			normanian combanament ana oppositione i Magazin de Samera and in formania de	
1	Backhoe/Loaders purchased under this specification shall be warranted				
	twelve (12) months (365 days) from the date backhoe/loader is placed	in service,	against detective	lana nga vita nika saka ngi at ka maha na mana mana ina nga nga mamanana y mapa sa wati ka maha	_
<u> </u>	parts and workmanship that fails under normal use.	10			
2	Warranty shall include all parts, labor and transportation costs to the lo			X	ļ
3	It is understood that this is a minimum warranty required in order for a				
	understood that any warranty by the Backhoe/Loader Manufacturer on			oader purchased	
ristin many ngaringsigan di	(that exceeds the minimum warranty specified herein) and is so adverti			X	
	manufacturer's printed data sheets shall be passed on to the Craigher	ad County	Road Department		
4	Power Train extended warranties should be clearly defined.	1 1 11 1 1 1 1		X	<u> </u>
5	Consideration will be given in making the award to the selection of an			s X	
	to be best suited with regard to weight, strength, power, mechanical de	sign, etc., t	o perform the		ļ
~	work for which they are intended.				
6	Bidder shall bid backhoe/loader under this proposal that are comparable	ie and equa	ıl to 2021 Case 59	OSNT4F X	4

On his carefulfield by a straight from the straight of the str		Meet Specific	ations
		Yes	No
The loader backhoe shall be equipped with the following features and/or s	pecifications:		
MACHINE SPECIFICATIONS			
ENGINE			
4-cylinder, turbocharged diesel engine with a minimum 108 net horsepow	er at 2,200 RPM	X	1
Engine displacement of 274 cubic inches			† y
Minimum SAE net torque rating of 380 ft-lbs at 1,400 RPM	The state of the s		1
Torque rise of 45% at rated speed	The second secon	the some remaining of the figure for the sources of specific for the source and the source of the so	V
Tier III certified per Federal Emissions Standards	The second of the second section of the second seco	And the state of t	-/'
Vertical spin-on engine oil filter		Λ	
Cold weather starting aid to be that of non-ether based system			
Liquid cooled engine	-mail samba Machine, n i successi Massandhauman		+
500-hour engine oil change interval			-
ELECTRICAL	The second secon	A	
.2-volt electrical system			
Minimum 120-amp alternator			
Qual batteries with 850 cca (each)	The second secon	9	
ULLY SYNCHRONIZED TRANSMISSION	- The second section of the second second section of the second second second section (second second	- A	
Torque converter drive with a fully synchronized transmission	~20~20		
our forward speeds			
our reverse speeds	44		***
Minimum forward travel speed of 24 MPH with standard tires			
Minimum reverse travel speed of 29 MPH with standard tires		***************************************	
lectric forward/reverse shuttle shift			1
OWER TRAIN			
he loader backhoe power train shall be componentized		- X	+
teering shall be hydrostatic	to		<u> </u>
leavy duty axles with brake that can be serviced without removing the axle	from the frame	V	ļ
n-the-go electro-hydraulic rear differential lock engagement	William Charles		
ube-for-life drive shaft cross bearings			·
single fill and check point for rear axle shall be standard equipment		and the same and t	
he power shift transmission shall provide the following:		1	<u> </u>
Minimum of four forward and three reverse speeds		——————————————————————————————————————	
hall have a kickdown function for ease of operation			
our-wheel drive units include the following features:		- \ 	
onventional differentials in the front axle		13	
onventional differentials in the rear axle	- Pattern Michigan and Company of the Company of th	10	
ront axle with a minimum 74.3 inch fixed tread with 14 x 17.5 tires		— A —	

		Meet Specific	ations
On the six clared at the state of the six of		Yes	No
On-the-go electrical four-wheel drive engagement		X	
Front and rear axles with outboard planetaries	Andrew An	X	
Single, double-rod steering cylinder		X	
Steering cylinder located behind the axle	s inspector	X	
Lube-for-life drive shaft cross bearings		X	
Front Axle (4wd) maximum static — 67,883 lbs minimum		X	
Rear Axle maximum static — 70,848 lbs minimum		X	1
Front Axle (4wd) dynamic operating —47,426 lbs minimum		X	``
Rear Axle dynamic operating —49,494 lbs minimum		X	
Front Axle (4wd) static operating — 18,969 lbs minimum		X	1
BRAKES		and the same of th	1
Fully hydraulic, multiple wet disc brake located outboard		X	1
Low effort, power boosted, oil cooled brakes		Ż -	
Brakes operated by two, suspended brake pedals		X	
Maintenance-free and self-adjusting	and the second section of the sectio	Y	<u> </u>
Spring applied, hydraulically (SAHR) released parking brake		1	
LOADER AND LINKAGE FEATURES		The state of the s	1
The loader arms shall be heavy duty and in-line.	The second secon	X	
Arch design for short turning circle		Ý	
Dual parallel lift cylinders	August of the Sales of the Sale		
Sushioned loader cylinders			-
The loader linkage shall have the following features:	44-40-100-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-	Marie Commission of the Commis	
Dual parallel bucket cylinders	William Control of the Control of th	X	
Cushioned bucket cylinders	**************************************		
Bucket cylinders with reverse linkage		4	 -
Dual cast dump links to bucket		4	
ull bucket rollover for dozing			
ull bucket rollover for stability in backhoe operation			
Automatic bucket self-leveling	indone print and the second se	- A	
leturn-to-dig			
OADER BUCKET			<u> </u>
he loader bucket shall be 4 in 1 (clam) a minimum of 93 inches wide with a	1.3 cubic yard heaned can	sacity. V	
lear bucket rolled wrapper		,· \	
re-drilled edge		X	-
leavy duty lifting eyes		Y	
ucket position indicator			-
Minimum SAE dump cylinder breakout force of 12,776 pounds force			
Alinimum SAE lift capacity to full height of 8,202 pounds		- 10	···
Minimum SAE dump clearance of 8 feet 11.4 inches at full height and 45 deg	ree dump angle		
Minimum SAE dump reach of 29.2 inches at full height and 45 degree dump			
Minimum hinge pin height of 11 feet 5.6 inches	m191C	A.	

		Meet Specific	ations
		Yes	No
Maximum loader lowering time (power down) of 2.5 seconds		Y	
Maximum loader lowering time (return-to-dig) of 3.8 seconds		X	
Maximum bucket dumping time of 2.0 seconds		X	
Maximum bucket raising time to full height of 3.7 seconds		X	
BACKHOE BUCKET		The state of the s	
The backhoe bucket shall be 24" and heavy duty.		X	
BACKHOE - Standard hoe		and the second s	X
Minimum SAE dig depth with standard over-center backhoe for 24-inch flat	bottom of 15 feet	Χ	1
Provide Power Lift feature		The second secon	
Minimum digging force, bucket cylinder, 14,940 pounds force		X	
Minimum digging force, dipper cylinder, 9,047 pounds force		The second secon	
HYDRAULICS			1
The loader hydraulics shall be closed center and allow for smooth loader or	peration.	X	
The backhoe hydraulics shall be variable volume and allow for smooth back	hoe operation.	X	
Variable displacement axial piston pump, dual mode torque regulation		V	1
Total pump flow to be 40.0 GPM at 2,340 psi available to the loader valve a	nd backhoe valve	X	T
Allows operation of optional hand-held hydraulic tools		Y	
Anti-cavitation valves in the dipper and loader circuit		X	
Pilot-operated check valves for stabilizers and boom circuit	And the second s	X	
Anti-rebound valve for backhoe swing precision		7	
SERVICEABILITY	A STATE OF THE STA		-
The loader backhoe shall be easy to service from ground level.		Y.	
filt hood that permits access to the engine with the loader arms raised or lo	wered	X	
Minimum 42-gallon side-mounted fuel tank		X	.
Minimum hydraulic system (total) fill of 34.75gallons (standard hoe) / 36.25	gallons	1	
WARRANTY		AND THE PART AND THE PROPERTY OF THE PART AND THE PARTY OF THE PARTY O	
ull machine warranty of 12 months, unlimited hours	And Andrews I will the William Alberta Committee or which will an absolute and it is because up any an account of the committee of the committ	X	
rigine warranty of two years or 2,000 hours		X	-
ower train warranty of two years or 2,000 hours	the control of the state of the control of the cont	X	
Optional extended warranty for Full Machine		X	
Optional extended warranty for Power train Only	The state of the s	1	
The second secon		And the second s	1



MOBILE: 870-243-5315

QUOTATION



	DATE	2/1/2021		QUOTED BY: RICK SIT	RICK SITZ			
	CUSTOMER	R NAME	CRAIGHEAD COU	NTY				
	ADDRESS	. ,	511 UNION ST SU					
	CITY PHONE		JONESBORO,AR					
			JOHESDONO, AN	FAX				
	E MAIL							
	E WAIL		,					
ΣΤΥ	MAKE		MODEL	DESCRIPTION	<u> </u>			
411	1 CASE		2021-590SNT4F	4WD LOADER/BACKHOE EQUIPPED:	\$ 94,000.00			
	10.00		2021 33001(14)	EXTENDAHOE (NO AUX) W/ADD CWT	3 34,000.00			
			•	DUAL LEVER MANUAL CONTROLS	-			
	<u> </u>		_	CAB /HEAT/AC LH DOOR	-			
				HEATED AIR SUSP SEAT	 			
				BLUE TOOTH RADIO	-			
			***	POWERSHIFT H TYPE TRANSMISSION				
				AUTO RIDE CONTROL W/COMFORT STEER				
				BACKHOE MECH COUPLER	1 -			
				FLIP OVER /STABILZER PADS				
				LED 10 LIGHT PACKAGE				
				COLD START DUAL BATTERY				
				24" TRENCHING BUCKET				
	`			93" 4N1 LOADER BUCKET				
				14X17.5 10PR FRONT TIRES				
				21L X 247 10PR REAR TIRES				
			· ·		_			
			•	1 YEAR FULL WARRANTY				
			; <u> </u>	2 YEAR POWER TRAIN WARRANTY				
				EMMISIONS 5 YEAR/3000 HR				
		,			<u> </u>			
			TRADE IN EQUIPME	NT				
					<u> </u>			
EADTL	NID EOLUDIAEN	T IONECDO	NDO.	TOTAL FOLUDAÇAN	¢ 04.000.00			
	AND EQUIPMEN			TOTAL EQUIPMENT	\$ 94,000.00			
			ONESBORO,AR 72404	LESS TRADE	N/A			
	rsitz@usatracto			TRADE DIFF.				
	-932-8383 EXT 4	101		TAX	N/A			
AX: 870	-933-7373							

TOTAL

\$ 94,000.00



Heartland Equipment-Jonesboro



SPECIFICATIONS THAT DO NOT MEET BID REQUEST

ENGINE DISPLACEMENT 207 CUBIC IN INSTEAD OF 274

TORQUE RISE 29% PLUS OR MINUS 5% INSTEAD OF 45%

TORQUE RATING 339LB @1400 INSTEAD OF 380 FT LBS

STANDARD 15 FT BACKHOE REPLACED BY 15.6 - 19.6 EXTENDAHOE.



WARRANTY AND LIMITATION OF LIABILITY AGREEMENT LIGHT - CASE CONSTRUCTION EQUIPMENT

The Case Warranty is a limited warranty that is provided to the initial retail purchaser in return for consideration paid as part of the purchase price of the product. The selling dealer must review the warranty coverage with the initial retail purchaser and obtain signature on this document.

The warranty described here is from CNH industrial America LLC and in Canada, CNH industrial Canada Ltd., both of which are referred to in this agreement as "Case". This warranty is for Case products sold and registered in the United States or Canada and normally operated in the United States or Canada. This warranty does NOT apply to any product normally operated outside of the United States and/or Canada, or to any unit purchased outside of the United States or Canada and imported in for any reason other than a customer

Warranty Period

For the products ilsted below, the Warranty Period for all coverage begins at the time that any person, dealer or agent first places the unit into service. At the latest, a unit is considered to be placed into service when purchased or delivered to an initial retail purchaser. Certain demonstration, rental, lease, and other used units may be eligible for a portion of a new unit warranty. The availability of the remaining portion of a new unit warranty does not mean that a unit is new or unused. The Warranty Period ends when either the month or machine hour limit is reached, whichever limit occurs first,

CASE LIGHT PRODUCT	BASE WARRANTY	EXTENDED WARRANTY	NOTES
SKIDSTEER / COMPACT TRACK LOADERS Case Engines (Warranty through engine manufacturer)	12 Mo. / Unlimited Hrs	24 Mo. / 2000 Hrs 24 Mo. / 2000 Hrs	Notes 5, 6
LOADER BACKHOES Case Engines, Torque Converter, Transmission, Drive Shafts & Drive Axles	12 Mo. / Unlimited Hrs	24 Mo. / 2000 Hrs	Note 2, 5
TRACTOR LOADERS / FORKLIFTS Case Engines, Torque Converter, Transmission, Drive Shafts & Drive Axles	12 Mo. / Unlimited Hrs	24 Mo. / 2000 Hrs	Notes 2, 5
COMPACT EXCAVATORS CX-B Series Yanmar Engines (Warranty through Case)	12 Mo. / 1000 Hrs		Notes 5
COMPACT EXCAVATORS CX-C Series Yanmar / Kubota Engines (Warranty through Case)	12 Mo. / Unlimited Hrs	24 Mo. / 3000 Hrs 24 Mo. / 3000 Hrs	Notes 5, 6
COMPACT WHEEL LOADERS Case Engines (Warranty through Case) Deutz Engines (Warranty through engine manufacturer)	12 Mo. / Unlimited Hrs	24 Mo. / 2000 Hrs	Notes 1, 5

- Engine coverage is provided directly by the engine manufacturer.

 Torque converter, transmission, drive shafts, & drive axies are covered for 24 months / 2000 hours.

 Warranty does not cover any configuration excavator equipped with feller buncher/accumulator attachments

 Units equipped with factory standard telematics are authorized for Case ProCare extended coverage for an additional 24 months / 3000 total machine hours, whichever comes first
- Engine warranty coverage is provided through CNH industrial.
- Second year machine warranty coverage after base warranty expires

Operator's	Manual i	Warrantu	Pecaint	Varification

The selling dealer has reviewed the correct operator's manual with me and will provide upon delivery of the product. YES D / NO D

YES [] / NO [] The selling dealer explained safety precautions to me.

YES II / NO II The selling dealer explained the warranty terms and coverage to me

The selling dealer explained Purchased Protection Plan options for additional coverage on select components. I wish to be part of future Case communications, offers or events. YES II / NO II YES D / NO D

		
[Model:	Serial Number:	
Retail DATE / HOURS:	Operator Manual Number:	
Purchaser Name (please print):	Dealer Name:	
Address;	Address:	
City / State:	City / State:	
Zip code:	Zip code:	
Phone Number:	Phone Number:	
The answers checked above are correct, [acknowledge that []	have read and i accept this warranty policy statement.	
Purchaser Signature	Date	
Dealer Signature	Date	

USA mail original to CNH Industrial Capital America LLC, Attn: WLL Agreement, PO Box 3700, Lancaster, PA 17604-3700 USA Overnight courier mall original to CNH Industrial Capital America LLC, Attn: WLL Agreement, 500 Diller Ave., New Holland, PA 17557 Canada mail original to CNH Industrial Capital America LLC, Attn: WLL Agreement, 4475 North Service Rd, Suite 301, Burlington, ON L7L4X7 Canada

				, , , , , , , , , , , , ,	
	CRAIGHEAD COU	error en en accesario			
	INVITATION TO BID-Not a				
	Craighead County Judge's				
	511 Union St.; Suite				*
	Jonesboro, Arkansas	72401		:	
	HASING OFFICE				
	O. <u>2021-6</u>			/ 18, 2021	
	l bids, subject to the conditions on the reverse hereof, and as may				
	ice until <u>2:00 PM_February 3, 2021</u> and then publicly opened, for	furnishin	g the s	upplies, mater	ials,
and/or	services as described below.				
		Bids will	be ope	ned February	<u>3, 2021.</u>
			2:00	P.M. Local Tin	<u>ne</u>
F.O.B	Jonesboro, Arkansas	BY: AI H	aines		
	um Delivery or completion time after issuance of Purchase	PURCH	ASING	DIRECTOR	
Order o	or work ordered by County <u>90 days.</u>				
Item#	DESCRIPTION	QUANT	UNIT	UNIT PRICE	AMOUNT
1	Furnish one (1) New backhoe/loader to Craighead	1	-		The state of the s
	County Road Dept with each unit to be delivered and fully				
and and the material specification	operational as per the attached and specifications.				
	Unit being offered shall be comparable and equal to	1	<u> </u>		
	2021 Case 590SNT4F with 4 in 1 (clam) bucket, 4X4, cab & ai	 iг.	<u> </u>		A14 · Alecha
2	This bid package contains 6 pages. All 6 pages must be returned		plete bi	d.	
3	Bid must be signed by authorized company representative.				
4	Bidder should:				
	A. Clearly define and list warranty information on each item in ye	ars.			
	B. Include all labor, delivery charges, training, programming,	1			
	and any other charges FOB Jonesboro, Arkansas 72401, in bi	id price.			
	C. Include product literature and specifications with bid.	, p.,,,,,	·	1	
	D. Include references of similar transactions to relative industries	 \$	ļ		
	E. Specify cash discounts, if available.	1	<u> </u>		
	F. Note bid number on outside of bid envelope.	ļ			
to excepte	G. Specify approximate ship time in days, if awarded bid.				
·· · · · · ·	F. List make, model, and manufacturer of equipment being offere	ed			
	G. Quote same or equal equipment in all aspects.	T			
	H. Specify nearest service and parts supply location to Jonesbor	n AR		 	
5	Does bidder meet all backhoe/ loader specifications? Yes	No ×	1		
· · · · · · · · · · · · · · · · · · ·	If no, clearly list and define differences on a separate sheet.	7	· ·		
6	Attached equipment list with names and part numbers is for refe	rence			
7	Craighead County reserves the right to award bids to more than		lor		
8	Bid should put bid price per unit. \$98790				
9	Bidder should put total bid price. Total bid price is \$ 98790			The contract of the contract o	
	EXECUTION OF BID	Date	2/3	721	
Me th	e undersigned, have read all the requirements set forth in this bid		#	4 	L.
	tions, conditions, and pertinent information regarding the articles				
	s at the prices stated.	being bid	Un, an	d we agree to	rumsn
·	sas Use Tax Register No. 00312334 - SLS	1	<u> </u>	<u> </u>	
Piddor			त्		
By 🕢		nmorce	<i>ુવ.</i>	 	ļ
-y <u></u> 5X	•	T]	1	-
		LOTES			
	UNSIGNED BIDS WILL BE REJ				1
· · · • • · · · · · · · · · · · · · · ·	BIDS ARE SUBJECT TO REJECTION UNLESS SU TICE TO BIDDERS, SEE REVERSE SIDE OR ATTACHMENTS I				

٠.

	CRAIGHEAD COUNTY
	JONESBORO, ARKANSAS
	CONDITIONS OF BIDDING
	Compliance with the following conditions is necessary for consideration of this bid.
1	Signature-This bid must be signed with the firm name and by an authorized officer, employee or agent.
2	Sales Tax-Is not to be shown in the bid price, but is to be added by the vendor to the invoice billing to the County.
	The County is not exempt from Arkansas State Sales Tax. Contractors are to include all costs into the bid price,
	including applicable taxes.
3	Freight and other delivery charges-to destination at designated County facility in the County must be included in bid.
<u></u>	Charges may not be added after the bid is opened. List freight and delivery charges separate.
4	Discounts-Show rate, total amount, and latest day any discounts will be allowed after receipt of article and invoice,
	otherwise County will deduct allowed discount when payment is made.
5	
	Firm Price-All prices quoted will remain firm for at least 30 days from date of bid, unless otherwise specified by the County or bidder
6	TOTAL PROPERTY OF THE PROPERTY
	Arkansas Preference-Must be requested writing when bid is submitted to be considered as a factor
· · · · · · · · · · · · · · · · · · ·	in awarding a contract. Arkansas Code 19-11-259.
7	Identical Bids-In the event of two or more identical low bids, the contract may be awarded arbitrarily or for
~	any reason to any of such bidders, or split in any proportion between the said two or more bidders at
	discretion of the County.
8	Clean up-Complete cleanup and proper disposal of any and all job related items is considered to be a part of any
	contract let by Craighead County.
9	Ambiguity in bid-Any ambiguity in any bid as the result of omission, error, lack of clarity or non-compliance
	specifications, instructions, and all conditions of bidding shall be construed in the light most favorable to the County
10	Construction
	A. When requested, the Contractor is to supply the County with evidence of having and maintaining proper and
	specifically Workman's Compensation Insurance in accordance with the laws of the State of Arkansas,
	Public Liability, and Property Damage. All premiums and cost shall be paid by Contractor. In no way will the
	County be responsible in case of accident.
 .	B. A Performance Bond equaling the total amount of any bid exceeding \$20,000 must be provided for
	erection of any public building, public structure, or public improvement(Pursuant to Arkansas Code 18-44-503.)
11	The County reserves the right to reject any and all bids, accept in whole or in part, to waive informalities in bids
	received, to accept bids on materials or equipment with variations from specifications in those cases where efficiency
	of operation will not be impaired, and unless otherwise specified by bidder, to accept any item in the bid. If unit prices
	and extensions thereof do not coincide, the County may accept the bid for the lesser amount whether reflected
	by extension or by the correct multiple of the unit price.
	INSTRUCTIONS TO BIDDERS (Please read carefully)
1	Submit bid on bid form attached or reverse side of this sheet.
2	Address all bids to: Purchasing Director, Craighead County Judge's Office, 511 Union St.; Suite 119,
	Jonesboro, Arkansas 72401and make certain to indicate identifying bid number on the outside of bid envelope.
3	DO NOT include Federal Excise Tax in bid. County will furnish exemption certificate.
4	Sate Manufacturer, Brand Name, Model, etc. for each item bid on.
5	Samples of items, when required must be furnished free, and, if not called for within 30 days from date of
	bid opening, will be disposed of by the County
6	Bids received after stated time will not be considered.
7	Be sure and read all conditions and verify amounts before submitting bids. No changes or additions will be
	allowed after submission.
8	Guarantees and warranties should be attached as a part of the bid, as they may be a consideration
	in awarding contract.
9	Delivery or contract completion time is to be shown, as this date may, where time is of the
	essence, determine the contract award.
10	
· V	Additional information may be obtained from the Purchasing Department.
	THE COUNTY RESERVES THE RIGHT TO ACCEPT PART OR ALL OF ANY SPECIFIC BID OR BIDS AND TO ACCEPT BID WITH OR WITHOUT TRADE-IN, AND REJECT ANY AND ALL BIDS.

٠,

		-							
	A. GENERAL CLAUSES AND CONDITIONS			···		****			
						1			
1	Backhoe/loader Unit furnished shall be the latest type, improved model	in current p	productio	n (as offered					
	to commercial trade), shall be of good quality as to workmanship and m								
	units offered under this advertisement shall be new. The design of the mechanical members								
	shall be such that the stress imposed through normal shock loads at ma		gine torq	ue		***************************************			
	shall not cause rupture or permanent deformation or undue wear on any								
2	Specifications and printed literature covering units bidder proposes to fu								
	submitted either with bid, or if requested after bid opening, prior to awar	d. The pri	ce or						
	prices quoted shall include all transportation charges fully prepaid to: 28				72401				
3	Units to be assembled, adjusted and made ready for continuous operation	on at time	of delive	ry.					
	Material shall be treated to resist rust, corrosion, and wear.								
4	Right is reserved to accept, reject, in whole or in part, to waive informali	ties in bids	received	J ,					
****	or accept bids with variations.								
5	Craighead County reserves the right to accept, reject or award each iter								
. 6	Bidder certifies he maintains a service facility with qualified service tech								
	representative inventory of replacement parts within a fifty (150) mile rac	lius of Jon	esboro,	Arkansas.					
	The state of the s								
	B. <u>SPECIFICATIONS:</u>			4 NA HARAGAN TANSAN PROPERTY CONTROL	Meet Specific	cations			
	Color:	J,	<u> </u>	v	Yes	No			
11	Units shall be painted with a high quality, long lasting, durable paint in the	ne manufac	cturer's		Y				
····	standard color.					-			
	Cab:								
1	Shall be fully enclosed and allow for ventilation and shall meet all safety								
· · · · · · · · · · · · · · · · · · ·	glass window openings to permit a full view of the working areas and the	ne road in i	front, rea	ir and	<u> </u>				
	each side.								
		Meet Spe	age of section recommendation	ns					
		Yes	No		السلماس وما معلم				
2	Shall have adjustable operator's seat, hot water heater with shut-off val	ve at engir	ne conne	ction, as regu	larly y				
	furnished and offered by Backhoe/Loader Manufacturer.	ļ	ļ						
3	A retractable seat belt shall be provided.	· · · · · · · · · · · · · · · · · · ·	ļ		<u> </u>				
8	Factory installed air conditioning and heater with built in ventilation.	-	ļ	Marie a Not the shouldest Marie - a a sebusas	У				
1	Warranty: Backhoe/Loaders purchased under this specification shall be warranted	for a paria	dofnot	loog than					
.	twelve (12) months (365 days) from the date backhoe/loader is placed in								
	parts and workmanship that fails under normal use.	T service,	against	Jelective	-				
2	Warranty shall include all parts, labor and transportation costs to the loc	ation of th	e equipr	nant		-			
3	It is understood that this is a minimum warranty required in order for a b				<u> </u>				
5	understood that any warranty by the Backhoe/Loader Manufacturer on o								
	(that exceeds the minimum warranty specified herein) and is so advertise				i hairiigaed	****			
	manufacturer's printed data sheets shall be passed on to the Craighea			• • • • • • • • • • • • • • • • • • •	V				
4	Power Train extended warranties should be clearly defined.	a county	, waa De	parmicht,	+-				
5	Consideration will be given in making the award to the selection of an b	ackhoe/los	der whi	rh anneare	7	<u> </u>			
	to be best suited with regard to weight, strength, power, mechanical des								
	work for which they are intended.	1911, 0101, 1	POLICIL		<u> </u>				
6	Bidder shall bid backhoe/loader under this proposal that are comparable	and equa	il to 2021	Case 590SN	T4F. V				
-	The state of the s					•			

	Meet Specific	cations	٦
	Yes	No	-1
The loader backhoe shall be equipped with the following features and/or specifications:			1
MACHINE SPECIFICATIONS			
ENGINE			
4-cylinder, turbocharged diesel engine with a minimum 108 net horsepower at 2,200 RPM	i V		~
Engine displacement of 274 cubic inches	V		-
Minimum SAE net torque rating of 380 ft-lbs at 1,400 RPM	7	N	#
Torque rise of 45% at rated speed		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	- - +
Tier III certified per Federal Emissions Standards	V	/\/	_ #F 6
Vertical spin-on engine oil filter			
Cold weather starting aid to be that of non-ether based system	7		-
Liquid cooled engine	7		~
500-hour engine oil change interval	V		
ELECTRICAL			
12-volt electrical system			-
Minimum 120-amp alternator			
Dual batteries with 850 cca (each)			-
FULLY SYNCHRONIZED TRANSMISSION	distantinamental control of the second and the s		
Torque converter drive with a fully synchronized transmission			-
Four forward speeds			٠.
our reverse speeds		- KI	- #3
Minimum forward travel speed of 24 MPH with standard tires		- 17	- <i>-</i> +-
Minimum reverse travel speed of 29 MPH with standard tires	<u> </u>	+ 1	# 3
Electric forward/reverse shuttle shift			- 4 ~
POWER TRAIN	Y		<u></u>
The loader backhoe power train shall be componentized			-
Steering shall be hydrostatic			
Heavy duty axles with brake that can be serviced without removing the axle from the frame		N	#4
On-the-go electro-hydraulic rear differential lock engagement	V	13	147
ube-for-life drive shaft cross bearings			~.
A single fill and check point for rear axle shall be standard equipment			-
The power shift transmission shall provide the following:	<u> </u>		
Minimum of four forward and three reverse speeds			
hall have a kickdown function for ease of operation		-	-
our-wheel drive units include the following features:	—		-
Conventional differentials in the front axle			-
Conventional differentials in the rear axle	_	- 	-
Front axle with a minimum 74.3 inch fixed tread with 14 x 17.5 tires			-

	Meet Specific	ations	٦
	Yes	No	
On-the-go electrical four-wheel drive engagement	Υ		
Front and rear axles with outboard planetaries	Y		7
Single, double-rod steering cylinder	Ý		
Steering cylinder located behind the axle	Y	- 	
Lube-for-life drive shaft cross bearings	Ý	·	7
Front Axle (4wd) maximum static — 67,883 lbs minimum	···· ·	N	٦:
Rear Axle maximum static — 70,848 lbs minimum		N	- 4
Front Axle (4wd) dynamic operating —47,426 lbs minimum			
Rear Axle dynamic operating —49,494 lbs minimum			- [
Front Axle (4wd) static operating — 18,969 lbs minimum			1
BRAKES		13_	-#
Fully hydraulic, multiple wet disc brake located outboard	**	N	- 4
ow effort, power boosted, oil cooled brakes	M	£ 1	┦*
Brakes operated by two, suspended brake pedals	Ý		
Maintenance-free and self-adjusting	V	****	-
Spring applied, hydraulically (SAHR) released parking brake	V	~	~
OADER AND LINKAGE FEATURES			-
The loader arms shall be heavy duty and in-line.	V	- 	-
Arch design for short turning circle	4		"[
Dual parallel lift cylinders	1 1		-
Cushioned loader cylinders		<u> </u>	
The loader linkage shall have the following features:		-	-
Dual parallel bucket cylinders		N	<u>ا</u>
Cushioned bucket cylinders	4	1.11	- -
Bucket cylinders with reverse linkage	7	-	
Dual cast dump links to bucket		N	4
ull bucket rollover for dozing	Y		1
full bucket rollover for stability in backhoe operation	4		-
Automatic bucket self-leveling	7		~
leturn-to-dig	-		~/
OADER BUCKET			1
he loader bucket shall be 4 in 1 (clam) a minimum of 93 inches wide with a 1.3 cubic yard heaped capacity.	V		1
tear bucket rolled wrapper	V	-	1
re-drilled edge	4	1	1
leavy duty lifting eyes		N	-
Sucket position indicator	Y	1.3	-
Minimum SAE dump cylinder breakout force of 12,776 pounds force		N	~ ⊒
Alnimum SAE lift capacity to full height of 8,202 pounds		17	1
Minimum SAE dump clearance of 8 feet 11.4 inches at full height and 45 degree dump angle		N	-
Minimum SAE dump reach of 29.2 inches at full height and 45 degree dump angle	Y		1"
Alnimum hinge pin height of 11 feet 5.6 inches		N1	- .

	Meet Specific	ations
	Yes	No
Maximum loader lowering time (power down) of 2.5 seconds	Y	
Maximum loader lowering time (return-to-dig) of 3.8 seconds	Y	
Maximum bucket dumping time of 2.0 seconds	Ý	
Maximum bucket raising time to full height of 3.7 seconds	Y	
BACKHOE BUCKET		
The backhoe bucket shall be 24" and heavy duty.	l V	
BACKHOE - Standard hoe	V	
Minimum SAE dig depth with standard over-center backhoe for 24-inch flat bottom of 15 feet	Y	
Provide Power Lift feature	Y	
Minimum digging force, bucket cylinder, 14,940 pounds force	Y	
Minimum digging force, dipper cylinder, 9,047 pounds force	Ý	
TYDRAULICS		
The loader hydraulics shall be closed center and allow for smooth loader operation.	Y	
The backhoe hydraulics shall be variable volume and allow for smooth backhoe operation.	У У	
Variable displacement axial piston pump, dual mode torque regulation	Y	
Total pump flow to be 40.0 GPM at 2,340 psi available to the loader valve and backhoe valve	Y	
Allows operation of optional hand-held hydraulic tools		N
Anti-cavitation valves in the dipper and loader circuit	Y	
Pilot-operated check valves for stabilizers and boom circuit	Ÿ	
Anti-rebound valve for backhoe swing precision	٧	
SERVICEABILITY		
The loader backhoe shall be easy to service from ground level.	4	
Tilt hood that permits access to the engine with the loader arms raised or lowered	У	
Minimum 42-gallon side-mounted fuel tank		N
Minimum hydraulic system (total) fill of 34.75gallons (standard hoe) / 36.25 gallons	Y	
WARRANTY		
Full machine warranty of 12 months, unlimited hours	<u> </u>	
Engine warranty of two years or 2,000 hours	Y	
Power train warranty of two years or 2,000 hours	У	
Optional extended warranty for Full Machine	У	
Optional extended warranty for Power train Only	У	

Deere 410L Bid Comparison

- 1. Net Peak Torque (ISO 9249) 459 Nm (339 lb.-ft.) at 1,600 rpm
- 2. Net Torque Rise 26%
- 3. Deere has 5 forward gears and 3 reverse gears:

Maximum Travel Speeds with Standard Engine,

Measured with 21L-24 Rear Tires Forward Reverse

Gear 1 5.6 km/h (3.5 mph)

7.0 km/h (4.3 mph)

Gear 2 10.2 km/h (6.3 mph) 12.9 km/h (8.0 mph)

Gear 3 21.1 km/h (13.1 mph) 20.8 km/h (12.9 mph)

Gear 4 38.4 km/h (23.9 mph)

Gear 5 40.0 km/h (24.9 mph)

- 4. Brakes (ISO 3450) Service Power assisted, hydraulic wet disc, mounted inboard, self-adjusting and self-equalizing
- 5. Axles

Axle Ratings	Front	Rear
SAE J43	6500 kg (14,300 lb.)	7500 kg (16,500 lb.)
Dynamic	9000 kg (19,800 lb.)	10 000 kg (22,000 lb.)
Static 26	500 kg (58,400 lb.)	26 500 kg (58,400 lb.)
Ultimate	43 500 kg (95,900 lb.)	43 500 kg (95,900 lb.)

- 6. Single bucket cylinder, not dual
- 7. Steel (not cast) loader bucket dump linkage
- 8. No bucket eyes
- 9. No "dump cylinder" figure given. Overall Breakout Force 47.3 kN (10,645 lb.)
- 10. Lift Capacity, Full Height 3271 kg (7,211 lb.)
- 11. Dump Clearance, Bucket at 45 deg. 2.70 m (8 ft. 10 in.)
- 12. Height to Bucket Hinge Pin, Maximum 3.47 m (11 ft. 4 in.)
- 13. Could not find info on "operation of hand held hydraulic tools"
- 14. Fuel Tank (with ground-level fueling) 128.7 L (34 gal.)





Quote Id: 23514194

Prepared For:

CRAIGHEAD COUNTY ROAD DEPT

Prepared By: GRANT WATKINS

Stribling Equipment, LLC 1505 Corporate Avenue Memphis, TN 38132

Tel: 901-345-5294 Fax: 901-345-6003

Email: grant.watkins@striblingequipment.com

Date: 20 January 2021 Offer Expires: 31 March 2021





Quote Summary

Prepared For:

CRAIGHEAD COUNTY ROAD DEPT 511 UNION ST JONESBORO, AR 72401

Prepared By:

GRANT WATKINS Stribling Equipment, LLC 1505 Corporate Avenue Memphis, TN 38132 Phone: 901-345-5294

grant.watkins@striblingequipment.com

Quote Id:

23514194

Created On:

20 January 2021

	Last Mo	eated C dified C tion Da	n:	20 January 2021 20 January 2021 31 March 2021
Equipment Summary	Selling Price	Qty		Extended
JOHN DEERE 410L BACKHOE LOADER	\$ 98,796.50 X	1	=	\$ 98,796.50
John Deere Extended Warranty-60 Month/4,000 Hour Powertrain & Hydraulics Powertrain & Hydraulics, 4000Total Hours or 60Total Months, \$ 0.00 Deductible	\$ 2,712.50 X	1	=	\$ 2,712.50
Sub Total				\$ 101,509.00
Equipment Total				\$ 101,509.00
	Quote Summary			
	Equipment Total			\$ 101,509.00
	DOCUMENTATION FEE	:		\$ 0.00
	SubTotal			\$ 101,509.00
	Total			\$ 101,509.00
	Down Payment			(0.00)
	Rental Applied			(0.00)
	Balance Due			\$ 101,509.00

Salesperson : X	Accepted By : X
	7000ptou Dy 17





Selling Equipment

Quote Id: 23514194

Customer: CRAIGHEAD COUNTY ROAD DEPT

JOHN DEERE 410L BACKHOE LOADER

	_			٠
н	•	11	-	•
	•	ч	13	

Stock Number:

Code	Description	Qty
0AB1T	410L BACKHOE LOADER	1
for the same	Standard Options	-Per Unit
170C	JDLink Ultimate 5 Year Subscription	1
1065	John Deere PowerTech™ EWL 4.5L	1
	(276 Cu, In.) Engine Meets Final Tier 4	
	and Stage IV Emissions	
2035	Cab	1
2401	English Decals with English Operator and Safety Manuals	1
3095	Mechanical Front Wheel Drive (MFWD) with Limited Slip Differential Autoshift Transmission	1
4466	Galaxy 21L 24 in. 12 PR Rear & 12.5/80-18 10PR Front	1
5225	Mechanical Controls, Two Lever, ISO (DEERE)	1
5400	Less Coupler - Less Thumb	1
5656	24" (610 mm) Wide, Heavy-Duty, 7.5 Cu. Ft. (0.21 Cu. M.) Capacity Bucket	1
6010	Standard Dipperstick	1
6210	No Auxiliary	1
7080	Three-Function Loader Hydraulics, Single Lever	1
7685	Wide Multipurpose Bucket	1
8415	Heavy-Duty Bumper - For Machines Without a Front Counterweight	1
8675	Dual Maintenance Free Batteries	1
	Service Agree John Deere Extended Warranty - 60	ments.
	Month/4,000 Hour Powertrain &	
	Hydraulics	



Extended Warranty Proposal

					
JOHN DEERE 41 Date : January 20	OL BACKHOE LO	DADER			
Machine/Use Info		Plan Description	n	Price	
Manufacturer	JOHN DEERE	Application	Governmental	Deductible	\$ 0.00
Equipment Type	410L LOADER BACKHOE	Coverage	Powertrain & Hydraulics	List	\$ 2,712.50
Model	410L LOADER BACKHOE	Total Months	60		
Country		Total Hours	4000		
Extended Warranty is availab Extended Warranty expires.	le only through authorized Joh	nn Deere Dealers for John Dee	re Products,and may be purchas	sed at any time before the pro	oduct's Standard Warranty,or
Extended Warran	nty Proposal Pre	pared for:	I have been offer	red this extended	warranty and
Out to a Name	Diseas Drint		~	Extended Warranty	у
Customer Name	- Please Print		1 DECLINE the	Extended Warrant	ty
Customer Signati	ure		If declined, I fully u above is not cover component failures period provided by	ed for customer e s beyond the origi	ny equipment listed expenses due to inal basic warranty

Note: This is <u>not</u> a contract. For specific Extended Warranty coverage terms and conditions, please refer to the actual Extended Warranty contract for more information and the terms, conditions and limitations of the agreement.

What Extended Warranty is:

The Extended Warranty Program is for the reimbursement on parts and labor for covered components that fail due to faulty material or original workmanship that occur beyond the John Deere Basic Warranty coverage period. The agreement is between Deere & Company and the owners of select John Deere Construction and Forestry equipment, who purchase the Extended Warranty Plans for the desired coverage as indicated in this proposal.

What Extended Warranty is not:

Extended Warranty is not insurance. It also does not cover routine maintainance or high wear items, or insurance-related risks/perils such as collision, overturn, vandalism, wind, fire, hail, etc. It does not cover loss of income during or after an equipment failure. See the actual product-specific Extended Warranty agreement for a complete listing of covered components, and limitations and conditions under the program.

Features/Benefits:

- Extended Warranty includes the following features and benefits under the program :
- Pays for parts and labor costs incurred on failed covered components (less any applicable deductibles),
- Does not require pre-approval before repairs are made by the authorized John Deere dealership,
- Payments are reimbursed directly to the dealership with no prepayment required by the contract holder.







Prepared For: Craighead County Road

Stribling Equipment Scheduled Maintenance Quote

Machine Model:	410L	Servicing Branch:Jone	sboro
Contract Hour Start:	0	Service Interval (hr.): 0	
Contract Length (hrs):	4000	Mileage for Scheduled Services: N/A	
Contract Length (mos):	60	TT&M for Warranty Repairs, Included	
		Scheduled Maintena	nce Subtotal: \$400.00 \$0.00
Extended Warranty Sum	mary:		
Warranty Type:	Powertrain and Hydraulic	s	
Warranty Length (hrs):	4000		
Warranty Length (mos):	60		
		Warra	anty Subtotal: \$2,712.50
			\$0,00
		Quote Summary	
		TTM Summary	\$400.00
		Warranty Summary	\$2,712.50
		Total	\$3,112.50
		► Pricing does not include tax	













A. Preventative Maintenance - General Provisions

During the selected agreement period, Stribling Equipment will perform maintenance Intervals, in accordance with John Deere Uptime Maintenance Planner and subject to the terms set forth in this document. Under the terms selected on this document, the preventative maintenance agreement will begin at hour interval desired, and will continue until the expiration has been met by either specified machine hours or specified term in months. At any time nearing the expiration of this agreement, the terms of this agreement may be extended to the newly desired limit.

B. Objective of Maintenance Agreement

- To minimize repair expense and maximize equipment uptime through periodic scheduled maintenance.
- To protect equipment investment with budgeted maintenance costs.

C. Owner's Responsibility

- Perform Daily and Weekly maintenance in accordance with manufacturer's guidelines.
- At the selected intervals, the Owner will notify the appropriate STRIBLING EQUIPMENT, LLC Service Manager that a service is due. STRIBLING EQUIPMENT, LLC will schedule the preventative maintenance service at a time convenient to the customer. PM services are performed during normal business hours.
- . Notify dealer of the hours on machine.
- · Service is performed at agreed upon Increments.
- Notification should be 50 hours prior to service interval.

D. Dealer's Responsibility

- STRIBLING EQUIPMENT, LLC will perform scheduled maintenance per the John Deere Construction & Forestry operator's manual and each machine's maintenance planner, including maintenance per the John Deere Construction & Forestry operator's manual and each machine's maintenance planner, including fluid sampling requirements.
- Properly remove and dispose of all hazardous waste materials.
- Inspect equipment and advise owner of any necessary repairs or damage beyond periodic maintenance. Any such repairs will be authorized by the owner, scheduled and involced separately.
- All plan prices Include labor, John Deere parts, fluids, filters, and fluid sample kits necessary to perform maintenance procedures as listed in John Deere Construction & Forestry operator's manuals for each specified model and interval. Plan prices were compiled with current labor rates and parts prices and are subject to change.
- Plan prices do not include sales tax.

E. L & M Series Forestry Extended Warranty Discount

 A 60% discount off the Powertrain portion of extended Powertrain and Hydraulics or Full Machine Warranty is available provided the following requirements are met.

Dealer Requirements:

- 1. Perform all major services per John Deere Uptime Maintenance planner or Operators Manual.
- 2. Submit oil samples through ALS on every service interval of all major fluid reservoirs, regardless of who performs the service (customer or dealer).
- **3.** Use and provide John Deere parts and fluids for every service interval, regardless of who performs the service (customer or dealer).

Customer Regulrements:

- 1. Purchase a signed Stribling Pro Solutions Uptime Maintenance Agreement for 3 year or 6000 hour.
- 2. Perform all services outside of the dealer-performed services using John Deere parts and fluids. (If service is not performed by dealership)
- Take oil samples on every service interval of all major fluid reservoirs, regardless of who performs the service (customer or dealer).

Oil Analysis Requirements:

- 1. Oil samples must be performed and submitted through ALS technologies at every 500 hr interval, including the initial 250 hr. service (if required).
- 2. Powertrain warranty claims could experience 100% chargeback, performed by John Deere TCSM, if oil sampling is not submitted.
- 3. Chargeback of 100% could also be instituted if oil analysis indicated that non-John Deere fluids are being used.





1-00000351

ADVERTISING INVOICE / STATEMENT

1/1

518 Carson Jonesboro AR 72401

BILLING DATE	TERMS OF PAYMENT.
01/31/2021	Upon Receipt

*******AUTO**ALL FOR AADC 380 CRAIGHEAD COUNTY JUDGES OFFICE BILLING

Dept

511 Union St Ste 119

Jonashoro AR 72401-2863

90035632	90035632
NAME OF A	GENCY/CLIENT

DATE	AD#	TRANS#	DESCRIPTION	INS	UNITS	AMOUNT	TOTAL
	1	1	Balance Forward			0.00	. 0.00
01/06/2021	90901214	302669183	NOTICE TO BIDDERS Craighead Co -5R A	ire.		73.45	73.45
			20JN Jonesboro Sun - NOTICE TO	1	4.55 in		
01/17/2021	90903121	302672964	NOTICE TO BIDDERS Craighead Co - Rd			77.35	150.80
			20JN Jonesboro Sun - NOTICE TO	1	4.77 in		
01/24/2021	90903783	302675202	NOTICE TO BIDDERS Craighead Co - 🧞			78.00	228.80
	1		20JN Jonesboro Sun - NOTICE TO	1	4.77 in		
	!						
]						·
						i	
		'					
			i				
	-]		ĺ	
		İ					
ļ		1			ĺ		
ĺ		}		İ	.		1
					i		
	<u></u>	<u></u>	<u></u>				

PERIOD 1 2021	Period 12 2020	AG Period 11 2020	ING Period 10 2020	Period 9 2020
\$ 228.80	\$ 0 .00	\$ 0.00	\$ 0.00	\$ 0.00

TOTAL NET AMOUNT DUE \$ 228.80

PLEASE RETURN THIS PORTION WITH YOUR REMITTANCE

If you desire to charge this amount to your credit card, please complete the following information and return to the address below: [] Visa [] Mastercard [] Discover [] American Express Signature

BILLED ACCOUNT NO.

124 90035632

BILLED ACCOUNT NAME CRAIGHEAD COUNTY JUDGES OFFICE AMOUNT DUE \$ 228.80



Jonesboro Sun c/o Paxton Media Group PO Box 1200 Paducah KY 42002

Phone: 270-575-8731 Fax: 270-575-8726

Billing Date

01/31/2021

Payment in full is due upon receipt of the statement. A service charge on all balances over 30 days will be computed by a 'Periodic Rate' of 1-1/2% per month, which is an ANNUAL PERCENTAGE RATE OF 18%, this applies to the previous balance after deducting current payments and credits appearing on your statement. Refunds less than \$10.00 will be refunded electronically. denated to NIE, or collected in cash at the newspaper.

Remittance Advice

900356320000000000022880

AFFP NOTICE TO BIDDERS Craighead Co RECEIVED JAN 2 1 2021

FROM CRAIGHEAD COUNTY JUDGE'S OFFICE

Affidavit of Publication

tina i kalènda na kalanga patuh telah sija sija

STATE OF ARKANSAS } SS COUNTY OF CRAIGHEAD }

Matthew Smith, being duly sworn, says:

That he is A Classified Director of the Jonesboro Sun, a Daily newspaper of general circulation, printed and published in Jonesboro, Craighead County, Arkansas; that the publication, a copy of which is attached hereto, was published in the said newspaper on the following dates:

January 17, 2021

Publisher's Fee:

\$ 77.35

That said newspaper was regularly issued and circulated on those dates.

SIGNED:

Subscribed to and sworn to me this 17th day of January

2021.

lelton, Notary Public 9/6/2022

90035637 90903121

NOTICE TO BIDDERS

Craighead County is now accepting bids until 2:00 PM, February 3, 2021, local time, at the Craighead County Judge's office for the following:

Purchase two (2) Dump Trucks, (2) Motor graders, (1) Backhoe/loader

Bid specifications may be picked up at the County Judge's office, Craighead County Courthouse Annex, 511 Union St., Suite 119, Jonesboro, Arkansas, Monday through Friday, from 8:00 A.M. until 5:00 P.M.

Blds will be opened at 2:00 P.M., February 3, 2021, local time, in the County Judge's

The County reserves the right to reject any and all bids or any part of any specific

Bid specifications are available on the County Web Site at www.craigheadcounty.org

Purchasing Agent
Crafghead County

JANET MELTON COMMISSION # 12389619 NOTARY PUBLIC ARKANSAS CRAIGHEAD COUN

CRAIGHEAD COUNTY JUDGES OFFICE **511 UNION STE 119** JONESBORO, AR 72401

terred NEA Real Estate Agents





Karen Merryman 243-1043

Century 7 WRIGHT-PACE REAL ESTATE

These agents are ready to assist with all of your real estate needs.

To advertise here, please call 870-935-5525

JHN 17,202/

an be gropped off dant of the Muni. ders Building up until Proposals will be conry 28, 2021.

er Notice of owned businesses to this case. Award of con-

approved mission. mpany holdnit from the rkansas to act other sureties aco the Owner, ecifications forms and itráct bocu-

lay be ex-

0955 LEGALS

turn of clean docu first floor lobby ments by bonified bid-

p.m., Thursday, sidered on the pasis of cost. The City of Jonesrst floor confer boro reserves the right INC com has been resi to reject any or all bids. PLAINTIFF for the opening, to walve any informality les, and to accept the ve mum of ten (10) proposal deemed to be CASE NO.: JOCV-20,408 is will be allowed, for their best interest et in the confer- The City of Jonesboro com at one time: hereby notifies all bidoom at one time. hereby notifies all bid- ally, and distancing will be ders that this contract DALE SHIRLEY, LLC Is subject to applicable DEFENDANT. overings will be Labor Laws, Non-Dised. Crimination Provisions TS will be re Wage Rate Laws and crimination Provisions WARNING ORDER

to provide Bid other Federal Laws in a This is a breach of Phone (870) 930 9919

l'or staté pank in encourages participa costs and fees in pursu-ount not less tion of small, minority, ing this action

from a reliable a subcontractor, it is pear within thirty (30) company, as a further requested that days from the date of De e that bidder whenever possible, mar first publication of this runto a con- jority contractors who order or face entry of d execute per- require sub-contract: Judgment by default or e and Payment ors, seek qualified small, otherwise barred from

ill be given by requirements de er within sixty scribed in Document oo following the 21 13 - Instructions to January 2021 Bidders and Document essful bidder 00 31 00 Available

Payment Bond Your offer will be reform provided guired to be submitted nount of one under a condition of inpercent (100%) revocability for a periontract price od of 30 days after sub-

Cionesporo senarate sealed a

Advertisement for Bids Poinsett County Housing Authority 1104 Elm Street Marked Tree, AR 72365

0955 LEGALS N THE DISTRICT COURT

CIVIL DIVISION SON-TINA ENTERPRISES,

DALE SHIRLEY, Individu

yin the form of a cluding the Fair Labor contract action in ind of a sum no standards Acts of 1938, which Plaintiff is seek. ian 5 percent of The Work Hours Act of Ing Judgement against d Amount, Pro 1962 and Title Vi of the Desendants for solling 1962 and Title VI of the Defendants for falling shall be accome Civil Rights Act of 1964 to pay \$10,000 to by a cashiers or also apply Riaintiff for industrial d check upon a The City of Jonesboro racking along with the

ve percent (5%) and woman owned 2 Pursuant to Arkansas total maximum business enterprises in Rule of civil Procedure flee payable the procurement of 4(g)(3) Defendants, Daje recourse to the goods, services, and shiftey individually and Jonesporo or a construction either as Dale Shirley LLC are id in the same a general contractor or hereby warned to apvithin iten (10) minority; and women asserting an interest in

Contract. The partner with them. WITNESS my hand and Award of Contract Refer to other bidding seal as District Clerk of Chaldhead County. WITNESS my hand and Craighead Arkansas this 14 day of

s/Nina Jackson ish a Perform. Project information: Craighead County District Clerk

PREPARED BY:

/s/Jared Woodard (2004148) STANLEY & WOODARD, 326 S. Church

Jonesboro, AR 72401 (870) 932-2000 (phone) (870) 972:9999 (facsimile) lared@stanleywoodard.

Attorney for Plaintiff

(3) months from the PUBLIC NOTICE OF CRAIGHEAD COUNTY, date of the first publica. DRAFT DISCHARGE RER notice comments, and tion of this notice, or MIT AND 208 PLAN from any benefit in the 01822 estate:

January, 2024,

Claudia F. Carter, Affiant

By Chad R. Oldham OLDHAM LAW FIRM, PLLC 603 Southwest Drive

NOTICE TO BIDDERS Craighead County is now accepting bids until 2:00 PM, February 3, 2021, local time, at the Craighead County Judge's office for the following:

Purchase two (2) Dump Trucks (2) Motor graders (1)

Bid specifications may pe picked up at the County Judge's office Craighead County Courthouse Annex 511 Union St. Suite 119 Jonesboro, Arkansas Monday through Friday, from 8:00 A.M. until 5:00

Bids will be opened at 2:00 P.M.; February 3, 2021, local time, in the County Judge's office.

The County reserves the right to reject any and all bids or any part of any specific bid.

Bld specifications are avallable on the county Web Site at www.craigheadcounty. Ai Haines Purchasing Agent Craighead County

REQUEST FOR PROPOSALS The Osceola Housing

Environmental Quality lowing notice:

Stacey Richardson Basin, Stacey Richard Rule 8. son submitted an ap plication on December 17, 2019, With all additional information re ceived by January 23 2020, for the issuance of NPDES Permit No. AR0053163. The applica-tion has been reviewed by the DEQ's Office of Water Quality and has received tentative approval subject to the terms of this notice.

The 208 Plan veloped by the DEO Un. der provisions of sec-tion 208 of the federal Clean Water Act, Is a comprehensive program to work toward achieving federal water goals in Arkansas, the Initial 208 Plan, adopted In 1979, provides for an nual updațes, but can be revised more often if necessary. Updates to Arrthority, is saaking, the 208 Plan have been

tion of this notice, or MIT AND 208 PLAN hearings will be con-they shall be forever P.E.R.M.IT. N.U.M.B.E.R. ducted in accordance, barred and precluded AR0053163, AF(N 16. with Rule 6 104(A)(5) I40 from any benefit in the 01822 CFR \$\$124.10 through 124 12 by reference and This notice first pub. In accordance with Ark, Rules 8,207 through lished the 17 day of code Ann. \$ 8-4-203(e), 8:210 (Administrative the Arkansas Depart: Procedures). All perment of Energy and En. sons, including the pervironment - Division of mittee, who wish to comment on beg's (DEO), Office of Water, draft permitting de Quality, gives the fols cision must, submit written comments to DEQ, along with their name and mailing ad. Richardson's Trailer dress A Public Hearing Washout operates a far will be field when DEQ cility located as follows: finds a significant de-5409 Highway 18 East, gree of public interest Jonesboro, AR 72401 in After the public com-Craighead county, the ment period, peo will facility proposes to discussive a final permitting charge treated traller, decision, peo will notiwashout water into an fy the applicant and unnamed ditch; thence each person who has to Maple slough Ditch, submitted written com-thence to cum slough ments or requested no-Ditch, thence to Ditch tice of the final permit-No. 10: thence to ting decision any inter-straight Slough, thence ested person who has to st. Francis Bay, submitted comments thence to the st. Fran- may appeal a final decis River in segment 5A. cision by DEQ in accordof the st. Francis River ance with the ARCAEC

